



FTP LUX DISTRIBUTION



www.ftpdistribution.lu 🔇 +352 26 39 33 73



info@ftpdistribution.lu



ACCESSORIES FOR ROUTERS

info@ftpdistribution.lu





BURRS GROOVE CUTTER

Information: DeWalt groove cutter - 2 edges TCT Description: DeWalt groove cutter - 2 edges TCT

CODE	DT90002-QZ	DT90003-QZ	DT90004-QZ	DT90005-QZ	DT90006-QZ
CODE	DT90007-QZ	DT90008-QZ	DT90009-QZ	DT90010-QZ	DT90011-QZ
CODE	DT90012-QZ	DT90001-QZ			

DT90017 QZ MILLING CUTTERS SHAFT 8 MM 22 PCS



Information: DeWALT universal milling set 22-piece with 8 mm shaft supplied in a handy plastic cassette. Description: Set with 22 common milling cutters Suitable for DeWALT routers: DW614 - DW615 - DW621 - DW622 - D26203 - D26204 Makita - Bosch ...

CODE DT90017-QZ





ACCESSORIES FOR ROUTERS

FINE HEIGHT ADJUSTER

IN BRIEF Micrometer screw for fine depth adjustment. Fine Height Adjuster



DE6956-XJ

FINE HEIGHT ADJUSTER

IN BRIEF Micrometer screw for fine height adjustment. Fine Height Adjuster

CODE

CODE

DE6966-XJ



GUIDE BUSH FOR ROUTER

IN BRIEF Mobile guide bush for routers and trimmers. 10mm outer diameter, 8mm internal diameter. Guide Bush for Router

DE6310-XJ

DE6327-XJ



GUIDE BUSH FOR ROUTER

IN BRIEF Fixed guide bush for routers. Outer diameter 27mm, internal diameter 24mm. Guide Bush for Router

CODE	DE6427-XJ	DE6430-XJ	DE6910-XJ	DE6917-XJ	DE6927-XJ
CODE	DE6930-XJ	DE6940-XJ	DE6961-XJ	DE6989-XJ	DE6990-XJ
CODE	DE6991-XJ	DE6992-XJ			





ACCESSORIES FOR ROUTERS

info@ftpdistribution.lu



IN BRIEF Junction ba<mark>r fo</mark>r guide rails. Guide Rail Joining Kit





MICRO FENCE ROUTER EDGE GUIDE WITH DUST EXTRACTION



IN BRIEF Universal micro adjustable fence with dust extraction part. Universal micro adjustable fence with dust extraction port

CODE DE6913-XJ

FTP LUX DISTRIBUTION





www.ftpdistribution.lu 🔇 +352 26 39 33 73



ACCESSORIES FOR ROUTERS

ROUTER ATTACHMENT FOR GUIDE RAIL DWS5021-22-23





TRAMMEL BAR FOR CUTTING CIRCLES

IN BRIEF Trammel bar for cutting circles with router. Trammel bar for cutting circles

DE6905-XJ

FTP LUX DISTRIBUTION



www.ftpdistribution.lu 🔇 +352 26 39 33 73 🛛 🔄 info@ftpdistribution.lu





LAMINATE TRIMMERS

🕐 info@ftpdistribution.lu



<u>18V XR 550W BRUSHLESS DRYWALL TRIMMER WITHOUT</u> <u>BATTERIES OR CHARGER</u>

Powerful and compact OR30 XR 18 V Brushless motor. High efficiency offers levels of power and autonomy at the top of the category. Autonomy = 54 meters of 12.5 mm plasterboard with an XR 18V 5Ah battery. Compatibility with XR 18V batte ...

DCE555N-XJ

18V XR DRYWALL CUTOUT TOOL (NO BATTERIES NO CHARGER)



18V XR Drywall CutOut Tool DeWalt XR Drywall Cut-Out Tool offers tool-free bit change for fast and easy bit changing and an adjustable depth stop for improved control when plunge cutting sheet material. Perfect for cutting holes in a variety of mate ...

CODE DCS551N-XJ



LAMINATE TRIMMER 590W

IN BRIEF Laminate trimmer perfectly suited for small radius, chamfers and shaping edges. Lightweight, perfect for precision work. Power output 340W Especially for small radius, chamfers and shaping edges Light weight makes it ideal for one hand ...

CODE DWE6005-QS





MACHINERY PLANERS/THICKNESSERS



PLANER AND THICKNESSER 260 MM 2100W

IN BRIEF Portable thickness planer with robust die-cast aluminum structure. Safety switch as well as overload protection. 1600W power output. Large aluminium fence for accurate bevel angles in the surface planing mode Large, extruded alumini ...

D27300-QS



PORTABLE THICKNESS PLANER 1800W

IN BRIEF Portable thickness planer with 4 post column design for extremely accurate finish. 1000W power output. 4 post column design allows the cutter head to move up and down smoothly and accurately Large infeed and outfeed tables provide a ...

DW733-QS CODE









<u>PLANERS</u>

DUST AND CHIPS BAG FOR DW26500-1



IN BRIEF Chip container. Dust and Chips Bag for D26500(K)



HAND PLANER

IN BRIEF Hand planer. Cut max 2.0mm, 15.000 rpm, planing width 82mm, beating depth 9mm, length shoe 295mm, drum diameter 48mm, integrated suction system, 3.1Kg. EQUIPMENT: 2 batteries XR Litio 18V 5Ah, blade TCT reversible, parallel guide, shaving ...

DE DCP580P2-QW



HAND PLANER 1050W 82X4MM

IN BRIEF Planer ideal for applications on the most hard woods. Dust extraction spout can be positioned on both sides. Power output 620W. A powerful planer that copes effortlessly with hard woods, even at maximum depth of cut, giving a smooth, co ...

D26500K-QS

CODE



HAND PLANER 600W 82X2.5MM

IN BRIEF Planer, lightweight and balanced, ideal for work with a single hand. Rubber coated front grip. Power output 350W. Low weight and perfect balance make this planer ideal for single handed use in awkward applications Front handle depth co ...

DW680-QS

FTP LUX DISTRIBUTION



www.ftpdistribution.lu 🔇 +352 26 39 33 73 🏼 🔄 info@ftpdistribution.lu



<u>PLANERS</u>



HAND PLANER IN TSTAK CASE

IN BRIEF Hand Planer in TSTAK case Batteries and Charger sold separately. DESCRIPTION Powerful brushless motor provides smooth planing performance combined with extended runtime. Lightweight, compact and ergonomic design for comfortable use in a ...

CODE DCP580NT-XJ



FTP LUX DISTRIBUTION



www.ftpdistribution.lu (🔇) +352 26 39 33 73



附 info@ftpdistribution.lu



<u>ROUTERS</u>



<u>18V TAB MILLING MACHINE IN CASE WITHOUT BATTERIES OR</u> <u>CHARGER</u>

The DEWALT DCW682 XR Brushless Tab Router has a brushless motor that provides consistent, powerful cutting performance. Its paddle switch design accommodates both left and right handed users. The router allows you to achieve exceptional results, wi ...

DCW682NT-XJ

18V XR CORDLESS BRUSHLESS 1/4" ROUTER KIT



The first router available on the XR cordless platform, DeWalt's DCW604 can be used with interchangeable fixed or plunge bases and has quick release tabs to enable them to be swapped over quickly and easily. Additional benefits include a soft start ...

DCW604NT-XJ

CODE

CODE



<u>18V XR CORDLESS BRUSHLESS 1/4'' ROUTER KIT WITH</u> <u>BATTERY AND CHARGER</u>

The first router available on the XR cordless platform, DeWalt's DCW604 can be used with interchangeable fixed or plunge bases and has quick release tabs to enable them to be swapped

info@ftpdistribution.lu

over quickly and easily. Additional benefits include a soft start ...

DCW604P2-QW

www.ftpdistribution.lu 🔇 +352 26 39 33 73





<u>ROUTERS</u>

BISCUIT JOINTER



DeWalt DW682K Biscuit Jointer The DW682K is a 600w biscuit jointer which features pre set cutting depths for 0, 10 & 20 biscuit sizes along with additional fine adjustment controls for task specific accuracy. Specifications • Power Input: 60 ...





COMPACT ELECTRONIC ROUTER 900W 36MM

DeWALT Routers: D26200-QS Compact and lightweight Router for a much lower user's fatigue. Power output 620W. The full wave electronic speed control with feedback ensures the selected speed is maintained under any load for a consistent finish in al ...

CODE D26200-QS



ELECTRONIC 12.7MM ROUTER WITH SAFETY SWITCH

Sweet departure Speed 9,000-22,000 rpm Ø collet 6 - 12.7mm Max Ø cutter 50mm Max sinking 80mm Electronic brake LED light Equipment: parallel guide, AirLock suction adapter, 12mm pliers, service key, On / Off switch, TSTAK case. Note ...

DWE627KT-QS

CODE



ELECTRONIC ROUTER 12.7 MM 2300W

Sweet departure Speed 9,000-22,000 rpm Ø collet 6 - 12.7mm Max Ø cutter 50mm Max sinking 80mm Electronic brake LED light Equipment: parallel guide, AirLock suction adapter,

12mm service wrench pliers Note: This product is equipped ...

DWE625-QS





<u>ROUTERS</u>

PLUNGE AND FIXED BASE ROUTER 900W 36MM

IN BRIEF Router with electronic speed control and compact design. Two column precision bushings with 5 adjustable positions. Power output 620W. Full wave electronic speed control with feedback ensures the selected speed is maintained under a ...



VARIABLE SPEED ELECTRONIC PLUNGE ROUTER 1100W 36MM



IN BRIEF Router with fine depth adjustment (0.1mm). Exclusive dust extraction column inside the tool. Power output 620W. Unique through the column dust extraction for excellent cutter visibility - no adaptor or hose which restrict visibility is ...

CODE DW621-QS



VARIABLE SPEED PLUNGE ROUTER 2000W 50MM

IN BRIEF Plunge router with electronically adjustable speed for a perfect finish on wood, aluminum and plastic. 1400W power output. Electronic speed control ensures that the same fine finish is achieved in all grades of timber, aluminium and plas ...

DW625E-QS



VARIABLE SPEED PLUNGE ROUTER 900W 36MM

IN BRIEF Router with electronic speed control and compact design. Precision bushings with three adjustable positions. Power output 590W. Soft start to eliminate any small initial movement that might misalign the cutter Lightweight and compact d ...

DE DW615-QS

FTP LUX DISTRIBUTION



www.ftpdistribution.lu 🔇 +352 26 39 33 73 🔄 info@ftpdistribution.lu



<u>SANDERS</u>



18V BRUSHLESS DRYWALL SANDER SKIN (NO BATTERY NO CHARGER)

18V Brushless Drywall Sander Skin (no battery no charger) Removes More Drywall Dust & Debris Than Traditional Paper & Backing Pad The 225mm High Dust Efficiency Backing Pad Combined with Mesh Paper removes more drywall dust & debris tha ...

DCE800N-XJ



<u>18V XR CORDLESS BRUSHLESS RANDOM ORBITAL DISC</u> <u>SANDER 125MM IN T-STACK CASE</u>

The DCW210 enables DeWalt XR 18v power tool users to tackle random orbital sanding applications without having to rely on power leads or trailing extensions. Equipped with a 125mm hook & loop sanding pad and a dust skirt for improved dust collec ...

DE DCW210NT-XJ

18V DRYWALL SANDER KIT



18V Drywall Sander Kit Removes More Drywall Dust & Debris Than Traditional Paper & Backing Pad The 225mm High Dust Efficiency Backing Pad Combined with Mesh Paper removes more drywall dust & debris than traditional paper & backing ...

E DCE800T2-QW

FTP LUX DISTRIBUTION



www.ftpdistribution.lu 🔇 +352 26 39 33 73 🛛 🔄 info@ftpdistribution.lu



<u>SANDERS</u>



<u>18V XR CORDLESS BRUSHLESS RANDOM ORBITAL DISC</u> <u>SANDER 125MM WITH BATTERY</u>

The DCW210 enables DeWalt XR 18v power tool users to tackle random orbital sanding applications without having to rely on power leads or trailing extensions. Equipped with a 125mm hook & loop sanding pad and a dust skirt for improved dust collect ...

DCW210P2-QW



<u>5" RANDOM ORBIT SANDER / VARIABLE SPEED / H&L PAD</u> 5" RANDOM ORBIT SANDER / VARIABLE SPEED / H&L PAD3.0 amp motor that spins the pad at

5" RANDOM ORBIT SANDER / VARIABLE SPEED / H&L PAD3.0 amp motor that spins the pad at 8,000 - 12,000 OPM Separate counterweight design reduces vibration for improved comfort Improved dust-sealed switch to protect against dust ingestion for long ...

DWE6423-QS



DEWALT DWE6411K 1/4 SHEET PALM SANDER + PLATE FOR BLINDS

Information: The DWE6411K 1/4 Sheet Palm Sander Kit has a 2.3 am motor that delivers 14,000 OPM. The separate counterweight reduces vibration and along with the rubber overmold grip provides comfortable sanding. A shorter design allows users to ...

info@ftpdistribution.lu

DWE6411Z-IT





<u>SANDERS</u>

DRYWALL SANDER 225MM 450W



Powerful 450W handle mounted motor provides enough power for all drywall applications and ensures excellent balance. Variable speed: to suit all sanding applications. \emptyset 225mm ventilated backing pad, offers the best dust extraction. AirLock compat ...

CODE DWE7800-QS

DRYWALL SANDER KIT WITH WIRE VACUUM CLEANER



• DCE800T2-QW PLASTERBOARD SANDER Bushless motor, 225mm diameter • DWV902M-QS SOLID / LIQUID ASPIRATOR CLASS M 1400W Max capacity 35 liters, Max air flow 3660 liters / min • EQUIPMENT: 3 P150 abrasive discs, 2 XR FLEXVOLT 6.0Ah batteries, B ...

CODE LEVCARTF-IT



DRYWALL SANDER KIT WITH XR FLEXVOLT CORDLESS VACUUM CLEANER

• DCE800T2-QW PLASTERBOARD SANDER Bushless motor, 225mm diameter • DCV586MN-XJ XR FLEXVOLT EXTRACTOR CLASS M Solids and liquids, Max capacity 15 liters, Wireless Tool control • DWST1-71229 TSTAK CART TSTAK system transport unit with 4 swive ...

🕥 info@ftpdistribution.lu

CODE LEVCARTB-IT

www.ftpdistribution.lu 🔇 +352 26 39 33 73





<u>SANDERS</u>



<u>ORBITAL SANDER 1/4 SHEET 230W + SHOE FOR SHUTTERS</u> MIDRAILS

Supplied in Kit DWE6411 Orbital Sander 2.4A Motor 12.000 orbits/minute With support for chips bag Note: This product is equipped with Euro Plug and operates at 220-230V

CODE DWE6411-QS



XR 18V ¼ SHEET ORBITAL SANDER

BRUSHLESS motor Variable speed 8,000-13,500 opm Orbit diameter 1.6mm Sheet size 108x115mm Abrasive fastening with velcro and clip Ergonomic design Wireless tool Control system Suction system compatible with AirLock Dust bag supplied Equipmen ...





XR 18V ¼ SHEET ORBITAL SANDER (BODY ONLY)

BRUSHLESS motor Variable speed 8,000-13,500 opm Orbit diameter 1.6mm Sheet size 108x115mm Abrasive fastening with velcro and clip Ergonomic design Wireless tool Control system Suction system compatible with AirLock Dust bag supplied Equipmen ...

info@ftpdistribution.lu

CODE DCW200NT-XJ

www.ftpdistribution.lu (📎 +352 26 39 33 73







<u>ACCESSORIES</u>



18V CORDLESS ROTARY HAMMER DUST EXTRACTION SYSTEM

IN BRIEF Dust extraction system with independent motor and highest quality washable HEPA filter. Quick release and low weight for great comfort. Ideal for dust free drilling up to 16 mm in diameter Powered by an independent motor maintaining max ...

D25303DH-XJ

DEMOLITION HAMMER DUST EXTRACTION



Demolition Hammer Dust Extraction

DWH052-XJ



INTEGRATED HAMMER DRILL DUST EXTRACTOR

Information: Suitable for direct attachment to compatible DeWalt hammer drills, the D25304DH utilizes a HEPA filter for protection from harmful dust. Description: Dewalt D25304DH-XJ Integrated Drill Dust Extractor fits DCH3333, DCH334 (54V XR FLEXV ...

D25304DH-XJ

CODE

CODE



SDS-PLUS EXTRACTION TELESCOPE

IN BRIEF Telescopic dust extraction system for use with SDS-Plus corded or cordless hammers. Usable for up to 16mm drilling diameters. For use with most DEWALT corded and cordless SDS-Plus hammers Ideal for dust free drilling up to 16 mm in diam ...

D25301D-XJ





CORDED COMBINATION HAMMERS

info@ftpdistribution.lu



32MM 4 KG SDS-PLUS COMBINATION HAMMER (240 V)

32mm 4 Kg SDS-Plus combination hammer (240 V) Power Input 1000W Max. Drilling Capacity Concrete 32mm Max. Drilling Capacity Core Bit 100mm Max. Drilling Capacity Wood 32mm Max.

Drilling Capacity Metal 13mm Impact Energy 4.2J No Load Sp ...

D25417KT-QS



BRUSHLESS 30MM SDS+ ROTARY HAMMER DRILL

Information: Dewalt D25333K Brushless 30mm SDS+ Rotary Hammer Drill is equipped with a 950W Brushless Motor which produces an impressive 3.5 Joules of impact energy and up to 5200 blows per minute for category-leading high speed drilling performance ...

CODE D25333K-QS



BRUSHLESS 30MM SDS+ ROTARY HAMMER DRILL WITH QUICK CHANGE CHUCK

Information: Dewalt D25334K Brushless 30mm SDS+ Rotary Hammer Drill with Quck Change Chuck is equipped with a 950W Brushless Motor which produces an impressive 3.5 Joules of impact energy and up to 5200 blows per minute for category-leading high spe ...

DE D25334K-QS





CORDED COMBINATION HAMMERS

info@ftpdistribution.lu



SDS- PLUS CHIPPING HAMMER 1000W 4,2J

IN BRIEF Chipping hammer with AVC system for 50% lower vibrations. 4.2J impact energy in just 4 kg weight. 450W power output. Active vibration control with floating back handle delivers extremely low vibration and more comfort Rotation-stop for ...





SDS-PLUS 3-MODE ROTARY HAMMER 28MM 900W DOUBLE SPINDLE QUICK COUPLING

Information: Ideal for drilling and fixing in concrete and masonry from 4 to 28mm in diameter Rotating stop for light peeling jobs in brick, light concrete and occasionally concrete 13mm quick-

release chuck for drilling in wood, steel and screwdri ...

CODE D25144K-QS



SDS-PLUS 800 W 13 MM ROTARY HAMMER

SDS-Plus connection, power consumption 800 W, impact energy (EPTA 05/2009) 2.8 J, speed 0-1500 rpm, percussion / min 0-5540, max drilling (wood / concrete / crown / metal) 30 /

26/65/13 mm, 3 kg. Suitable for anchoring and fixing in concrete and mas ...

CODE D25134K-QS





CORDED COMBINATION HAMMERS



SDS-PLUS COMBINATION HAMMER 1000W 32MM 3.0J WITH ROTATION STOP

IN BRIEF Cordless rotary hammer with floating rear handle and AVC damping system. Spade handle. Power output 450W. Active vibration control with floating back handle delivers extremely low vibration and more comfort Ideal for drilling large anch ...

CODE D25413K-QS



<u>SDS-PLUS ROTARY HAMMER 710W 22MM WITH ROTATION</u> STOP

IN BRIEF Hammer drill for drilling and fixing holes into concrete and masonry up to 22mm diameter. Rotation-stop for light chiselling applications. Ideal for drilling anchor and fixing holes

into concrete and masonry from 4 to 22 mm in diameter ...

D25033K-QS



<u>SDS-PLUS ROTARY HAMMER 800W 26MM 2.6J WITH</u> ROTATION STOP

IN BRIEF Hammer drill for anchors and fixing holes into concrete and masonry from 4 to 26mm diameter. Mechanical safety clutch prevents kickback. Ideal for drilling anchor and fixing holes into concrete and masonry from 4 to 26 mm in diameter Ro ...

🕐 info@ftpdistribution.lu

D25133K-QS

CODE



HAMMERS



CORDLESS COMBINATION HAMMERS



<u>12V SDS-PLUS XR BRUSHLESS HAMMER 14MM 1.1J - WITH 2</u> <u>XR LITHIUM 3AH BATTERIES AND CHARGER</u>

XR 12V platform. Brushless motor. Compact, lightweight and ergonomic design for added comfort and support during long periods of operation. LED light positioned on the front body to ensure excellent visibility during use. Impact energy 1.1J, Perc ...

DCH072L2-QW

CODE



<u>12V SDS-PLUS XR BRUSHLESS HAMMER 14MM 1.1J-</u> <u>WITHOUT BATTERY</u>

XR 12V platform. Brushless motor. Compact, lightweight and ergonomic design for added comfort and support during long periods of operation. LED light positioned on the front body to ensure excellent visibility during use. Impact energy 1.1J, Perc ...

DCH072NT-XJ



<u>18V 16 MM 1.4J XR ULTRA COMPACT SDS-PLUS BRUSHLESS</u> <u>HAMMER - WITHOUT BATTERY</u>

18V Brushless motor for extreme runtime and reduced maintenance. 1.4J of impact energy, 0-4980 bpm with a no load speed of 0-1060 rpm, ideal for drilling anchors and fixing holes into concrete, brick and masonry from 4mm to 16mm. Lanyard ready atta ...

🕥 info@ftpdistribution.lu





CORDLESS COMBINATION HAMMERS



<u>18V XR SDS+ PLUS BRUSHLESS ROTARY HAMMER DRILL INC 2X</u> 5.0AH BATTS

The DCH273 offers up 1200 rpm no load speed producing an impressive 4500bpm - ideal for drilling anchors and fixing holes into concrete, brick and masonry from 4mm to 20mm. It has a rotation stop mode for light chiseling in plaster, tiles and render ...

DCH273P2T-QW



<u>18V-5.0AH XR LI-ION SDS-PLUS ROTARY HAMMER WITH DUST</u> <u>EXTRACTION SYSTEM</u>

IN BRIEF Hammer drill with D25303DH dust suction system. Equipped with two quick release chucks, a SDS-Plus and a 13mm one. Includes D25303DH Integrated Dust Extraction System Rotation stop mode for light chiselling in plaster, tiles and render an ...

ODE DCH275P2-QW



<u>18V-5.0AH XR LI-ION SDS-PLUS ROTARY HAMMER,</u> <u>BRUSHLESS</u>

IN BRIEF Rotary Hammer. Brushless motor with high capacity, ideal for drilling anchors and fixing holes into concrete, brick and masonry. Category-leading high speed drilling performance at more than 90 holes (10mm \emptyset x 80mm) per charge Rotation s ...

info@ftpdistribution.lu





CORDLESS COMBINATION HAMMERS



<u>18V-5.0AH XR LI-ION SDS-PLUS ROTARY HAMMER,</u> BRUSHLESS

IN BRIEF Cordless rotary hammer with XR 5.0Ah 18V Lithium-ion battery platform for extreme runtime and reduced maintenance. 400W output power. Ideal for drilling anchors and fixing holes into concrete, brick and masonry from 4mm to 24mm Rotation s ...

ODE DCH274P2T-QW



54V XR FLEXVOLT 32MM SDS-PLUS ROTARY HAMMER WITH DOUBLE QUICK COUPLING SPINDLE

Category-leading high speed drilling performance at more than 74 holes (18mm Ø x 80mm) per charge. Brushless motor with high capacity XR FLEXVOLT 9.0Ah 18V/54V Lithium-ion battery platform for extreme runtime and reduced maintenance. Perform & ...

DE DCH417X2-QW



54V XR FLEXVOLT SDS-PLUS HAMMER 32 MM 4.5J - WITHOUT BATTERY

Category-leading high speed drilling performance at more than 74 holes (18mm Ø x 80mm) per charge. Brushless motor with high capacity XR FLEXVOLT 9.0Ah 18V/54V Lithium-ion battery platform for extreme runtime and reduced maintenance. Perform & Pro ...

info@ftpdistribution.lu

FTP LUX DISTRIBUTION

www.ftpdistribution.lu 🔇 +352 26 39 33 73





FTP LUX

CORDLESS COMBINATION HAMMERS

HAMMERS



<u>COMBINATION HAMMER SDS-PLUS 54V XR FLEXVOLT 30MM,</u> <u>IMPACT ENERGY 3.5J</u>

IN BRIEF Combination hammer SDS-Plus 54V XR FLEXVOLT 30mm, impact energy 3.5J (EPTA 05/2009), without battery, battery charger, in suitcase. All battery chargers are equipped with Euro Plug and operate at 200-230V Note: This product is equipped ...

CODE DCH333NT-XJ



<u>COMBINATION HAMMER SDS-PLUS 54V XR FLEXVOLT 30MM,</u> <u>IMPACT ENERGY 3.5J</u>

IN BRIEF Combination hammer SDS-Plus 54V XR FLEXVOLT 30mm, impact energy 3.5J (EPTA 05/2009) DESCRIPTION Combination hammer SDS-Plus 54V XR FLEXVOLT 30mm, impact energy

3.5J (EPTA 05/2009), speed 0-1000 rpm, 0-4480 bpm, 3 working modalities (rotat ...

DCH333X2-QW



<u>COMBINATION HAMMER SDS-PLUS 54V XR FLEXVOLT 30MM,</u> <u>IMPACT ENERGY 3.5J</u>

IN BRIEF Combination hammer SDS-Plus 54V XR FLEXVOLT 30mm, impact energy 3.5J (EPTA 05/2009), speed 0-1000 rpm, 0-4480 bpm, 3 working modalities (rotation, rotation with percussion, percussion), Max. drilling capacity [Cement] 30 mm, 5.2 Kg. EQUIP ...

🕐 info@ftpdistribution.lu

FTP LUX DISTRIBUTION

www.ftpdistribution.lu (🔇) +352 26 39 33 73







🕥 info@ftpdistribution.lu

CORDLESS COMBINATION HAMMERS



DEWALT DCH283NT-XJ 18V 2, 8J ELECTRO-PNEUMATIC HAMMER XR (BARE TOOL)

Information: With its 2.8 J this hammer battery can compete directly with any range of plug-in hammers and win without problem. Description: Leader in the category of performance guarantee, 90-hole drilling of high speed (or 10 mm x 80 mm) per cha ...

CODE DCH283NT-XJ



DEWALT DCH283P2-QW SDS-PLUS BRUSHLESS 18V ROTARY HAMMER 3 MODES

Information: Brushless motor, high efficiency and Li-ion XR 18 V battery 5.0 Ah Description: The highest drilling speed of its category, allowing over 74 holes (10mm O x 80mm) with one charge Perfect for drilling under anchors and fixing holes i ...

DCH283P2-QW



<u>SDS-PLUS 18V XR BRUSHLESS HAMMER 16 MM 1.4J - WITH 2</u> <u>XR LITHIUM 2AH BATTERIES AND CHARGER</u>

DEWALT DCH172 hammer drill offers optimized performance and autonomy in an ultra compact and lightweight body. The powerful brushless motor and XR battery technology provide 1.4 joules of impact energy which allows you to drill into solid concrete u ...

FTP LUX DISTRIBUTION

www.ftpdistribution.lu 🔇 +352 26 39 33 73



HAMMERS



CORDLESS COMBINATION HAMMERS



SDS-PLUS 18V XR BRUSHLESS HAMMER 16 MM 1.4J - WITH 2 XR LITHIUM PORWERSTACK BATTERIES AND CHARGER

SDS-Plus 18V rotary hammer, 16 mm BRUSHLESS motor, impact energy 1.4J (EPTA 05/2009), speed 1060 rpm, 4980 perc / min, 2 working modes (rotation, rotation with percussion). EQUIPMENT: 2 PORWERSTACK XR Lithium batteries, charger, belt clip, anti-vibr ...

DCH172E2T-QW



SDS-PLUS 54V XR FLEXVOLT 28MM ROTARY HAMMER, BLOW STRENGTH 2.8J

IN BRIEF SDS-Plus 54V XR Flexvolt 28mm Rotary Hammer, blow strength 2.8J SPECIFICATIONS SDS-Plus 54V XR Flexvolt 28mm Rotary Hammer, blow strength 2.8J (EPTA 05/2009), batteries not included. Equipment: battery charger, small suitcase. Note: Thi ...

CODE DCH323NT-XJ



<u>SDS-PLUS 54V XR FLEXVOLT 28MM ROTARY HAMMER, BLOW</u> <u>STRENGTH 2.8J</u>

IN BRIEF SDS-Plus 54V XR Flexvolt 28mm Rotary Hammer, blow strength 2.8J (EPTA 05/2009), speed: 0-980rpm, 0-3390bpm. 3 work modalities: rotation, impact rotation, impact. Maximum drilling capability on cement: 28mm, 4.7Kg. EQUIPMENT 2 54V XR Flex ...

🕐 info@ftpdistribution.lu

CODE DCH323T2-QW

www.ftpdistribution.lu (🔇) +352 26 39 33 73





DERMOLITION HAMMERS



19 LB. SDS MAX DEMOLITION HAMMER

19 LB. SDS MAX DEMOLITION HAMMERSHOCKS Active Vibration Control® protects the user from the effects of vibration, including numbness and tingling in the hands Variable speed dial

offers users more control by adjusting speed of chipping based upon t ...

D25872K-QS

29 LBS. SDS MAX DEMOLITION HAMMER



SPECIFICATIONS • Amps: 15 Amps • Power tool type: corded • Tool weight: 29.3 lbs • Impact energy: 24 J • Tool lenght: 29.7 IN INCLUDES -D25951 29 lbs. SDS MAX Demolition Hammer -Kit Box Note: This product is equipped with Euro P ...

CODE D25951K-QS



6 KILO SDS-MAX CHIPPING HAMMER

6 Kilo SDS-Max Chipping Hammer 10.5 joules of impact force for quick and efficient breaking, even in the hardest concrete. The SHOCKS Active Vibration Control system reduces the vibrations that the user feels at the handles, compared to rotary hamm ...

DE D25832K-QS



DEMOLITION HAMMER SDS-MAX

IN BRIEF Demolition Hammer SDS-MAX Body's energy 7.1J (EPTA 05/2009), 3150 perc/min , 5.6Kg., joint SDS MAX. EQUIPMENT: adjustable lateral handle, suitcase. SPECIFICATIONS Attacco SDS-Max Potenza assorbita 1050 Watt Potenza resa - Watt E ...

D25810K-QS

FTP LUX DISTRIBUTION



www.ftpdistribution.lu 🔇 +352 26 39 33 73 🔄 info@ftpdistribution.lu

CODE



DERMOLITION HAMMERS

info@ftpdistribution.lu



SDS-MAX 54V XR FLEXVOLT 10.5J DEMOLITION HAMMER WITH 2 X 9 AH BATTERIES, CHARGER AND CASE

The powerful Brusless motor delivers 10.5 J of impact energy. Adjustable speed for impact energy control. The Active Vibration Control handle provides vibration values of 8.7 m/s². 18-way chisel placement. Integrated wireless tool control. ...

CODE DCH832X2-QW



SDS-MAX 54V XR FLEXVOLT 10.5J DEMOLITION HAMMER WITHOUT BATTERIES OR CHARGER

The powerful Brusless motor delivers 10.5 J of impact energy. Adjustable speed for impact energy control. The Active Vibration Control handle guarantees for vibration values of 8.7 m/s².

18-way chisel placement. Built-in wireless instrumen ...

DCH832N-XJ



<u>SDS-MAX 54V XR FLEXVOLT 19.4J DEMOLITION HAMMER WITH</u> <u>2 X 9 AH BATTERIES, CHARGER AND CASE</u>

Brushless motor. 54v power supply. Active anti-vibration system. Wireless tool control. Equipment: 2 x 54v-9ah dcb547 batteries Charger Anti-vibration side handle Carrying case Note: This product is equipped with Euro Plug and operates ...

CODE DCH892X2-QW





DERMOLITION HAMMERS

🕥 info@ftpdistribution.lu



SDS-MAX 54V XR FLEXVOLT 19.4J DEMOLITION HAMMER WITHOUT BATTERIES OR CHARGER

The powerful brushless motor delivers a running energy of 19.4 J. Adjustable speed for impact energy control. The Active Vibration Control handle provides vibration values of 9.4 m/s². 18-way chisel placement. Built-in wireless instrument ...

CODE DCH892N-XJ

SDS-MAX DEMOLITION HAMMER 10 KG



IN BRIEF Demolition hammer with 1500W motor for highest efficiency in demolition. Chisel orientation into 12 preset positions. Power output 750W. Powerful and durable 1500 Watt motor

delivers outstanding concrete breaking perfomance In line desi ...

D25899K-QS

CODE

SDS-MAX DEMOLITION HAMMER 16 KG WITH AVC



IN BRIEF Demolition breaker with excellent weight to power ratio for highest productivity. Lowest vibrations in its class. 1000W power output. Highest productivity due to an optimum balance of power, impact energy and vibration Lowest vibration in ...

CODE D25961K-QS





HAMMERS

DERMOLITION HAMMERS

SDS-MAX DEMOLITION HAMMER WITH AVC



IN BRIEF Demolition hammer with high-power 1550W motor for high performances. Active Anti-Vibration Control system AVC. Power output 750W. Powerful and durable 1550 Watt motor delivers outstanding concrete breaking performance Active Vibration Con ...





SPEED MAGNETIC DRILL PRESS

Information: Large Oversize Mechanism delivers extreme durability and excellent breaking performance. 2100 Watt motor delivers outstanding efficiency and durability (1200 Watt Power Output) Active Vibration Control offers safer; more comfortable u ...

D25981K-QS CODE











SDS-MAX COMBINATION HAMMERS

🕥 info@ftpdistribution.lu



<u>1 3/4 IN. SDS MAX COMBINATION HAMMER</u>

1-3/4 IN. SDS MAX COMBINATION HAMMER E-CLUTCH helps protect user from violent rotations in a bind up. Constant Speed Electronics maintain speed under heavy loads in higher PSI concrete for fast, efficient drilling. Drill and demolish concrete with ...

DE D25733K-QS D25773K-QS

45MM 6 KILO SDS-MAX ROTARY HAMMER



45mm 6 Kilo SDS-Max Rotary Hammer - 10.5 Joules of impact energy for fast drilling and chipping, even in the hardest concrete - The SHOCKS Active Vibration Control[®] system reduces vibration felt by the user at the handles, compared to rotary hamme ...

CODE D25614K-QS



54 VOLT XR FLEXVOLT SDS MAX COMBINATION HAMMER DRILL BODY ONLY

The Dewalt DCH773 SDS-Max Rotary Hammer Drill is perfect for chipping and bushing. It features a 54v brushless motor similar to that of a corded machine for increased run time and performance. High-speed drilling ensures the fast and efficient comple ...

CODE DCH733N-XJ





SDS-MAX COMBINATION HAMMERS

🕐 info@ftpdistribution.lu



54V XR FLEXVOLT 48 MM SDS-MAX HAMMER DRILL WITH 2 9AH BATTERIES

An anti rotation system detects a loss of tool control, and reacts by instantly cutting the power. Active vibration control system incorporating a floating handle delivers extremely low vibration of 9.6m/s2 when drilling in concrete and 9m/s2 when in ...

DCH735X2-QW



<u>54V XR FLEXVOLT 52MM SDS-MAX HAMMER DRILL WITH 2</u> <u>9AH BATTERIES</u>

True corded performance. An anti rotation system detects a loss of tool control, and reacts by instantly cutting the power. Active vibration control system incorporating a floating rear handle and damped side handle to reduce vibration. Rotation-s ...

DCH775X2-QW

54V XR FLEXVOLT CORDLESS SDS MAX ROTARY HAMMER



The DCH773 is a cordless SDS Max rotary hammer drill which is powered by a DeWalt Flexvolt 54v battery. Suitable for hammer drilling and chiselling, it has an Active Vibration Control (AVC) system to reduce fatigue and discomfort during sustained use ...

CODE DCH773N-XJ





SDS-MAX COMBINATION HAMMERS

🕥 info@ftpdistribution.lu



54V XR FLEXVOLT SDS-MAX ROTARY HAMMER

54V XR FLEXVOLT SDS-Max Rotary Hammer The DeWALT DCH614 FLEXVOLT SDS-MAX Demolition Hammer Drill offers true corded power with all of the freedom of cordless. Featuring a 2-mode system with rotary hammer and hammer only. The DCH614 is the perfect to ...

CODE DCH614X2-QW



54V XR FLEXVOLT SDS-MAX ROTARY HAMMER (NO BATTERIES NO CHARGER)

54V XR FLEXVOLT SDS-Max Rotary Hammer (no batteries no charger) The DeWALT DCH614 FLEXVOLT SDS-MAX Demolition Hammer Drill offers true corded power with all of the freedom of

cordless. Featuring a 2-mode system with rotary hammer and hammer only. Th ...

DCH614N-XJ

CODE



COMBINATION HAMMER DSD-MAX - 40MM

DESCRIPTION Combination Hammer DSD-MAX - 40mm, Blow energy (EPTA 05/2009) 6.1J, 3150 perc/min, 540 rpm, 5.9Kg., joint SDS MAX, Max. drilling capacity[Cement] 40 mm, Max. drilling capacity [Crown] 100 mm. EQUIPMENT: adjustable lateral handle, sui ...

CODE D25481K-QS







SDS-MAX COMBINATION HAMMERS

🕥 info@ftpdistribution.lu

COMBINATION HAMMER SDS-MAX 54V XR FLEXVOLT 40MM



DESCRIPTION Combination hammer SDS-Max 54V XR FLEXVOLT 40mm, impact energy 6.1J (EPTA 05/2009), speed 540 rpm, 3150 bpm, 3 working modalities (rotation, rotation with percussion, percussion), Max. drilling capacity [Cement] 40 mm, Max. drilling capa ...

CODE DCH481X2-QW



<u>COMBINATION HAMMER SDS-MAX 54V XR FLEXVOLT 40MM,</u> <u>IMPACT ENERGY 6.1J</u>

DESCRIPTION Combination hammer SDS-Max 54V XR FLEXVOLT 40mm, impact energy 6.1J (EPTA 05/2009), without battery, battery charger, in suitcase Note: This product is equipped with

Euro Plug and operates at 220-230V

COD

DCH481N-XJ



FLEXVOLT[®] 60V MAX* 1 7/8" SDS MAX ROTARY HAMMER KIT

TOOL WEIGHT 20 LBSFLEXVOLT[®] 60V MAX* 1-7/8" SDS MAX ROTARY HAMMER KIT The most powerful cordless rotary hammer, powered by the DEWALT 60V MAX brushless motor, generating 13.3J of impact energy. In addition to the integral clutch, the DEWALT anti- ...

DDE DCH733X2-QW

www.ftpdistribution.lu 🔇 +352 26 39 33 73





HAMMERS

SDS-MAX COMBINATION HAMMERS



HAMMER SDS-MAX 54V XR FLEXVOLT 48 MM - WITHOUT BATTERY

An anti rotation system detects a loss of tool control, and reacts by instantly cutting the power. Active vibration control system incorporating a floating handle delivers extremely low vibration of 9.6m/s2 when drilling in concrete and 9m/s2 when i ...

DCH735N-XJ



HAMMER SDS-MAX 54V XR FLEXVOLT 52 MM - WITHOUT BATTERY

Demo hammer SDS-Max 54V XR FLEXVOLT 52 mm, impact energy 19.4J (EPTA 05/2009), without battery and charger in case. Possibility to house XR Flexvolt 15Ah DCH549-XJ batteries

NOT supplied. Performance equal to a wire SDS-Max hammer. Anti-rotation s ...

DCH775N-XJ











DIAMOND CUPS



DIAMOND CUP - DOUBLE SEGMENT RIM 125MM DIA.

IN BRIEF Diamond Cup with 125mm diameter and double segment rim. Extremely effective diamond grinding cup. A double row of segments provides the user with a slower material removal rate but a smoother surface finish. For dry grinding masonry mater ...

DE DT3796-QZ



DIAMOND CUP - SINGLE SEGMENT RIM 125MM DIA.

IN BRIEF Diamond Cup with 125mm diameter and single segment rim. Fast and effective diamond grinding cup. The single row of segments provides the user with a fast material removal rate but leaves a rougher surface finish. For dry grinding masonry ...

CODE DT3795-QZ



DIAMOND CUP - TURBO SEGMENT RIM 125MM DIA.

IN BRIEF Diamond Cup with 125mm diameter and turbo segment rim. The turbo rim cup provides the user with a faster material removal rate and a smoother surface finish. This product finds a balance between speed and material finish. For dry grinding ...

DT3797-QZ

FTP LUX DISTRIBUTION

www.ftpdistribution.lu 🔇 +352 26 39 33 73 🔄 info@ftpdistribution.lu





DIAMOND DISCS

LASER-WELDED DIAMOND DISCS



CONTINUOUS RIM DIAMOND DISC - TILES CUTTING

IN BRIEF Laser welded diamond disc with a high percentage of synthetic diamonds. Excellent finish in cutting tiles and ceramics. Contain a high concentration of top quality diamonds for excellent cutting performance in extremely hard materials C ...

DT3738-XJ

CODE DT3735-XJ

EXTREME DIAMOND METAL CUTTING DISC

DeWalt Extreme Diamond Metal Cutting Disc DeWalt Extreme Diamond metal cutting discs are intended as a direct replacement for bonded abrasive cutting discs. They are suitable for use on steel, stainless steel, cast iron, rebar, sheet metal, aluminium ...

CODE	DT40251-QZ	DT40252-QZ	DT40253-QZ	DT40254-QZ	DT40255-QZ
CODE	DT40256-QZ	DT40257-QZ	DT40258-QZ	DT40259-QZ	



<u>SEGMENTED RIM DIAMOND DISC - CONSTRUCTION MATERIALS</u> <u>CUTTING</u>

IN BRIEF Angle grinder cutting disc. Ideal for quick and precise cuts in all building materials. Laser welded segmented rim for all demanding tasks. The best choice of diamond blade for fast, aggressive cuts in most standard contruction materials ...

DDE DT3740-XJ

DT3743-XJ





DIAMOND DISCS

SINTERED DIAMOND DISCS



CONTINUOUS RIM DRY -WET CUTTING DISCS 110X20X8MM

IN BRIEF Diamond cutting disc with continuous rim for dry and wet cutting of ceramic, porcelain, marble and granite. Suitable for DWC410-QS tile saw 110mm Porcelain, Marble &

Granite cutting blade for use with the Dewalt DWC410

DDE DT3715-QZ



<u>CONTINUOUS RIM SINTERED DIAMOND DISC - CONSTRUCTION</u> <u>MATERIALS CUTTING</u>

IN BRIEF Diamond cutting disc perfect for cuts in masonry. Designed for clean cuts in the toughest materials. 22.2mm arbor hole. Sintered diamond wheel for dry cutting general masonry

materials. Turbo rim design provides cooler, cleaner cutting ...

DT3702-QZ

CODE

DT3732-QZ



CONTINUOUS RIM SINTERED DIAMOND DISCS

IN BRIEF Diamond cutting disc with continuous rim design. Perfectly suited for excellent finish while cutting hard materials. 22.2mm arbor hole. Continuous rim design for fine finish in hard materials. Sintered dry cutting wheel with 22.2mm bore.

DT3703-QZ

DT40207-QZ





DIAMOND DISCS

SINTERED DIAMOND DISCS



DIAMOND BLADE ECO1 UNIVERSAL 350MM

Information: Professional Diamond Cutting Disc. General site materials. Fast, easy cutting 350mm Description: Cutting disc with segmented cutting ring for fast cuts For use in angle grinders Sintered diamond cutting discs for dry cutting ...





DIAMOND BLADE FOR DCS690 DIAMETER 230MM CUTTING OFF MACHINE

Diamond blade for DCS690 diameter 230mm cutting-off machine diameter 230mm hole 22,23mm segment thickness 3mm segment height 12mm. Ideal for cuts on concrete and

masonry

DDE DT40260-QZ



DIAMOND EDGE CHOP SAW BLADE - METAL CUTTING 355X25.4X2.8MM

IN BRIEF Diamond edge chop saw blade, with much longer service life. Ideal for cutting of metal pipes. 25.4mm arbor hole. 100x lifespan vs standard DeWalt chop saw wheel Cuts metal with the

speed of conventional abrasive blade Constant cutting ...

CODE DT3752-QZ







CODE

DIAMOND DISCS

SINTERED DIAMOND DISCS



EXTREME RUNTIME 125MM DIAMOND BLADE FOR WALL CHASER

DeWalt Extreme series diamond blade suitable for use with the DCG200 Wall Chaser. Designed for improved runtime with cordless machines. Specifications • Diameter: 125mm • Bore: 22.23mm • Max RPM: 12,250

DT90294-QZ



SEGMENTED RIM SINTERED DIAMOND DISC - CONSTRUCTION MATERIALS CUTTING

IN BRIEF Diamond cutting disc ideal for cutting in masonry. Peculiarly designed for quick cuts. 20mm arbor hole and diameter of 300mm. Segmented rim design allows fast cutting. Sintered

diamond wheel for dry cutting general masonry materials. A ...

DT3701-QZ

DT3731-QZ



SEGMENTED RIM SINTERED DIAMOND DISCS

IN BRIEF Segmented rim sintered diamond disc. Suited for stone and concrete. Diameter of 250mm, 25.4mm arbor hole and 5mm thickness. Continuous rim design for fine finish in hard

materials e.g. tiles and ceramics. Suitable for use with hard materi ...

CODE DT3734-XJ

DT3733-XJ







11" CORDURA TOOL AND SMALL PARTS BAG

The DeWALT Toughsystem 2.0 Tool Bag is made to be water and dirt resistant thanks to its 1680 denier water repellent material. It's made to be comfortable to use with an ergonomic handle and padded shoulder strap. Characteristics Water and dirt ...

DWST83524-1



22" CORDURA TOOL BAG

CODE

The DeWALT Toughsystem 2.0 Tool Bag is designed to be easier and more comfortable to carry thanks to its ergonomic handle and padded shoulder strap. With over 50 pockets and made of durable water and dirt repellent tarpaulin, you can take this tool ...

DWST83522-1



BOX COMPATIBLE WITH TSTAK SYSTEM, INTEGRATED TRANSPORT HANDLE

Box compatible with TSTAK system, integrated transport handle equipped with carrying handle and compartments to store 4 small transparent boxes and 5 Toughcase boxes.

DT70716-QZ







COOL BOX TSTAK WITH WHEELS

Cool Box TSTAK with wheels Features: - Cool Box TSTAK with wheels - telescopic handle - waterproof IP54 - Load capacity 30Kg - Volume 28L





DEEP CASE WITH TSTAK IP54 HANDLE

Information: INNER TRAY - For easy access to hand tools and power tool accessories ALUMINUM HANDLE FOR TRANSPORT UPPER COMPARTMENT FOR SMALL PARTS (NOT IP rated) - For easy access to screws and small tools PREPARATION FOR TAG TOOL CONNECT -Fixing po ...

CODE DWST83343-1

LOW INTERNAL CONTAINER

Organize your smaller tools in the ToughSystem 2.0 modules Stack or hang in the modules with 4 folding locks

CODE DWST83407-1



SPARE BRACKETS

IN BRIEF Pair of brackets for for DSCarrier trolley. Max. load capacity: 80kg. Spare brackets for Tough System 1-70-324

info@ftpdistribution.lu

1-70-362





info@ftpdistribution.lu



DEEP CASE WITH WHEELS TSTAK IP54

Information: PREPARATION FOR TAG TOOL CONNECT - Fixing point integrated inside the TSTAK to allow the installation of the tag tool connect to be able to trace your power tools through a special application LOCKABLE - via padlock (not included) for ad ...

CODE DWST83347-1



HEAVY DUTY TOOL BACKPACK

DeWalt Heavy Duty Tool Backpack This heavy duty backpack is made from 1200 denier fabric, with a reinforced water resistant base, padded straps and a luggage strap for attachment to a trolley. With a 40 litre capacity and rated for loads of up to 25k ...

DDE DWST81690-1



JOB CHEST WITH WHEELS WITH 2 TALL UNITS

IP65 - A high performance seal in the lid ensures they are dust tight and water jet resistant to withstand the most severe weather conditions New removable handle - For easier trolley

handling New Front Latches - Provide easy one-handed opening New h ...

CODE DWST83521-1





<u>ORGANIZER</u>

IP65 watertight - Provides water and dust protection to tools and fixings inside the box Indestructible Polycarbonate Lid - Provides visibility of the contents from the outside of the box but also provides safety 6 Removable Deep Cups - Can be remove ...

CODE DWST83392-1

TALL INTERNAL CONTAINER

Organize your smaller tools in the ToughSystem 2.0 modules Stack or hang in the modules with 4 folding locks

DWST83408-1

TOOL BOX WITH DOUBLE DRAWER



In high quality polyethylene with metal closing hinges.

DWST83529-1

CODE



ORGANIZER AND DEEP BOX

Lockable - Via Padlock (Not Included) For Added Security (excludes organiser) 30kg Load capacity (Deep box / Stack) / 20kg in the Organiser Organiser with removable cups and virtually indestructible polycarbonate lid Heavy duty metal front latches - ...

CODE DWST83520-1





info@ftpdistribution.lu



ORGANIZER WITH TRANSPARENT LID

ORGANIZER unit with 10 small parts containers (2 large and 8 small), transparent lid, twocomponent handle, with metal closing hinges and gasket to protect against humidity and dust (IP65).

DE DWST83394-1



T STACK CART - MODULAR ORGANIZER

IN BRIEF Cart for T-STAK storage units, with 4 360° pivoting wheel, 2 of them are equipped with locking brakes. Compact and lightweight. - Carrier base includes 360° swivel wheels with locking brake for maximum maneuverability - Up to 100kg ma ...

CODE DWST1-71229



T STACK III - MODULAR ORGANIZER

IN BRIEF Modular organizer with 6 removable cups for small parts, metal ball bearing slide rails, and bi-component handle. Flexible, stackable Mix & Match platform which allows different combinations Removable cups for small parts and access ...

CODE

DWST1-70705







T STACK IV - MODULAR ORGANIZER

IN BRIEF Double drawer storage unit with adjustable or removable internal dividers and side hook hinges. Load capacity: 3.75kg. Flexible Mix & Match platform which allows different combinations For small part storage and including possibilie ...

CODE DWST1-70706



WHEELED TOOLBAG

Soft Toolbox with telescopic handle and rollers. Wide upper opening. Breat capacity, internal compartments and removable inner dividers. With 2 plastic reinforcements.

DE DWST1-79210



T STACK TROLLEY - MODULAR ORGANIZER

IN BRIEF T-STAK system trolley, equipped with 2 360° swivel wheels, two of them with locking brake. Load capacity: 100kg. The Dewalt DWST1-71196 TSTAK trolley can carry various TSTAK boxes and accept loads up to 100kg, compact and lightweight al ...

CODE DWST1-71196



TOOL ORGANIZER

The DWST83541-1 organizer features multiple pockets for maximum organization and easy access to tools. Its sturdy, waterproof plastic base allows the bag to stand on its own when placed on the floor and protects the contents of the bag from water, m ...

CODE DWST83541-1





info@ftpdistribution.lu



TOUGH SYSTEM - DS CARRIER

IN BRIEF Metal trolley with adjustable height and foldable brackets to allow a tailored configuration. Max load capacity: 150 kg. Metal trolley for loading materials and heavy loads Adjustable height, foldable brackets allow tailored configurat ...

CODE 1-70-324



TOUGH SYSTEM - RADIO AND XR CHARGER

IN BRIEF Radio and battery charger with Bluetooth to listening to music wherever you want. Can charge tools of the XR 14.4 and 18V range. Campsite Radio Tough System Dewalt DWST1-75659 NOTE All battery chargers are equipped with Euro Plu ...



TOUGH SYSTEM - STACKABLE BASKET



IN BRIEF Stackable basket without cover. Large metal bar for easy transportation with only one hand. Compatible with trolley 1-70-324. The Dewalt DWST1-75654 DS350 Tough System Tote is a large robust design with a open bin which can accommodate c ...

CODE DWST1-75654





info@ftpdistribution.lu



TOUGH SYSTEM COOL BOX

DeWalt DS404 Tough System Cool Box DeWalt's ToughSystem modular range, has a massive 25.5 litres of inside volume In testing the chiller box still had ice inside after 5 days in a room kept around 30°C due to its commercial grade foamed PU insulatio ...

CODE DWST1-81333



TOUGHSYSTEM 2.0 - 3 IN 1

Information: NEW REMOVABLE HANDLE - For easier trolley handling NEW FRONT CLOSURES -Provides easy one-handed opening A gasket in the lid guarantees resistance to dust and water jets (IP65) to withstand the most adverse weather conditions NEW 8 "" H ...

CODE DWST83402-1



TOUGHSYSTEM 2.0 - DS300

Information: A gasket in the lid guarantees resistance to dust and water jets (IP65) to withstand the most adverse weather conditions NEW SYSTEM FOR QUICK CONNECTION / RELEASE OF THE MODULES - Intuitive and easy to use system for connecting the Tough ...

CODE

DWST83294-1





info@ftpdistribution.lu



TOUGHSYSTEM 2.0 - DS400

Information: A gasket in the lid guarantees resistance to dust and water jets (IP65) to withstand the most adverse weather conditions NEW FRONT CLOSURES - Provides easy one-handed opening NEW SYSTEM FOR QUICK CONNECTION / RELEASE OF THE MODULES - Int ...

CODE DWST83342-1



TOUGHSYSTEM 2.0 - 4 IN 1

Information: EXTERNAL NAME PLATE - Allows the user to label the modules for easy identification of the contents NEW METAL REINFORCED PADLOCK EYE - Additional security for your content PREPARATION FOR TAG TOOL CONNECT - internal housing for tag tool ...

ODE DWST83401-1



TOUGHSYSTEM 2.0 - DS450

Information: NEW REMOVABLE HANDLE - For easier trolley handling NEW 8 "" HIGH RESISTANCE WHEELS A gasket in the lid guarantees resistance to dust and water jets (IP65) to withstand the most adverse weather conditions NEW FRONT CLOSURES - Provides eas ...

CODE DWST83295-1





🕥 info@ftpdistribution.lu



TOUGHSYSTEM 2.0 - DS166

Information: A gasket in the lid guarantees resistance to dust and water jets (IP65) to withstand the most adverse weather conditions NEW FRONT CLOSURES - Provides easy one-handed opening NEW SYSTEM FOR QUICK CONNECTION / RELEASE OF THE MODULES - In ...

CODE DWST83293-1



TOUGHSYSTEM ORGANIZER BOX

Organizer with transparent cover, composed of 12 removable containers for storage of small parts. The Dewalt Toughsystem Organiser is part of a stackable system, created for easy transportation. The removable cups provide flexible organisation and i ...

CODE DWST1-75522



TOUGHSYSTEM ™ FRAME FOR TANKS

TANKS HOLDER FRAME - Load capacity up to 200 kg, suitable for all TOUGHSYSTEM modules, Quick and easy assembly, Load capacity per pair of brackets 40Kg, 2 support legs in each pack, 5 pairs of removable and height-adjustable brackets . DIMENSIONS: 255 x 740 x 160 mm

CODE DWST1-75694







TSTACK STACKABLE BASKET

IN BRIEF Stackable basket without cover. Large metal bar for easy transportation with only one hand. Compatible with trolley 1-70-324. The Dewalt DWST1-75654 DS350 Tough System Tote is a large robust design with a open bin which can accommodate c ...

CODE DWST1-71228



TSTAK FOLDER (5 PCS.)

Information: Double internal and external document holder LED light to illuminate the sheet Internal fabric bands rubber corner bumpers to protect the folder from accidental bumps Complete compatibility with all other modules of the TSTAK system Eq ...

CODE DWST82732-1



TSTAK II+IV COMBO KIT

IP54 certified - Provides protection from water and dust. Customizable internal foam insert to keep power tools safe during transport. Lockable by padlock (not included) for added security. Front and top carrying handles so the TSTAK can be transport ...

DWST83395-1

CODE





info@ftpdistribution.lu

TSTAK IP54 CASE



Information: IP54 CERTIFICATION - Provides protection from water and dust LATERAL CLOSURES WITH METALLIC PINS - which allow the connection of TSTAK modules. Metal pin design offers increased durability FRONT METAL CLOSURES - Improved strength and rob ...

CODE DWST83345-1



TSTAK IP54 CASE WITH HANDLE

Information: INTERNAL FOAM INSERT - Customizable foam insert to keep power tools safe during transport LOCKABLE - via padlock (not included) for added security FRONT AND TOP CARRY HANDLES - so the TSTAK can be transported easily in both orientations ...

CODE DWST83344-1



TSTAK IP54 DEEP CASE

Information: LOCKABLE - via padlock (not included) for added security FRONT METAL CLOSURES - Improved strength and robustness LATERAL CLOSURES WITH METALLIC PINS which allow the connection of TSTAK modules. Metal pin design offers increased durabil ...

CODE DWST83346-1





info@ftpdistribution.lu



TSTAK IP54 TOWER

Information: INNER TRAY - For easy access to hand tools and power tool accessories PREPARATION FOR TAG TOOL CONNECT - Fixing point integrated inside the TSTAK to allow the

installation of the tag tool connect to be able to trace your power tools thro ...

CODE DWST83412-1



TSTAK IP54 TROLLEY

Information: 7 "" HIGH RESISTANCE WHEELS - Allows you to easily transport heavy equipment TELESCOPIC HANDLE - For easy transport of heavy tools. INNER TRAY - For easy access to hand tools and power tool accessories ALUMINUM HANDLE FOR TRANSPORT UPPER ...

ODE DWST83411-1



TSTAK SOFT BAG

TSTAK Soft Bag Features: - Rectangular-based tool bag in waterproof polypropylene. Nylon structure 600x1200 Den - multi internal and external pockets - removable dividers and ample

space for electric tools and batteries. Padded shoulder strap. Prepa ...

CODE DWST82991-1







TSTAK SOFT TOTE

TSTAK Soft Tote Features: - Tool holder basket with waterproof polypropylene base -600x1200 Den nylon structure - with steel handle and rubber handle - padded shoulder strap saw compartment with Velcro closure and straps for attaching spirit leve ...

CODE DWST82990-1



TSTAK TOWER

50kg weight capacity -50kg Mobile Box / Stack, 30kg Deep Toolbox, 30kg Shallow Toolbox 7" durable wheels - Allowing heavy tools to be transported easily across longer distances Telescopic

handle - For Easy Transportation Of Heavy Tools. It Also Conve ...

CODE DWST83517-1



TSTAK V ORGANISER

Tool holder TSTAK V - Small parts / power tools unit with transparent cover - composed of modular interiors (2 large - 2 medium and 6 small) - hinges for lateral attachment. IP64 waterproof MATERIAL THICKNESS: 2.8mm MEASURES: 440x330x120 mm. MAX LOA ...

CODE DWST82968-1







WATERPROOF RIGID TOOLBAG 50X30X31CM

IN BRIEF Waterproof rigid toolbag with shoulder strap, with various internal and external pockets, removable dividers and much space for tools. Large capacity - keep everything you need in one place Maximum organisation - inner divider and exte ...

CODE 1-79-211













300ML MANUAL DISPENSER

300ml Manual Dispenser



300MM EXTENSION FOR STEEL BRUSHES

Information: The Dewalt DFC1670050 SDS Extension.Steel brushes and extensions for installation of ETA approved adhesive anchors. Description: Steel brushes and extensions for installation of ETA approved adhesive anchors Specification: Length 300 m ...

DE DFC1670050



AC100 NORDIC STYRENE FREE VINYLESTER ANCHOR

Information: Formulation specifically designed for use in extreme cold down to -20°C Stays easy to pump even at low temparatures Suitable for water filled drill holes and overhead applications Description: Formulation specifically designed for ...

DFC1250000

ADHESIVE ANCHOR: PLASTIC SLEEVES

<u>þ</u>

Information: The Dewalt Adhesive Anchor - Plastic Sleeves and mesh sleeves for using adhesvie anchors in hollow base materials. Description: Plastic and mesh sleeves for using adhesvie anchors in hollow base materials

DFC4710050

DFC4710000

FTP LUX DISTRIBUTION



CODE



<u>ANCHORS</u>

CHEMICAL FIXINGS



ADHESIVE CARTRIDGE

Informations: The Dewalt DFC1230000 AC100-PRO Styrene. The AC 100-PRO is approved for a temperature range of 120 °C and can even be used in water filled holes. It also provides a fast curing time and high load capacity making it the ideal adhesive an ...

CODE DFC1230050

DFC1230000

MANUAL BLOW PUMP



Information: Manual blow pump for improved clearance of debris in drilled holes Description: Manual blow pump for improved clearance of debris in drilled holes

DFC1650050

NYLON BRUSH

CODE

CODE



Informations: The Dewalt Nylon Brush for quick cleaning of drilled holes. Not recommended for ETA approved applications. Description: Nylon brush for quick cleaning of drilled holes Not

recommended for ETA approved applications

DFC1660050

DFC1660000



PV45 PRO ADHESIVE ANCHORS

Information: ETA approved for uncracked concrete, solid and hollow brick Quick curing Description: ETA approved for uncracked concrete, solid and hollow brick Quick curing

DFC1320000





<u>ANCHORS</u>

CHEMICAL FIXINGS

ADHESIVE MIX NOZZLE

Informations: The Dewalt DFC1640350 White - 18 element for use with PURE 110-PRO, PURE 150-PRO & AC100-PRO. Black 14 element nozzle for use with AC100-PRO, PV50-PRO & PV45-PRO. Description: White 18 element nozzle for use with PURE 11-PRO, P ...

CODE DFC1640450 DFC1640350

CHISEL POINT THREADED RODS (MULTI-PACK)

Information: The Dewalt Chisel Point Threaded rods - Zinc plated. Chisel point threaded rods with hex head suitable for SC-Pro spinning capsules and other adhesive anchors. Includes hex head installation tool. Description: Chisel point threaded rods ...

DFC4130050

CODE

DFC4130150



ST.

DEWALT PURE150 PRO: ADHESIVE CARTRIDGE

Informations: The Dewalt Pure150-PRO Styrene Free.Pure epoxy mortar with ETA-option 1 approval, for use in cracked and uncracked concrete. Approved for overhead applications and in

dry, wet and water filled holes. Ideal for threaded rods Descriptio ...

CODE DFC1110050

<u>SC PRO: SPINNING CAPSULE</u>



Informations: ETA option 7 approval for uncracked concrete. Vinylester spinning capsules also suitable for diamond drilled holes. Description: ETA option 7 approval for uncracked concrete Vinylester spinning capsules also suitable for diamond drille ...

CODE

DFC1510050

DFC1510150

FTP LUX DISTRIBUTION



www.ftpdistribution.lu 🔇 +352 26 39 33 73 🔄 info@ftpdistribution.lu



ANCHORS CHEMICAL FIXINGS

SDS PLUS CONNECTION FOR STEEL BRUSHES

Information: The DCM561 String Trimmer from Dewalt has a 400 MWO Brushless Motor which provides more torque and maintains a constant cut speed under load.



	STFFI BR	USH FOR SDS	
	Steel Brush		
ALL	CODE	DFC1670605	DFC1670615









CHEMICAL FIXINGS



UNIVERSAL HEAVY DUTY THROUGHBOLTS: PTB PRO ZINC **PLATED**

Informations: The Dewalt Through bolts zinc plated. Cracked concrete throughbolt. The PTB-PRO is fully threaded, torque controlled, wedge expansion anchor designed for consistent performance in cracked and uncracked concrete Description: Cracked conc ...

CODE	DFM1110010	DFM1110020	DFM1110040	DFM1110050	DFM1110060
CODE	DFM1110080	DFM1110100	DFM1110120	DFM1110140	DFM1110160
CODE	DFM1110180	DFM1110200	DFM1110220	DFM1110230	DFM1110260
CODE	DFM1110280	DFM11 <mark>103</mark> 20	DFM1110340	DFM1110360	DFM1110400
CODE	DFM1110440	DFM1110460	DFM1110480	DFM1110520	DFM1110540
CODE	DFM1110560	DFM1110580	DFM1110600	DFM1110620	DFM1110640
CODE	DFM1110660	DFM1110680	DFM1110700	DFM1110720	DFM1110740
CODE	DFM1110760	DFM1110780	DFM1110800	DFM1110810	DFM1110830
CODE	DFM1110870	DFM1110880	DFM1110900	DFM1110920	DFM1110940
CODE	DFM1110960	DFM1110980	DFM1110000	DFM1160020	












ANCHORS

LIGHT DUTY ANCHORS





CODE DFM4410400

DFM4410510

FTP LUX DISTRIBUTION



www.ftpdistribution.lu 🔇 +352 26 39 33 73



info@ftpdistribution.lu





LEGS® WALL ANCHORS

CODE



Information: Fast and easy to use expansion anchor designed for use in wallboard The anchor has a pierce point, requiring no pre-drilling Includes screws Applications: Light duty applications including: • Curtain hooks • Pictures and mirrors

DFM4470000

FTP LUX DISTRIBUTION



www.ftpdistribution.lu (🔇 +352 26 39 33 73

info@ftpdistribution.lu



<u>ANCHORS</u>

LIGHT DUTY ANCHORS

SHARKIE™ PLASTIC WALL ANCHORS

Information: All purpose wall anchor The anchor moulds and conforms exactly to the surface of the hole Description: 360° fastening providing a greater holding power by distributing the force over the maximum area possible Won't spin or count ...

CODE DFM4460100 DFM4460050

<u>ST STRAP TOGGLES™</u>

Informations: Easy to install toggle fixing Patented hollow wall anchor for higher wall Reusable in the same hole (remove the bolt without losing the anchor) Applications: Light duty applications including: • Pictures and mirrors • Light ...

DFM4

CODE

DFM4540100 DFM4540050



STAPLE COMPATIBLE WITH TOOL DCFS950

Staple compatible with tool DCFS950 Features: - Staple Length 50mm. 990 pieces per pack. Compatible with DCFS950 tool

E DFS9200B1G-QZ

a for the state of the state of

WALL DOG[™] SCREW ANCHORS COUNTERSUNK

Information: An all steel, tension-free, one piece, threaded fastener Use to fasten various fixtures directly to drywall, wood, concrete, sand-lime stone or brickwork No plug needed Description: An all steel, tension-free, one piece, threaded fasten ...

DFM424015P DFM424000P

FTP LUX DISTRIBUTION



www.ftpdistribution.lu 🔇 +352 26 39 33 73 🔄 info@ftpdistribution.lu

CODE



LIGHT DUTY ANCHORS





WALL DOG[™] SCREW ANCHORS PAN HEAD



Information: An all steel, tension-free, one piece, threaded fastener Use to fasten various fixtures directly to drywall, wood, concretem sand-lime stone or brickwork No plug needed Description: An all steel, tension-free, one piece, threaded fasten ...

CODE

CODE

DFM425005P DFM425000P

ZIP IT[®] GYPSUM BOARD ANCHORS



Information: One piece self drilling anchor designed for use in hollow gypsum wallboard for light duty loads. Includes screws Applications: • Brackets • Mirrors • Signage • Light bathroom fittings

info@ftpdistribution.lu

DFM4120000 DFM4110000







<u>ANCHORS</u>

LIGHT DUTY ANCHORS

ZIP TOGGLES™ NYLON WITH SCREW



Information: The Dewalt DFM4570000 Zip-Toggle hollow wall fixing. Self drilling hollow gypsum wallboard anchor. Unique patented design. Dust relief thread allows for low installation torque Specifications: Self drilling hollow gypsum wallboa ...

CODE DFM4570000



FTP LUX DISTRIBUTION



www.ftpdistribution.lu



🕐 info@ftpdistribution.lu



<u>ANCHORS</u>

MECHANICAL ANCHORS



BLUE-TIP CONCRETE SCREW GALVANIZED CONCRETE SCREW

BLUE-TIP Concrete screw galvanized concrete screw

CODE DFM1450002 DFM1450003







MECHANICAL ANCHORS

BLUE-TIP CONCRETE SCREWS HEXAGONAL HEAD GYPSY

BLUE-TIP concrete screws hexagonal head gypsy

CODE	DFM1430001	DFM1430002	DFM1430003	DFM1430004	DFM1430006
CODE	DFM1430007	DFM1430008	DFM1430009	DFM1430010	DFM1430011
CODE	DFM1430012	DFM1430013	DFM1430014	DFM1430015	DFM1430016
CODE	DFM1430017	DFM1430018	DFM1430019	DFM1430020	DFM1430021
CODE	DFM1430022	DFM143003S	DFM143004S	DFM143005S	DFM143008S
CODE	DFM143010S	DFM143011S	DFM1440001	DFM1440002	DFM1440003

BSC NHSF COLLARED NYLON HAMMER SCREW

Information: Basic nylon hammer screw Easy to install through part to be fixed Expands by hammering or screwing (can be removed) Description: Basic nylon hammer screw Easy to install through part to be fixed Expands by hammering or screwing (can ...

DFM3210200

CODE

BSC PBZ PRO: STEEL WEDGE NAIL



Informations: Hammer set anchor for push through installation F120 fire resistance approval Steel wedge nail with ETA part 6 approval for redundant systems Description: F120 fire resistance approval Steel wedge nail with ETA part 6 approval for re ...

🕥 info@ftpdistribution.lu

CODE DFM3310050 DFM3310000

FTP LUX DISTRIBUTION



www.ftpdistribution.lu 🔇 +352 26 39 33 73



ANCHORS MECHANICAL ANCHORS



NP NYLON ANCHORS

	NP Nylon ancho	rs				
- Jun	CODE	DFM3441000	DFM34 <mark>41</mark> 050	DFM3441150	DFM3441200	DFM3441250
	CODE	DFM3441300				
		רו				

NYLON SCREW ANCHORS WITH SCREW

Nylon screw anchors with screw

CODEDFM3211100DFM3211105DFM3211150DFM3211155DFM3211185	CODE	DFM3211000	DFM3211050	DFM321105S	DFM321106S	DFM321107S
	CODE	DFM3211100	DFM3211105	DFM3211150	DFM3211155	DFM3211185



FTP LUX DISTRIBUTION



www.ftpdistribution.lu (🔇) +352 26 39 33 73

附 info@ftpdistribution.lu



DFM1210600 TW TIE WIRE HANGERS ZINC PLATED



Information: Universal medium duty anchor with eye Special cone angle for quick installation Description: Universal medium duty anchor with eye Special cone angle for quick installation

CODE DFM1210600

DM DROP IN ANCHORS DM LIP PRO: ZINC PLATED



Informations: Easy to install anchor with ETA option 7 approval for uncracked concrete and part 6 approval for cracked concrete Description: Zinc plated internally threaded expansion anchor F120 fire resistance

CODE	DFM2110100	DFM211010S	DFM2110150	DFM2110155	DFM2110200
CODE	DFM211020S	DFM2110250	DFM2110300	DFM2110000	

DM DROP IN ANCHORS DM PRO: ZINC PLATED (MULTI-PACK)



Informations: Easy to install anchor with ETA option 7 approval for uncracked concrete and part 6 approval for cracked concrete Description: Zinc plated internally threaded expansion anchor F120 fire resistance



🕐 info@ftpdistribution.lu

FTP LUX DISTRIBUTION

www.ftpdistribution.lu (📎 +352 26 39 33 73





<u>ANCHORS</u>

MECHANICAL ANCHORS

FIXED HEAD SLEEVE ANCHOR: ZINC PLATED



Information: Dewalt sleeve anchors. Light sleeve anchor for push-through installation. Application: Light Sleeve anchor for push-through installation Steel quality of 4.8 grade Available form 40-100mm length



PBZ PRO: STEEL WEDGE NAILS



Informations: Hammer set anchor for push through installation F120 fire resistance approved Steel wedge nail with ETA part 6 approval for redundant systems Description: Hammer set anchor for push through installation E120 fire resistance approved S

for push through installation F120 fire resistance approved S ...

DFM3310150 DFM3310100



SNAKE INTERNAL THREAD SELF TAPPING ANCHORS: SNAKE ANCHOR KIT ZINC PLATED

Information: Patented, internally threaded self-tapping anchor with ETA option 1 approval for cracked and uncracked concrete Description: Approved for very small edge distances Complete grip over total anchor length

CODE DFM2310050

DFM2310000

FTP LUX DISTRIBUTION

www.ftpdistribution.lu 🔇 +352 26 39 33 73 🔄 info@ftpdistribution.lu





SPIKE - MUSHROOM HEAD ANCHOR - STAINLESS STEEL

SPIKE - Mushroom head anchor - Stainless steel

	CODE DFM3110760	DFM3110840
	VERTIGO - COMPASS WOOD Vertigo - Compass wood and steel	AND STEEL
8 J	WALL DOG - Round head screw anchor,	SCREW ANCHOR, T25 RECESS T25 recess 260070

SPIKE MUSHROOM: HEAD SPIKES ZINC PLATED



Informations: Pre-expanded anchor design allows for easy installation Description: Patented, one-piece, tamper-proof vibration resistant anchor in 8.2 grade steel with mushroom head

CODE DFM3110280

DFM3110320

DFM3110520

info@ftpdistribution.lu





ANCHORS

MECHANICAL ANCHORS

info@ftpdistribution.lu

SPIKE TIE WIRE SPIKE ZINC PLATED



Information: Patented, one-piece, vibration resistant anchor in 8.2 grade steel with eye Preexpanded anchor design allows for easy installation Description: Patented, one-piece, vibration resistant anchor in 8.2 grade steel with eye Pre-expanded a ...

CODE DFM3110000

THREADED RODS STRAIGHT CUT GALVANIZED STEEL CLASS 5.8





VERTIGO - SELF-TAPPING SCREW - SCREW FOR GALVANIZED STEEL Vertigo - Self-tapping screw - Screw for galvanized steel

CODE

www.ftpdistribution.lu (📎 +352 26 39 33 73

DFM2230100 DFM2230150





the left

CHIMINIM

CODE

WALL DOG - T25 COUNTERSUNK HEAD SCREW ANCHOR

WALL DOG - T25 countersunk head screw anchor

DFM4230025 DFM4230070

WINDOW SCREWS PS FOR PLASTIC FRAMES

Informations: Wall screw with flat head for metal and plastic frames Zinc plated with either a T25 or T30 torx recess and self-tapping thread Stress-free fastening without additional plugs Description: Wall screw with flat head for metal and plastic ...



WINDOW SCREWS PSZ FOR WOODEN FRAMES

Informations: Window screw with cylindrical head for wooden frames Zinc plated with either a T25 or T30 torx recess and self-tapping thread Stress-free fastening without additional plugs Description: Window screw with cylindrical head for wooden fr ...



FTP LUX DISTRIBUTION

www.ftpdistribution.lu 🔇 +352 26 39 33 73 🔄 info@ftpdistribution.lu





BRADS/PINS NAILS



<u>16 GAUGE BRADS DPN1664PP-XJ NAILER COMPATIBLE -</u> <u>GALVANIZED</u>

IN BRIEF Galvanized brads with 0° magazine angle. Diameter of 1.6mm and lengths from 57 to 65mm. Compatible with DPN1664PP-XJ. Pack of 2500 pieces.

CODE	DNBSB1657Z	DNBSB1650Z	DNBSB1645Z	DNBSB1638Z	DNBSB1632Z
CODE	DNBSB1625Z	DNBSB1664Z			

<u>18-GAUGE BRADS DPN1850PP-XJ NAILER COMPATIBLE - INOX</u> <u>STEEL</u>



IN BRIEF Stainless steel brads 0° magazine angle. Diameter of 1.25mm and length from 30 to 50mm. Package of 5000 pieces.

DNBT1850SZ

CODE

DNBT1830SZ



<u>18-GAUGE BRADS DPN1850PP-XJ NAILER COMPATIBLE-</u> <u>GALVANIZED</u>

IN BRIEF Brads for nailers, galvanized with 0° magazine angle. Diameter of 1.25 mm and lengths from 15 to 40mm. Compatible with DPN1850PP-XJ.

CODE	DNBT1840GZ	DNBT1838GZ	DNBT1835GZ	DNBT1850GZ	DNBT1845GZ
CODE	DNBT1830GZ	DNBT1825GZ	DNBT1820GZ	DNBT1815GZ	

🕥 info@ftpdistribution.lu

FTP LUX DISTRIBUTION

www.ftpdistribution.lu 🔇 +352 26 39 33 73





BRADS/PINS NAILS

23-GAUGE PINS DPN2330-XJ NAILER COMPATIBLE - BRIGHT



IN BRIEF Pins with bright finish, 0° magazine angle. 0.6mm diameter and lengths from 25 to 55mm. Compatible with DPN2330.

CODE DNBHL2325Z

DNBHL2315Z











<u>COIL NAILS</u>

C5 REPLACEMENT MAGAZINE LONG TRACK



Information: Dewalt DDF5150500 C5 Replacement Magazine - Long Track. The C5 Trak-It is a powerful gas nailer designed for driving nails and clips into a wide range of substrates including steel, concrete, brick and hollow brick. The lightest and smal ...

E DDF5150500

C5 REPLACEMENT MAGAZINE SHORT TRACK



Information: Dewalt DDF5150550 C5 Replacment Magazine - Short Track. The C5 Trak-It is a powerful gas nailer designed for driving nails and clips into a wide range of substrates including steel, concrete, brick and hollow brick. The lightest and sma ...

CODE DDF5150550

COIL GALVANIZED NAILS FOR DCN45RN NAILER (7200 PCS.)

Coil nails with galvanised surfaces finish, all with a plain shank.



DNR3119GZ

CODE

DNR3122GZ

COIL NAILS FOR DCN45RN NAILER (1200 PCS.)

Coil nails with hot-dipped surfaces finish, all with a plain shank.



DNR3119HDZ

DNR3132HDZ

DNR3145HDZ

🕥 info@ftpdistribution.lu

FTP LUX DISTRIBUTION



www.ftpdistribution.lu 🔇 +352 26 39 33 73



<u>COIL NAILS</u>

F-SERIES ROUND HEADED NAILS RING SHANK - BRIGHT



IN BRIEF F Series coil nails, round-headed with ring shank and bright finish. 15° magazine angle. Diameter from 2.3mm to 3.1mm and 90mm length.

CODE	DNF31R90E	DNF31R80E	DNF28R90E	DNF28R65E	DNF28R60E
CODE	D.N.5200555	DNF25R70E	DAVEDEDCOE	DNF25R50E	DN/5222645
	DNF28R55E	DIVIZSIVUE	DNF25R60E	DIVIZSINJUL	DNF23R64E



F-SERIES ROUND HEADED NAILS RING SHANK - GALVANIZED 12MICRON

IN BRIEF F Series coil nails with round head and ring shank, galvanized. 2.5 to 2.8mm diameter and 65mm length.

DNF28R55G12E

CODE



F-SERIES ROUND HEADED NAILS RING SHANK - INOX

IN BRIEF F Series coil nails with round head and stainless steel ring shank. Diameter 2.5 to 3.1mm and length from 50 to 90mm.

CODE DNF31R90S31 6E

DNF25R55S31 6E

info@ftpdistribution.lu





COIL NAILS

F-SERIES ROUND HEADED NAILS SMOOTH SHANK - BRIGHT



IN BRIEF F Series coil nails with round head, smooth shank and bright finish. Diameter from 2.5 to 3.1mm and length from 50 to 90mm. 3150 -9900 pcs.

CODE DNF2570E

DNF2560E











COLLATED NAILS



1200PK HDGV RING NAILS

CODE

DeWalt Hot Dip Galvanised Ring Nails are a range of ribbed ring nails tested to work with the DeWalt DCN692 framing nailer, guaranteeing the best level of performance between the nails and gun. Although it has been tested with DeWalt products, these ...

DNPT28R50HDZ DNPT28R63HDZ DNPT31R75HDZ



2200PK BRIGHT RING NAILS

DeWalt Bright Ring Nails are a range of steel nails tested to work with the DeWalt DCN692/690 framing nailer, guaranteeing the best level of performance between the nails and gun. Although it has been tested with DeWalt products, these nails can be u ...

DNPT28R50Z

DNPT28R75Z

info@ftpdistribution.lu



2200PK BRIGHT SMOOTH NAILS

DeWalt Bright Ring Nails are a range of steel nails tested to work with the DeWalt DCN692/690 framing nailer, guaranteeing the best level of performance between the nails and gun. Although it has been tested with DeWalt products, these nails can be u ...

CODE DNPT2863Z

DNPT3190Z





COLLATED NAILS

2200PK GALV SMOOTH NAILS



DeWalt Galvanised Smooth Nails are a range of steel nails tested to work with the DeWalt DCN692 framing nailer, guaranteeing the best level of performance between the nails and gun. Although it has been tested with DeWalt products, these nails can be ...



HD HIGH DENSITY NAILS



Informations: High Density (HD) nails for high sheer load applications Description: Collated in strips of 15 for rapid, repeated nailing

DCN8902020

DCN8902015

STANDARD NAILS



Informations: Standard nails ideal for concrete Description: Collated in strips of 15 for rapid, repeat firing Mechanical zinc plated for indoor or outdoor use

CODE	DCN8901020	DCN8901025	DCN8901030	DCN8901035	DCN8901040
CODE	DCN8901045	DCN8901050	DCN8901055	DCN8901057	DCN8901015

WELD WIRE NAILS RING SHANK - BRIGHT



IN BRIEF Wire welded collated nails with C-clipped head and magazine angle of 33°. 2.8mm diameter and 70mm length. Pack of 2200 pieces.

DNW28R70E

FTP LUX DISTRIBUTION



www.ftpdistribution.lu 🔇 +352 26 39 33 73 🔄 info@ftpdistribution.lu

CODE



COLLATED NAILS

DEWALT XH EXTRA HARD NAILS



Informations: Extra Hard (XH) Nails for extra hard concrete and steel Description: For use with very hard concrete Collated in strips of 15 for rapid, repeated nailing Why is DEWALT DCN8903022 - XH EXTRA HARD NAILS the ideal choice for you? ...

CODE	DCN8903017	DCN8903022	DCN8903027	DCN8903032	DCN8903038
CODE	DCN8903043	DCN8903048	DCN8903053	DCN8903057	DCN8903013



GALV RING NAILS

DeWalt Galv Ring Nails are a range of steel nails tested to work with the DeWalt DCN692/690 framing nailer, guaranteeing the best level of performance between the nails and gun. Although it

has been tested with DeWalt products, these nails can be use ...



WELD WIRE NAILS C-CLIPPED HEAD SMOOTH SHANK - BRIGHT



IN BRIEF Wire welded collated nails with C-clipped head head and magazine angle of 33° C. 2.8 to 3.1mm diameter and 50 to 90mm length. 2200 pieces.

CODE	DNW3190E	DNW3180E	DNW2890E	DNW2880E	DNW2870E
CODE	DNW2863E	DNW2850E			

info@ftpdistribution.lu

FTP LUX DISTRIBUTION

www.ftpdistribution.lu (🔇) +352 26 39 33 73





COLLATED SCREWS




COARSE DRYWALL TO WOOD COLLATED SCREWS

Information: Plastic Collated Drywall Screws for Dewalt, Makita, Senco and other makes of collated drywall screwdrivers Description: Black phosphate coated Collated per 50 screws Constant and sharp needle point for fast and easy installation

CODE	DWF4100450	DWF4100550	DWF4100350	DWF4100250	DWF4100650
CODE	DWF4100750	DWF4100850			

SCREWS FOR PLASTERBOARD TRUMPET HEAD, THREADED WITH COARSE PITCH + TIP FOR WOODEN PROFILES



SCREWS FOR PLASTERBOARD, TRUMPET HEAD, REVERSE THREADED FOR DIAMOND BOARD

Screws for plasterboard, trumpet head, reverse threaded for diamond board

CODE DWF4010003

FTP LUX DISTRIBUTION



www.ftpdistribution.lu 🔇 +352 26 39 33 73

info@ftpdistribution.lu



COLLATED SCREWS

SCREWS FOR PLASTERBOARD, TRUMPET HEAD, THREADED WITH FINE PITCH + TIP FOR METAL PROFILES



Screws for plasterboard, trumpet head, threaded with fine pitch + tip for metal profiles





TAPED SCREWS FOR METAL PROFILES AND PLASTER

IN BRIEF Drywall screws. Length from 25 to 55mm. 1000 pieces pack. Drywall screws with bugle head Collated per 50 screws Constant and sharp needle point for fast and easy installation

DWF4000250

COD

DWF4000450









METAL STAPLES

DST8006Z



GALVANIZED 8-SERIES METAL STAPLES DPS8016-XJ STAPLE **GUN COMPATIBLE**

IN BRIEF 80 Serie galvanized metal staples. 12.8mm diameter and length from 6 to 16mm. Compatible with DPS8016-XJ.

CODE DST8016Z DST8010Z

GALVANIZED SX METAL STAPLES DPSSX38-XJ STAPLE GUN **COMPATIBLE**

IN BRIEF Galvanized metal staples. Diameter of 5.6 mm and lengths from 12 to 35mm. Compatible with DPSSX38-XJ.

CODE	DSTSX35Z	DSTSX30Z	DSTSX25Z	DSTSX22Z	DSTSX19Z
CODE	DSTSX15Z	DSTSX12Z			









SITE EQUIPMENT

info@ftpdistribution.lu

AIR COMPRESSORS



10 LITER, COMPRESSOR

DESCRIPTION Extremely quiet compressor, with two air outlets and side roller cage. Developed for interior work. SPECIFICATIONS Container volume: 9.4 | Voltage: 230 volts Recording power: 1.5

hp Recording power: 1100 W Pump type: oil-free Max. ...

DE DPC10QTC-QS



10L XR FLEXVOLT 54V AIR COMPRESSOR

The first 54V battery-powered compressor takes you into a new professional dimension. The innovative design, the compact machine body and the cordless platform guarantee pneumatic supply applications anywhere and in all conditions. SPECIFICATIONS ...





17 LT COMPRESSOR WITH WHEELS

Engine without oil Motor power 2.5Hp / 1.8Kw Air intake 240 Liters / min Maximum pressure 13.8 Bar FAD 141 Lt / min @ 6.23Bar 2 air outlet connectors Universal EUs Telescopic handle Equipment: Flexible hose 10Mt Note: This product is equi ...

CODE DPC17PS-QS







SITE EQUIPMENT

info@ftpdistribution.lu

AIR COMPRESSORS



54V XR FLEXVOLT CORDLESS 10L AIR COMPRESSOR BODY ONLY

The DeWalt FLEXVOLT 54v 10 Litre Cordless Air Compressor offers all of the convenience and portability of cordless, and lets you continue using the pneumatic tools you already have. Each battery charge allows for up to 1,220 nails, providing the runt ...

DCC1054N-XJ



PROFESSIONAL RUBBER AIR LINE HOSE

DeWalt DWP-CPACK5 Professional Rubber Air Line Hose 5 m Professional Rubber Air Line Hose Ideal for use with the XR FLEXVOLT air compressor DCC1054

DWP-CPACK5

CODE



<u>18V AIR COMPRESSOR WITH 18V XR, 240V AND 12V</u> <u>CONNECTIONS</u>

18V air compressor with 18V XR, 240V and 12V connections supplied with 240V and 12V connection, useful for any situation of rescue, work and leisure. Power 18V, maximum pressure 11bar, digital dial, weight 2.7Kg. Triple power supply: 18V XR, 24 ...

CODE DCC018N-XJ

www.ftpdistribution.lu 🔇 +352 26 39 33 73





<u>SITE EQUIPMENT</u>

info@ftpdistribution.lu

AIR COMPRESSORS

AIR COMPRESSOR 10LT. 2.0HP MOTOR. 240V EU



IN BRIEF Compact air compressor with 10Lt capacity, with double coupler and protection cage. 2.0HP oilfree motor. Equipped with 10m hose. The DeWALT DPC10RC is a 2.0Hp 10 Litre medium sized portable compressor designed for use with framing and fi ...

CODE DPC10RC-QS



AIR COMPRESSOR 16LT. 2.5HP MOTOR 240V EU

IN BRIEF Air compressor with 16lt. capacity, can feed 2 nailers. 2.5hp oilfree motor. Equipped with 10m hose. High performance 16l compressor with enough power to run two framing tools at the same time Note: This product is equipped with Euro ...

CODE DPC16PS-QS



AIR COMPRESSOR 6LT. 1.5HP MOTOR, 240V EU

IN BRIEF Portable air compressor with 6lt capacity, lightweight and versatile, with oilfree motor. With integrated carrying handle and 5m hose. 6 litre, portable, high power to weight ratio compressor designed for small and medium tools Extremel ...

DPC6MRC-QS

www.ftpdistribution.lu 🔇 +352 26 39 33 73





<u>SITE EQUIPMENT</u>

LAMPS AND TORCHES



10.8V XR LED FLASHLIGHT

IN BRIEF Torch with belt clip and magnetic thread. Pivoting head rotates 180° horizontally and vertically. Compact and impact resistant. Flashlight has belt clip, magnetic mount or can be free standing, Flashlight head can rotate 180° horizontal ...

DDE DCL510N-XJ

12/18V XR UNDERHOOD LAMP WITHOUT BATTERIES



XR 12V and 18V battery compatibility LEDs can be operated separately Rotatable hooks Color temperature: 5000K Operation with 12 / 18V XR battery Brightness: 800/1650 Lm Folding Useful length 1.3-1.9 mt Note: This product is equipped with E ...

CODE DCL045-XJ



18V XR CONSTRUCTION TORCH WITHOUT BATTERIES

3 brightness settings with a maximum output of 2000 lumens. Multi-position handle with threads for tripod mounting. Rated to IP54 for protection against dust and water ingress. Note: This product is equipped with Euro Plug and operates at 220-230V

CODE DCL077-XJ

18V XR HANDHELD LED WORKLIGHT



IN BRIEF Flashlight with variable brightness settings (250 to 500lm). Up to 10 hours autonomy, 144° pivoting head, 9 adjustable positions and clamp. Variable light settings for maximum brightness or extended runtime 250-500 lumen output with bro ...







SITE EQUIPMENT

LAMPS AND TORCHES



<u>18V XR LED TRIPOD LIGHT BODY ONLY, YELLOW/BLACK</u>

Dewalt DCL079-XJ 18V XR LED Tripod Light-Body Only, Yellow/Black 3500k Warmer light colour to reduce glare Chip on board LED housing multiple LEDs bonded directly to a substrate resulting in increased lumen output per square inch Adjustable angle ...

CODE DCL079-XJ



<u>18V XR LI-ION LED PIVOT LIGHT</u>

IN BRIEF Lightweight and compact torch 18V, impact-resistant housing, 110lm brightness and 90° vertically pivoting head. 21 hours autonomy. Compact, lightweight design with impact resistant housing LED Bulb producing 110 Lumen output (10,000Hr Li ...

CODE DCL040-XJ



18V XR LI-ION LED SPOTLIGHT - BARE VERSION

IN BRIEF Spotlight up to 1000lm with 90° adjustable head, in 5 positions. Up to 400m distance rating and 10 hours autonomy with 5.0Ah battery. High power LED Spotlight provides focused high intensity beam Delivers 1000 lumen max. output 400m dis ...

DDE DCL043-XJ



18V XR TOOL CONNECT LED AREA LIGHT

Features: • 360° beam pattern - Precision-engineered lens with 150 flutes for a bright even beam pattern to illuminate entire working space • Up to 5000 lumen light output with three brightness settings • Tripod mount and hang hook allow f...

DCL074-XJ

FTP LUX DISTRIBUTION



www.ftpdistribution.lu 🔇 +352 26 39 33 73 🔄 info@ftpdistribution.lu



<u>SITE EQUIPMENT</u>

info@ftpdistribution.lu

<u>RADIOS</u>



DWST1 81078 QW TSTAK® AUDIO AND CHARGER

Jobsite radio compatable with TSTAK family IP54 certified for water and dust resistance Shock absorbing Rubber bumpers on all four corners of the device Compartment latch easy to open with

one hand 4+1+1 Speakers give a very wide acoustic range ...



TOUGH SYSTEM - RADIO AND XR CHARGER



IN BRIEF Radio and battery charger with Bluetooth to listening to music wherever you want. Can charge tools of the XR 14.4 and 18V range. Campsite Radio Tough System Dewalt

DWST1-75659 NOTE All battery chargers are equipped with Euro Plu ...





TUNER & CHARGER

Information: DAB+ and FM tuner receives digital and analogue signal 3A XR charger with charge indicator LED light Bluetooth[®] for remote streaming audio Description: DAB+ and FM tuner

receives digital and analogue signal 3A XR charger with char ...

CODE DCR027-QW





<u>SITE EQUIPMENT</u>

RADIOS



XR LI-ION COMPACT FM-AM RADIO

IN BRIEF Jobsite radio, with 3.5mm port for connection of mobile audio devices. 10 frequencies memory and 2m cable. Compact and robust FM/AM jobsite radio Accepts 10.8V, 14.4V and 18V XR Li-Ion batteries 3.5mm auxiliary port allows for connection ...





XR LI-ION DAB+-FM COMPACT RADIO

IN BRIEF Radio for the Jobsite, with 3.5mm port for the connection of portable audio. Compact and robust, with 2m power cord. Also for cordless use. Compact and robust DAB(+)/FM jobsite radio Accepts 10.8V, 14.4V and 18V XR Li-Ion batteries Tech ...

DCR020-QW CODE









LASER DISTANCE METERS

info@ftpdistribution.lu



100 M LASER DISTANCE METER

IN BRIEF Laser distance measurer with up to 100m range and inclinometer. Calculates area, volume and angles. Up to 20 measures can be stored. Laser distance measurer (LDM)

manufactured to withstand the inevitable job site drops and falls on the J ...

DE DW03101-XJ



30M BLUETOOTH LASER DISTANCE MEASURER

DeWalt DW099S 30M Bluetooth Laser Distance Measurer With a working range of 30 metres, the DeWalt DW099S is a Bluetooth equipped laser distance measurer in an IP54 rated overmoulded housing designed to be able to cope with the rigours of jobsite use. ...

CODE DW099S-XJ



30M DISTANCE MEASURER

30m working range. +/- 3mm accuracy per 10m. Calculates distance in Metric and Imperial. Area, Volume and Pythagoras calculations - Product versatility for a wide range of applications. TPE overmould for secure grip and slip protection. Compact and I ...

CODE

DWHT77100-XJ





LASER DISTANCE METERS



50M LASER DISTANCE METER

IN BRIEF Laser distance measurer ideal for use in workplaces with dust and water. Up to 50m range, backlit display and up to 5 measurements storage Laser distance measurer (LDM) manufactured to withstand the inevitable job site drops and falls on ...





POCKET LASER DISTANCE MEASURE

Measurement range up to 16 meters. For accurate measurements. Accuracy of +/- 6 mm in 10 meters. Rubberized cover for a better grip. Internal Li-Ion for longer operating time, no need to change batteries ~ 1000 measurements in one full charge. USB p ...

DW055PL-XJ CODE







info@ftpdistribution.lu

LASERS ACCESSORIES



ALUMINIUM CONSTRUCTION TRIPOD

IN BRIEF Lightweight aluminum alloy tripod with quick release with standard mount thread. Pointed metal feets for more stability. Aluminium alloy construction is lightweight and durable Quick release legs for fast and easy setup, with industry s ...

ODE DE0736-XJ

ALUMINIUM GRADE ROD

IN BRIEF 4m aluminium graded rod. Suitable for all common measuring applications. 1.2m - 4m Aluminium Construction Grade Rod

CODE DE0734-XJ



COMBI GRADE ROD (POSITIVE-NEGATIVE)

IN BRIEF Graduated rod up to 2.4m. Integrated level bubble. 2.4m Adjustable height grade rod for operation over various inclines Attached bubble vial for accurate setting of grade rod. Sliding detector mount for increased speed and accuracy of readings.

CODE DE0737-XJ







LASERS ACCESSORIES



DIGITAL DETECTOR FOR LINE-LASER DW088-DW089 - RED RAYS

IN BRIEF Laser detector compatible with DW088 and DW089 pulsating light lasers. Easy to use, with an operating range up to 50m and LCD screen. Self-levelling multi line laser is accurate to ± 0.3 mm/m in levelling applications Self-Levelling up ...

E DE0892-XJ



DIGITAL LINE-LASER DETECTOR - GREEN RAYS

IN BRIEF Laser detector with a range up to 50m. Magnetic mount on the top, 2 bands and backlit LCD display. Not suited for rotary lasers. Suitable for line lasers Detector with Clamp

Compatible with DW088K & DW089K Line Laser Very easy to use ...





LASER TARGET CARD

IN BRIEF Target card for laser measurements. Magnetic base for attaching to ceiling grid or steel studs.

CODE DE0730-XJ



ELEVATED CONSTRUCTION TRIPOD

IN BRIEF Telescopic head with quick release system and 5/8" mount thread. Aluminium alloy structure and pointed feet for more stability. Telescopic head for up to 3m high reach Quick release legs for fast and easy setup, with industry standa ...

E DE0735-XJ

FTP LUX DISTRIBUTION



www.ftpdistribution.lu 🔇 +352 26 39 33 73 🔄 info@ftpdistribution.lu



info@ftpdistribution.lu

LASERS ACCESSORIES

FLOOR TO CEILING 1-4" LASER POLE

IN BRIEF Laser pole with 1/4" thread and integrated level bubble at the base, easy to install and lock. Maximum height of 3.4m. Floor to Ceiling 1/4 Thread Laser Pole Why Is the Dewalt Floor to Ceiling Laser Pole DE0882-XJ the Perfect ...

CODE DE0882-XJ



LIGHTWEIGHT 1/4" THREAD MINI TRIPOD

Features: - Aluminium tripod with reinforced structure - integrated level bubble - 1/4" mounting thread - Rotates 360° without altering the set height

CODE DE0733-XJ DE0881T-XJ



WATERPROOF DIGITAL LASER DETECTOR WITH CLAMP

IN BRIEF Laser detector with highest precision over short and long distances, compatible with rotary lasers. Double LCD display on front and back. Consistent accuracy, over the operating range regardless of beam size in Fine Setting +/-1mm. Comp ...

DE0772-XJ

CODE





🕥 info@ftpdistribution.lu

LINE LASERS



12/18V 2 SPOT & CROSS GREEN BEAM LASER KIT

Multivoltage XR power tool battery platform (18V AND 12V compatible) for extra long run time and the convenience of rechargeable power tool batteries Self-levelling Cross Line Laser with 2

Spots (plumb up and down) Working Range: 30m (50m with detect ...

CODE DCE822D1G18 -QW

12/18V 5 SPOT & CROSS GREEN BEAM LASER KIT



Multivoltage XR power tool battery platform (18V AND 12V compatible) for extra long run time and the convenience of rechargeable power tool batteries. Self-levelling Cross Line Laser with 5 Spots. Working Range: 30m (50m with detector). Accuracy: +/- ...

CODE DCE825D1G18 -QW



12/18V CROSS LINE GREEN BEAM LASER KIT

Multivoltage XR power tool battery platform (18V AND 12V compatible) for extra long run time and the convenience of rechargeable power tool batteries Working Range: 30m (50m with detector) Accuracy: +/-3mm @ 10m Fine adjustment knob for precision and ...

CODE DCE088D1G18 -QW

FTP LUX DISTRIBUTION



www.ftpdistribution.lu 🔇 +352 26 39 33 73



🕐 info@ftpdistribution.lu

LINE LASERS



<u>3 WAY SELF-LEVELLING MULTI LINE LASER (HORIZONTAL,</u> VERTICAL AND SIDE LINES) WITH MAGNETIC WALL SUPPORT

IN BRIEF Multi-line laser, with shock resistant body, fine adjustment dial and magnetic mounts. Self-levelling multi line laser is accurate to ± 0.3 mm/m in levelling applications Self-Levelling up to 4 degrees surface angle with automatic out 0 ...

CODE DW089K-XJ



2 WAY SELF-LEVELLING LINE LASER (HORIZONTAL AND VERTICAL)

IN BRIEF Line laser, projects a vertical and a horizontal line. 10m range without receiver, 50m range with receiver. Self-levelling cross line laser is accurate to ± 0.3 mm/m in levelling

applications Self-Levelling up to 4 degrees surface angle ...

E DW088K-XJ



<u>3 WAY SELF-LEVELLING MULTI LINE LASER SOLD WITH</u> <u>DETECTOR</u>

IN BRIEF Multi-line laser with fine adjustment dial, shock resistant reinforced chassis and magnetic mounts. Self-levelling cross line laser is accurate to ± 0.3 mm/m in levelling applications Self-Levelling up to 4 degrees surface angle with au ...

CODE DW089KD-XJ





info@ftpdistribution.lu

LINE LASERS



<u>360° LINE + 1 VERTICAL BEAM LASER</u>

IN BRIEF Line laser with the same performances of a rotary laser and 10-30m range. Double tripod mount with 1/4"and 5/8" threads. Simulates functionality of rotary laser Range : 10M-30M - Accuracy : +/- 4mm/10m Self leveling 360° line and vert ...

CODE DW0811-XJ



CROSS LINE LASER GREEN BEAM CLASS 2

IN BRIEF Self leveling cross line laser, class 2 with green beam. In manual mode lines are flashing, pulsating when used with receiver. Self Leveling Cross Line Laser Green Beam Laser 35m working range (50m with detector) Wear resistant, overmo ...

CODE DCE088D1G-QW



CROSS LINE LASER RED BEAM CLASS 2

IN BRIEF Line laser with self-leveling and pendulum lock function. Included rechargeable battery. Pulsating light allows use with receiver. The Dewalt DCE088D1R follows on from the DW088K with the added advantage of 2.0Ah battery power. It is fit ...

CODE DCE088D1R-QW





🕥 info@ftpdistribution.lu

LINE LASERS



DEWALT DW088CG XJ CROSS LINE GREEN LASER

Information: Green Beam is 4x brighter than Red Beam Projected lines: horizontal, vertical and cross line Visibility range: 20m Description: Green Beam is 4x brighter than Red Beam Projected lines: horizontal, vertical and cross line ...





LINE LASER WITH TRIPOD

IN BRIEF Line laser, self leveling with double switch and oversized body. Equipped with magnetic mounts and aluminum tripod. Self levelling up to 4°surface angle with automatic out of level indication. 2 button operation and low battery indica ...

DW088KTRI-XJ

CODE



MULTI LINE LASER (3) GREEN BEAM CLASS 2

IN BRIEF Multi line laser class 2 with green beam. Flashing light when used manually, pulsating light when used with receiver. x3 360°Self Leveling Lines Projects bright horizontal and vertical

lines. Variable blink sequence for manual mode. ...







info@ftpdistribution.lu

LINE LASERS



MULTI LINE LASER RED BEAM CLASS 2

IN BRIEF Line laser with rechargeable battery. Flashing light when used manually, pulsating light when used with receiver. The Dewalt DCE089D1R is a 3 way self levelling 360° cross line laser with a ultra bright green laser. Green lasers are x4 ...





MULTI-LEVEL SELF-LEVELLING LASER - GREEN BEAM

IN BRIEF Class 2 multi-line laser with green beam; Self-levelling +/- 4°; Precision +/-3mm/10m. It marks two 360° vertical lines and 1 horizontal line, with a green light constantly

switched on. It works up to 30m distance without receiver, 50 ...





MULTI-LINE LASER 1.8V - RED BEAM

IN BRIEF Class 2 multi-line laser with red beam; Self-levelling +/- 4°; Precision +/- 3mm/10m. It marks two 360° vertical lines and 1 horizontal line, with a red light constantly switched on. It works up to 15m distance without receiver, 50m w ...

CODE DCE0811D1R-QW





LINE LASERS



MULTI-LINE LASER WITH GREEN BEAM CLASS 2 (WITH 18V 2.0AH XR LITHIUM BATTERY)

Class 2 green beam multi-line laser (510-530nm). Self-leveling +/- 4 ° Accuracy +/- 3mm / 10m. Projects three 360 ° lines, 2 vertical squared and 1 horizontal with constantly active pulsating light. Range: 30m without receiver, 50m with rece ...

DCE089D1G18 QW

CODE



MULTI-LINE LASER WITH GREEN BEAM CLASS 2 (WITHOUT **BATTERIES**)

Class 2 green beam multi-line laser (510-530nm). Self-leveling +/- 4 ° Accuracy +/- 3mm / 10m. Projects three 360 ° lines, 2 vertical squared and 1 horizontal with constantly active pulsating light. Range: 30m without receiver, 50m with rece ...

CODE DCE089NG18-XJ









OPTICAL LEVELS



26X OPTICAL AUTO LEVEL PACKAGE

IN BRIEF Optical laser level with very easy setup and high accuracy. 26x magnification for 100m range and pivoting base. Magnetically dampened compensator that maintains compensation over product life and for easy setup with optimum range and acc ...

DW096PK-XJ











🕥 info@ftpdistribution.lu

POINT LASERS

12/18V 2 SPOT & CROSS GREEN BEAM LASER

12/18V 5 SPOT & CROSS GREEN BEAM LASER



Multivoltage XR power tool battery platform (18V AND 12V compatible) for extra long run time and the convenience of rechargeable power tool batteries. Self-levelling Cross Line Laser with 2 Spots (plumb up and down). Working Range: 30m (50m with dete ...





Multivoltage XR power tool battery platform (18V AND 12V compatible) for extra long run time and the convenience of rechargeable power tool batteries. Self-levelling Cross Line Laser with 5 Spots. Working Range: 30m (50m with detector). Accuracy: +/- ...





12/18V CROSS LINE GREEN BEAM LASER

Multivoltage XR power tool battery platform (18V AND 12V compatible) for extra long run time and the convenience of rechargeable power tool batteries. Working Range: 30m (50m with detector). Accuracy: +/-3mm @ 10m. Fine adjustment knob for precision ...







🕥 info@ftpdistribution.lu

POINT LASERS



CROSS LINE + PLUMB LASER

IN BRIEF Spot laser with 15-50m range, projects two bright spots from floor to ceiling. Magnetic pivoting base and reinforced body. Projects bright crossing horizontal and vertical lines Range : 15M-50M - Accuracy : +/- 3mm/15m Self Leveling Cr ...

CODE DW0822-XJ



GREEN BEAM 2 CROSS LINE LASER + 2 WITH PLUMBER

Information: A rugged cross line laser that combines 2 selectable cross lines (horizontal and vertical) + 2 indipendent spot with plumb function. Includes an integrated magnetic bracket. Uses the latest in TRUE GREEN DIODE technology to produce a be ...





<u>GREEN BEAM 2 CROSS LINE LASER + 5 INDIPENDENT WITH</u> PLUMBER

Information: Projects a full cross line (horizontal & vertical) + 5 independent spot points allows multi-use tool Integrated magnetic bracket which allows for it be mounted direct to metal track to ensure accurate projections all around Full-time ...







🕥 info@ftpdistribution.lu

POINT LASERS



LASER TRACER WITH GREEN RAY, CLASS 2

Laser tracer with green ray, class 2 Projects 5 green dots. Great versatility. The plumb allows you to align the Laser to the ceiling and the floor. The front magnet allows you to hook the laser tracer at the metal structure Very robust structure. Te ...





LASER TRACER WITH RED RAY, CLASS 2

Laser tracer with green ray, class 2 Projects 5 red dots. Great versatility. The plumb allows you to align the Laser to the ceiling and the floor. The front magnet allows you to hook the laser tracer

at the metal structure Very robust structure. Test ...





RED BEAM 2 CROSS LINE LASER + 2 WITH PLUMBER

Information: A rugged cross line laser that combines 2 selectable cross lines (horizontal and vertical) + 2 indipendent spot with plumb function. Includes an integrated magnetic bracket. Ideal for all levelling applications and floor to ceiling tran ...







POINT LASERS



RED BEAM 2 CROSS LINE LASER + 5 INDIPENDENT WITH **PLUMBER**

Information: Projects a full cross line (horizontal & vertical) + 5 independent spot points allows multi-use tool Integrated magnetic bracket which allows for it be mounted direct to metal track to ensure accurate projections all around Full-time ...

CODE DCE0825D1R-QW











FTP LUX

LASER MEASURING

info@ftpdistribution.lu

ROTARY LASERS



18V ROTARY LASER GREEN WITH BLUETOOTH

Features: • Full Automatic Horizontal and Vertical Self Leveling • Features Bluetooth connection to connect with the DEWALT Tools Connect mobile app and control the laser with a

smartphone • Plumb dot Up and Down • Single Slope Mode allows ...





18V ROTARY LASER RED WITH BLUETOOTH

Features: • Full Automatic Horizontal and Vertical Self Leveling • Features Bluetooth connection to connect with the DEWALT Tools Connect mobile app and control the laser with a

smartphone • Plumb dot Up and Down • Single Slope Mode allows ...





MULTILINE LASER WITH CLASS 2 GREEN BEAM (510-530NM) IN CASE WITHOUT BATTERIES OR CHARGER

Compatibility with 18V XR batteries. Self-leveling lines 3 lines and 360° self-levelling. Ability to trace across the entire room. Accuracy +/- 3mm @ 10m. Professional precision on site. Green light diode. The category green beam technology en ...







LASER MEASURING

🕥 info@ftpdistribution.lu

ROTARY LASERS



MULTILINE LASER WITH CLASS 2 GREEN BEAM (510-530NM) WITH 1 XR LITHIUM 18V 2AH BATTERY, CHARGER AND CASE

This DCLE34031D1 green laser from DeWalt is a new compact 360-degree triple line laser with battery located at the base. Lasers are an essential tool for a variety of applications including window installation, drop ceiling installation, woodworking ...

DE DCLE34031D1-QW



ROTARY LASER LEVEL WITH RED BEAMS. SELF LEVELLING WITH HORIZONTAL BEAM.

IN BRIEF Rotary laser level with red beam. Self-levelling with horizontal beam. Appropriate for applications both in indoor and outdoor spaces. Visibility range 22m. Outreach with 228 m receptacle, horizontal incline +/- 10%, Precision 30m: +/- 3mm ...





ROTARY LASER WITH HIGH-VISIBILITY GREEN BEAM AND RECHEARGABLE BATTERY 18V.

IN BRIEF Rotary laser with high-visibility green beam, self-levelling with horizontal beam and lead. Visibility range 38m. Working range with receptacle 300m. Accuracy 30m +/- 1,5mm. Double manual incline till +/-10%. Suitable for all aplications b ...







LASER MEASURING

ROTARY LASERS

ROTARY LASER WITH RED BEAM.



IN BRIEF Rotary laser with red beam, sel-levelling with horizontal beam and lead. Visibility range 30m. Action range with receiver 300m. Accuracy 30m +/- 1,5mm. Double manual incline till +/-10%. Suitable to all applications both in outdoor and in ...





FTP LUX DISTRIBUTION



www.ftpdistribution.lu (🔇) +352 26 39 33 73



info@ftpdistribution.lu



18V BRUSHLESS BLOWER LOADED



Information: Latest range extension to the XR system – professional performance with the added convenience of being battery powered Quiet Design - under 65dB for use in noise restricted areas Lightweight and Compact Design – at just 3.2kg, the ...

DCM562P1-QW

CODE

18V BRUSHLESS BLOWER LOADED (BARE TOOL)



Information: Latest range extension to the XR system – professional performance with the added convenience of being battery powered Quiet Design - under 65dB for use in noise

restricted areas Lightweight and Compact Design – at just 3.2kg, the ...

CODE DCM562PB-QW



18V COMPACT CHAINSAW (BARE TOOL)

Information: 30cm Oregon Bar and Chain High Efficiency Brushless Motor - Delivers up to (70) 4x4" cuts per charge (18V, 5Ah) Automatic Oiling - Reduced Maintenance Description: 30cm Oregon Bar and Chain High Efficiency Brushless Motor - Deliv ...

info@ftpdistribution.lu

CODE DCM565N-XJ





20 CM CHROMED BAR AND CHAIN KIT



30CM OREGON CHAINSAW CHAIN AND BAR



30cm Oregon Chainsaw Chain and Bar





46CM REPLACEMENT CHAIN 46CM REPLACEMENT CHAIN CODE DT20664-QZ

18V COMPACT CHAINSAW LOADED



Information: 30cm Oregon Bar and Chain High Efficiency Brushless Motor - Delivers up to (70) 4x4" cuts per charge (18V, 5Ah) Automatic Oiling - Reduced Maintenance Description: 30cm Oregon Bar and Chain High Efficiency Brushless Motor - Deliv ...

DCM565P1-QW

FTP LUX DISTRIBUTION



www.ftpdistribution.lu 🔇 +352 26 39 33 73 🔄 info@ftpdistribution.lu









18V XR BODY ONLY HEDGE TRIMMER 25MM GAP

18V XR Body Only Hedge Trimmer 25mm Gap Next Generation Products for 18V XR System user - more outdoor tools to get the job done Delivers up to 75 mins runtime 55CM Blade and 25mm blade gap for efficient cutting performance Well balanced design a ...

> DCMHT563P1-QW



<u>18V XR BODY ONLY HEDGE TRIMMER 25MM GAP (NO</u> <u>BATTERIES NO CHARGER)</u>

18V XR Body Only Hedge Trimmer 25mm Gap (no batteries no charger) Next Generation Products for 18V XR System user - more outdoor tools to get the job done Delivers up to 75 mins runtime 55CM Blade and 25mm blade gap for efficient cutting performan ...





BRUSH CUTTER 4 TIPS BLADE FOR DCM571

Information: Replacement Brush Cutter Straight Blade 4T 23cm Description: Replacement Brush Cutter Straight Blade 4T 23cm


info@ftpdistribution.lu

CODE DT20655-QZ









<u>18V XR BRUSHLESS AXIAL BLOWER - 1 X 18V 5.0AH BATTERY</u>



The Dewalt DCMBL562 18V XR brushless axial blower is ideal for construction workers, general builders and gardeners / landscapers. Great for cleaning gardens, parks, workshops or on the construction site. With its axial fan design it is able to pro ...

info@ftpdistribution.lu

CODE DCMBL562P1-QW

FTP LUX DISTRIBUTION



www.ftpdistribution.lu 🔇 +352 26 39 33 73





<u>18V XR BRUSHLESS BLOWER - UNIT WITHOUT BATTERIES AND</u> <u>CHARGER</u>

The Dewalt DCMBL562 18V XR brushless axial blower is ideal for construction workers, general builders and gardeners / landscapers. Great for cleaning gardens, parks, workshops or on the construction site. With its axial fan design it is able to pr ...

CODE DCMBL562N-XJ

CARRY BAG FOR GARDENING TOOLS





18V XR BRUSHLESS CORDLESS POLE CHAIN SAW



DeWalt's DCMPS567 is a cordless pole saw which is powered by a DeWalt XR 18v (or 54v) lithium ion battery, meaning it has all the mobility of a petrol powered machine but with much greater convenience - battery powered landscaping tools are light, qu ...

DE DCMPS567P1-QW

FTP LUX DISTRIBUTION



www.ftpdistribution.lu 🔇 +352 26 39 33 73 🔄 info@ftpdistribution.lu





<u>18V XR HAND PRUNER WITH XR 18V 5AH BATTERY AND</u> <u>CHARGER</u>

The DeWalt DCMPP568P1 18V XR Pruning Shears are the perfect tool for gardeners, landscapers, and discerning do-it-yourselfers. Powered by an 18V motor, this tool has a cutting capacity of 38mm, and is ideal for shrubbery and small branches. The bla ...

CODE DCMPP568P1-QW

OIL FOR ELECTRIC CHAIN 1L

1L Oil replacement for the electric chain DCM575 chain



E DT20662-QZ

OREGON CHAIN

Information: Dewalt Replacement Chain



DT20663-QZ









POLE SAW 20CM CHAIN

Pole Saw 20cm chain



18V XR HAND PRUNER WITHOUT BATTERIES OR CHARGER



The DeWalt DCMPP568N 18V XR Pruning Shears are the perfect tool for gardeners, landscapers, and discerning DIY enthusiasts. Powered by an 18V motor, this tool has a cutting capacity of 38mm, and is ideal for shrubbery and small branches. The blades ...





18V XR LI-ION BRUSHLESS STRING TRIMMER

18V XR LI-ION BRUSHLESS STRING TRIMMER Next Generation Products for 18V XR System user - more outdoor tools to get the job done High efficiency brushless motor - Delivers up to 40mins no load runtime (with a 5Ah battery) 36cm swath and 2mm twisted ...

info@ftpdistribution.lu











<u>18V XR LI-ION BRUSHLESS STRING TRIMMER (NO BATTERIES</u> <u>NO CHARGER)</u>

18V XR LI-ION BRUSHLESS STRING TRIMMER (no batteries no charger) Next Generation Products for 18V XR System user - more outdoor tools to get the job done High efficiency brushless motor - Delivers up to 40mins no load runtime (with a 5Ah battery) ...

DCMST561N-XJ

CODE



18V XF 18V XR 7 Position: 3.35m Pos

<u>18V XR POLE HEDGE TR. 5.0AH</u>

18V XR Pole Hedge Tr. 5.0Ah Features and Benefits: Dual-action blades 3.35m maximum reach 7 Positions 180° articulating head Technical Specification: Voltage - 18V Maximum Reach -

3.35m Positions - 7 Blade cut gap - 25mm Blade lengt ...

DCMPH566P1-QW







18V XR POLE HEDGE TR. 5.0AH (NO BATTERIES NO CHARGER)

18V XR Pole Hedge Tr. 5.0Ah (no batteries no charger) The Dewalt 18V XR Pole Saw Bare Unit DCMPH566N-XJ is an ideal pole saw for professional trades such as gardeners and landscapers as well as DIYers wanting to get their garden 'summer ready'. Wit ...

DCMPH566N-XJ

18V XR POLE SAW (NO BATTERIES NO CHARGER)

18V XR Pole Saw (no batteries no charger) The DCMPS567 Brushless Pole Saw from DeWALT is a welcome addition to their specialised gardening range and is the perfect solution for anyone

trimming branches or hedges at height. Its chainsaw head has an ...

DCMPS567N-

CODE

40CM OREGON REPLACEMENT CHAINSAW BAR



Information: The ultimate guide bar for professional cutters. All the benefits of our Power Match[®] bar plus extra features big timber cutters want. Blended nose and body surfaces reduce bar thickness for less binding in kerf. Description: Bl...

info@ftpdistribution.lu

CODE DT20660-QZ

www.ftpdistribution.lu 🔇 +352 26 39 33 73







54V FLEXVOLT AXIAL BLOWER - BARE (NO BATTERIES NO CHARGER)

54V FlexVolt Axial Blower - Bare (no batteries no charger) 54v high efficiency brushless motor powered by high capacity (54v/3.0 AH) Flexvolt Battery Pack for long Runtime Axial Fan Design for petrol performance delivers 650 CFM (14.7 m³/min) & amp ...

CODE DCMBA572N-XJ

54V FLEXVOLT CHAINSAW (BARE TOOL)



Information: 40cm Oregon Bar and Chain High Efficiency Brushless Motor - Delivers up to 130* 4x4" cuts per charge (*3.0 Ah) Automatic Oiling - Reduced Maintenance Description: 40cm Oregon Bar and Chain High Efficiency Brushless Motor - Delive ...

CODE DCM575N-XJ



POLE SAW CHAIN AND BAR

Pole saw chain and bar

CODE

CODE

DT20686-QZ

POLE SAW EXTENSION POLE

Pole saw extension pole

DT20685-QZ







<u>54V FLEXVOLT CHAINSAW LOADED</u> Information: 40cm Oregon Bar and Chain High Efficiency Brushless Motor - Delivers up to (130)

Bar and Chain High Efficiency Brushless Motor - Delive ...

DCM575X1-QW



54V FLEXVOLT GRASS TRIMMER & BRUSHCUTTER

Information: Fast Cutting - 38cm cutting swath for fast job completion over large areas. Includes Brush cutter Adapter kit & Brush Knife - Everything from simple grass trimming to heavy

4x4" cuts per charge (3.0 Ah) Automatic Oiling - Reduced Maintenance Description: 40cm Oregon

duty clearing work. High efficiency Brushless motor with ...

DCM571X1-QW



54V FLEXVOLT GRASS TRIMMER & BRUSHCUTTER (BARE TOOL)

Information: Fast Cutting - 38cm cutting swath for fast job completion over large areas. Includes Brush cutter Adapter kit & Brush Knife - Everything from simple grass trimming to heavy duty clearing work. High efficiency Brushless motor with ...

DCM571N-XJ

COD

FTP LUX DISTRIBUTION



www.ftpdistribution.lu 🔇 +352 26 39 33 73 🕋 info@ftpdistribution.lu







54V FLEXVOLT HANDHELD BLOWER (BARE TOOL)

Information: Clear more debris, quickly with up to 400 CFM and 195 Km/h. Variable Speed Trigger with Lock - Full power control without having to hold down trigger. High Efficiency Brushless Motor - Delivers up to 15 min run time (3.0 Ah) Descri ...

CODE DCM572N-XJ



54V FLEXVOLT HANDHELD BLOWER LOADED

Information: Clear more debris, quickly with up to 400 CFM and 195 Km/h. Variable Speed Trigger with Lock - Full power control without having to hold down trigger. High Efficiency Brushless Motor - Delivers up to 15 min run time (3.0 Ah) Descript ...

DCM572X1-QW



<u>54V XR 9.0AH MULTIFUNCTION FLEXVOLT WITH EDGE CUTTER</u> ATTACHMENT

Compatible with the 54V Flxvolt system. High efficiency Brushless motor - Up to 60 minutes of autonomy (9.0Ah). Width of cut equal to 38cm Double nylon thread 2.4 mm. Compatible with: Pruner attachment; brush cutter attachment; hedge trimmer attac ...

info@ftpdistribution.lu









54V XR BRUSHCUTTER ATTACHMENT HEAD FOR MULTIFUNCTION

Get the flexibility and cutting power you need to take on the day's work with the Dewalt brush cutter attachment. This high-utility add-on will quickly change your 54V XR Flexvolt split boom attachment capable power head (DCMAS5713) into a brush ...

CODE DCMASBC1N-XJ

54V XR CORDLESS FLEXVOLT BLOWER



Part of the Flexvolt range of cordless landscaping tools, the DCM572 has a brushless motor and runs on powerful 54v batteries, enabling rapid and efficient clearing of debris. Additionally,

Flexvolt batteries are backwards compatible with the DeWalt ...





54V XR EDGE CUTTER ATTACHMENT HEAD FOR MULTIFUNCTION 54V XR

Get the versatility and trimming power you need to get the job done with the Dewalt universal string trimmer attachment. This adaptable add-on will conveniently change your 54V XR Flexvolt split boom attachment capable power head (DCMAS5713) into a ...

CODE DCMASST1N-XJ





<u>GARDENING</u>



54V XR HEDGE TRIMMER ATTACHMENT HEAD FOR MULTIFUNCTION

Get the versatility and trimming power you need to get the job done with the Dewalt universal articulating hedge trimmer attachment. This adaptable add-on will conveniently change your 54V XR Flexvolt Split Boom attachment capable power head (DCMAS ...

CODE DCMASPH6N-XJ

54V XR PRUNER ATTACHMENT HEAD FOR MULTIFUNCTION



Get the flexibility and trimming power you need to take on the day's work with the Dewalt universal pole saw attachment. This high-utility add-on will quickly change your 54V XR Flexvolt Split Boom attachment capable power head (DCMAS5713) into a ...





BRUSH CUTTER STRAIGHT BLADE FOR DCM571

Information: Replacement Brush Cutter Straight Blade 25.5cm - 2 tips Description: Replacement Brush Cutter Straight Blade 25.5cm - 2 tips

CODE DT20654-QZ







BRUSHLESS STRING TRIMMER LINE

Information: Professional lawn trimmer line consisting of two components for long life and flexibility Aerodynamic profile for particularly smooth running even at high speeds. Description: Professional lawn trimmer line consisting of two compone ...

DE DT20651-QZ

DT20650-QZ



FLEXVOLT 45CM BRUSHLESS ELECTRIC CHAINSAW - WITH FLEXVOLT 9.0AH BATTERY AND CHARGER

Flexvolt electric chainsaw. 45cm bar, BRUSHLESS motor, Chain speed 13.5 m / s, Automatic lubrication, variable chain tensioning, Ergonomic grip for increased comfort, Maximum power 2000W, Autonomy up to 115 cuts 15x15. EQUIPMENT: 1 Flex Volt 9.0AH b ...



FLEXVOLT 45CM BRUSHLESS ELECTRIC CHAINSAW - WITHOUT BATTERY

Flexvolt electric chainsaw. 45cm bar, BRUSHLESS motor, Chain speed 13.5 m / s, Automatic lubrication, variable chain tensioning, Ergonomic grip for increased comfort, Maximum power 2000W, Autonomy up to 115 cuts 15x15. EQUIPMENT: without battery and ...

🕥 info@ftpdistribution.lu

CODE DCMCS574N-XJ







FLEXVOLT 50CM BRUSHLESS ELECTRIC CHAINSAW - WITH FLEXVOLT 9.0AH BATTERY AND CHARGER

Flexvolt electric chainsaw. 50cm bar, BRUSHLESS motor, Chain speed 13.5 m / s, Automatic lubrication, variable chain tensioning, Ergonomic grip for increased comfort, Maximum power 3000W, Autonomy up to 115 cuts 15x15. EQUIPMENT: 1 Flex Volt 9.0AH b ...

CODE DCMCS575X1-QW

FLEXVOLT 50CM BRUSHLESS ELECTRIC CHAINSAW - WITHOUT BATTERY

Flexvolt electric chainsaw. 50cm bar, BRUSHLESS motor, Chain speed 13.5 m / s, Automatic lubrication, variable chain tensioning, Ergonomic grip for increased comfort, Maximum power

3000W, Autonomy up to 115 cuts 15x15. EQUIPMENT: without battery and ...





HEDGE TRIMMER LUBRICANT

Information: Proper maintenance and care for power tools is essential to ensure these highperformance machines keep on working reliably. That's why DeWalt has developed a range of lubricants and cleaners specifically for these machines. Descrip ...

info@ftpdistribution.lu

CODE DT20666-QZ







MULTIFUNCTION FLEXVOLT 54V XR (WITHOUT HEADS, BATTERIES AND CHARGER)

Compatible with the 54V Flxvolt system. High efficiency Brushless motor - Up to 60 minutes of autonomy (9.0Ah). Width of cut equal to 38cm Double nylon thread 2.4 mm. Compatible with: Pruner attachment; brush cutter attachment; hedge trimmer attac ...

CODE DCMAS5713N-XJ



STRING TRIMMER CAP, SPOOL AND LINE

Information: Kit for fully replace the string trimmer line on your garden trimmer Description: Kit for fully replace the string trimmer line on your garden trimmer

DT20656-QZ

CODE



XR 18VX2 LAWNMOWER

XR 18Vx2 lawnmower. Width of cut 48cm, 5 heights, up to 750m2 of surface, Brushless Motor, Dual battery operation with 36V output, 55lt Basket and Mulching Function. EQUIPMENT: 2 XR 18V 5.0Ah batteries, battery charger. Note: This product ...

CODE	DCMW564P2-
	QW







XR 18VX2 LAWNMOWER WITHOUT BATTERIES AND BATTERY **CHARGER**

XR 18Vx2 lawnmower. Width of cut 48cm, 5 heights, up to 750m2 of surface, Brushless Motor, Dual battery operation with 36V output, 55lt Basket and Mulching Function. Without battery and charger. Note: This product is equipped with Euro Plug and operates at 220-230V

CODE DCMW564N-XJ











DIAMOND DRILLS



2 SPEED DRY DIAMOND DRILL (KEYLESS CHUCK)

IN BRIEF Diamond drill with electronic clutch, 2 drilling speeds and oversized keyed chuck. Power output 680W. New motor gives improved performance in applications with dry core bits up

to 127mmn in bricks or soft masonry Electronics provide e-c ...

D21570K-QS

CODE



FTP LUX DISTRIBUTION



www.ftpdistribution.lu 🔇 +352 26 39 33 73




附 info@ftpdistribution.lu



DRILLS/DRIVERS ACCESSORIES

info@ftpdistribution.lu



2-PLASTIC-SLEEVE CHUCK



IN BRIEF Special chuck with quick coupling system and two plastic lock rings. Ideal for D25114K, D25314K, DC224KB and DC234KL. 1.5 x 13mm. 2 Sleeve plastic chuck for 2&4kg quick change hammers (eg. D25104K)

CODE DT7017-QZ


FTP LUX DISTRIBUTION



www.ftpdistribution.lu 🔇 +352 26 39 33 73



DRILLS/DRIVERS ACCESSORIES



ANGLED HEAD WITH HANDLE

Magnetic ¼" connection Patented handle design - Reduces vibration Long life gears



DT20500-QZ

CODE

BIT TIP HOLDER FOR DRYWALL



IN BRIEF Bit tip holder for drywall equipped with depth adjustment system.

DT7521-QZ

CHUCK KEY FOR 10 MM AND 13 MM CHUCKS



IN BRIEF Key for 10 and 13mm chucks. Chuck key. Fits 10 mm and 13 mm chucks (S2).



FTP LUX DISTRIBUTION



www.ftpdistribution.lu (📎 +352 26 39 33 73



info@ftpdistribution.lu



DRILLS/DRIVERS ACCESSORIES



KEYED CHUCK 1-2 13MM X20UNF

IN BRIEF Professional keyed chuck with 13 mm capacity, provided with SDS adapter. 1.5-13mm $1/2 \times 20$ UNF. $1/2 \times 20$ UNF keyed chuck with SDS adapter.

CODE DT7005-QZ



MAGNETIC BIT HOLDER

IN BRIEF Magnetic bit holder with hardened core for maximum strength and tightness. Flexible torsion zone. Magnetic bit holder APPLICATIONS For all screwdriving applications.

ODE DT7500-QZ

ANGLED HEAD WITH HANDLE AND FLEXIBLE SHAFT



Magnetic ¼" connection Patented handle design - Reduces vibration Long life gears Flexible shaft 180°

DT20501-QZ

CODE

CODE

FLIP&DRIVECOMPLETE SYSTEM



IN BRIEF Revolutionary, convenient and practical FlipDrive kit, made of connector, countersink, pilot drill bit & Pz2 screw driver bit. Connector, countersink, pilot drill bit & Pz2 screw driver bit. APPLICATIONS For use in hard and s ...

DT7600-XJ

DT7602-XJ







DRILLS/DRIVERS ACCESSORIES



IMPACT CLUTCH WITH PH2 25MM IMPACT TORSION BIT

IN BRIEF Impact bit adapter with clutch. 1/4" drive. TORQUE CONTROL Versatility to engage or disengage clutch LONGER LIFE Turn clutch ON to control the torque and minimise bit stripping, bit breakage and screw stripping, particularly in me ...

CODE DT7513T-QZ



KEYED CHUCK 1-2 13MM X20UNF

IN BRIEF Professional keyed chuck with 13mm capacity. Lightweight body and maximum durability, ideal for percussion drills. High performance keyed chuck 13mm 1/2 x 20 UNF

CODE DT7012-QZ



KEYLESS CHUCK 1-2 13MM X20UNF

IN BRIEF Professional keyless chuck with 13mm capacity and 2 plastic lock rings. Fast and tolfree bit replacement. 1.5-13mm $1/2 \times 20$ UNF. High performance plastic keyless chuck 13mm $1/2 \times 20$ UNF

CODE DT7002-QZ



MAGNETIC BIT TIP HOLDER FOR DCF620

IN BRIEF Magnetic bit holder compatible with DEWALT DCF6201 drywall screwdriver. Mag Bit Tip Holder for DCF6201

CODE DT7520-QZ

FTP LUX DISTRIBUTION



www.ftpdistribution.lu 🔇 +352 26 39 33 73 🔄 info@ftpdistribution.lu



DRILLS/DRIVERS ACCESSORIES



QUICK BIT CONNECTOR

IN BRIEF Quick bit connector for screwdriving bits. Tempered core for maximum strength and flexible torsion zone. Quick connector APPLICATIONS For all screwdriving applications.

CODE DT7515-QZ



SDS-MAX TO SDS-PLUS ADAPTER

IN BRIEF Chuck adapter SDS-MAX to SDS PLUS. SDS-Max to SDS-Plus Allows interchangeability between tool & hammer bit fitments.

DT6830-QZ

KEYLESS CHUCK 1-2 13MM X20UNF

IN BRIEF Professional keyless chuck with 13mm capacity and 2 meta lock l rings. Carbide tipped chuck jaws. 1.5-13mm 1/2 x 20UNF. High performance metal/carbide keyless chuck 13mm 1/2 x 20 UNF

DT7044-QZ



KEYLESS CHUCK 1-2 13MM X20UNF

IN BRIEF Professional keyless chuck with 13mm capacity and single metal lock ring. Carbide tipped c huck jaws. 1.5-10mm 1/2 x 20UNF. High performance metal/carbide keyless chuck 13mm 1/2 x 20 UNF

CODE DT7046-QZ

FTP LUX DISTRIBUTION



www.ftpdistribution.lu 🔇 +352 26 39 33 73 🔄 info@ftpdistribution.lu





DRILLS/DRIVERS ACCESSORIES

KEYLESS CHUCK 1-2 13MM X20UNF



IN BRIEF Professional keyless chuck with 13mm capacity and 2 metal and plastic lock rings. Carbide tipped chuck jaws. 1.5-13mm 1/2 x 20UNF. High performance plastic/metal keyless chuck 13mm 1/2 x 20 UNF

CODE DT7025-QZ

KEYLESS MANDREL FOR 32-210MM HOLESAWS



IN BRIEF Quick coupling mandrel for holesaws from 32 to 210mm and 13mm spindles or over. Quick release collar to prevent lock up. Quick release mandrels and pilot bits for use with bi-metal hole saws. Fast tool free changeovers Quick release col ...

CODE DT8102-QZ

LARGE QUICK CHANGE MANDREL FOR 32-210MM HOLESAWS



IN BRIEF Quick change mandrel for holesaws from 32 to 210mm diameter and 13mm drives or over. Quick release collar to prevent lock up. EXTREME[®] DeWALT Large Quick Change Mandrel (Drive pins) Ø 32mm - 210mm FEATURES Fast, tool free changeove ...

DT8288-QZ

MANDREL FOR 14-29MM HOLESAWS



IN BRIEF Quinck change mandrel connection piece for holesaws from 14 to 29mm and 10mm drives or over. Quick release collar. Quick release mandrels and pilot bits for use with bi-metal hole saws. Fast tool free changeovers Quick release collar N ...

info@ftpdistribution.lu

DT8101-QZ

FTP LUX DISTRIBUTION



www.ftpdistribution.lu 🔇 +352 26 39 33 73



DRILLS/DRIVERS ACCESSORIES



ULTRA COMPACT ANGLED HEAD

Magnetic ¼" connection Long life gears



PR2 DRYWALL SCREW DRIVER BIT (5 PCS)

IN BRIEF Set of 5 screwdriving bits compatible with DEWALT DCF6201 drywall screwdriver. APPLICATIONS Drywall Screwdriver Bit for use with DCF6201 FEATURES Compatible with Ph2 screws

CODE DT7206-QZ

REPLACEMENT PILOT DRILL BIT FOR HOLESAWS

IN BRIEF Centering pilot bit for mandrels. EXTREME® DEWALT Replacement pilot drill (6.3mm diameter) FEATURES Fast, tool free changeovers. Quick release collar to prevent hole saw lock up Available as single units and in sets

CODE DT8109-QZ

RUBBER COATING FOR IMPACT WRENCH FOR DCF850

Rubber coating for impact wrench. Protecting the surface of the material on which you are working protects the power tool from damage caused by common greases and solvents. Use with 18V XR DCF850 impact wrench.

PB850-QZ CODE

FTP LUX DISTRIBUTION



www.ftpdistribution.lu 🔇 +352 26 39 33 73





DRILLS/DRIVERS ACCESSORIES

info@ftpdistribution.lu

 (\frown)

RUBBER COATING FOR IMPACT WRENCH FOR DCF891 / DCF892

Rubber coating for impact wrench. Protecting the surface of the material on which you are working protects the power tool from damage caused by common greases and solvents. Use with 18V XR DCF891 / DCF892 impact wrench.

CODE PB891.92-QZ

RUBBER COATING FOR IMPACT WRENCH FOR DCF899 / DCF900



Rubber coating for impact wrench. Protecting the surface of the material on which you are working protects the power tool from damage caused by common greases and solvents. Use with 18V XR DCF899 / DCF900 impact wrench.

PB900.899-QZ

RUBBER COATING FOR IMPACT WRENCH FOR DCF901/DCF903

Rubber coating for impact wrench. Protecting the surface of the material on which you are working protects the power tool from damage caused by common greases and solvents. Use with 12V XR DCF901 / DCF903 impact wrench.

CODE

www.ftpdistribution.lu (🔇) +352 26 39 33 73

CODE

PB901.03-QZ





DRILLS/DRIVERS ACCESSORIES

🕐 info@ftpdistribution.lu



RUBBER COATING FOR IMPACT WRENCH FOR DCF921 / DCF922 / DCF923

Rubber coating for impact wrench. Protecting the surface of the material on which you are working protects the power tool from damage caused by common greases and solvents. Use with 18V XR DCF921 / DCF922 / DCF923 impact wrench.

PB921.22.23-QZ

CODE

SDS-PLUS ADAPTER FOR 14-30MM HOLESAWS



IN BRIEF SDS-PLUS mandrel connection piece for holeswas with a diameter from 14 to 30mm. Quick release collar to prevent tool lock up. Quick release mandrel SDS+ fitment for 14-30mm diameter holesaw FEATURES Quick release mandrel prevents lo ...

CODE DT8107-QZ

SDS-PLUS MANDREL FOR 32-160MM HOLESAWS



IN BRIEF SDS-PLUS mandrel for holesaws from 32 to 160mm. Quick release collar to prevent tool lock up. Quick release mandrel SDS+ fitment for 32-210mm diameter holesaws FEATURES Quick release mandrel prevents lock up of the holesaw on the ...

CODE DT8108-QZ

www.ftpdistribution.lu 🔇 +352 26 39 33 73





DRILLS/DRIVERS ACCESSORIES

SDS-PLUS 1-2 X 20 UNF CHUCK ADAPTER



IN BRIEF Chuck adapter SDS PLUS to 1/2 "x 20UNF. SDS-Plus 1/2 x 20 UNF (Chuck adapter) Allows use of round shank drill bits in SDS+ fitment hammers. USE IN ROTARY MODE ONLY.

DT7030-QZ

SMALL QUICK CHANGE MANDREL FOR 14-30MM HOLESAWS




IN BRIEF Quick change mandrel for holesaws from 14 to 30mm diameter and 10mm drives or over. Quick release collar to prevent lock up. EXTREME® Small Quick Change Mandrel (No drive pins) ø 14mm - 30mm FEATURES Fast, tool free changeovers. ...

CODE DT8286-OZ











IMPACT DRILLS/DRIVERS



2 SPEED PERCUSSION DRILL 1100W

IN BRIEF Professional drill driver with added mode dial on the collar, for 2 different speeds torques. Power output 415W. Power output 540W. Improved drilling performance from powerful

NEW motor gives improved performance in heavy duty applicati ...

DWD524KS-QS



2 SPEED PERCUSSION DRILL 1300W

IN BRIEF Professional drill driver with added mode dial on the collar, for 2 different speeds torques. Power output 415W. Power output 680W. Improved drilling performance from powerful NEW motor gives improved performance in heavy duty applicat ...

CODE DWD530KS-QS



2 SPEED PERCUSSION DRILL 950W

IN BRIEF Professional drill driver with added mode dial on the collar, for 2 different speeds torques. Power output 415W. Improved drilling performance from powerful NEW motor gives improved performance in heavy duty applications Innovative mod ...

CODE DWD522KS-QS



PERCUSSION DRILL 701W

IN BRIEF Professional drill driver with electronic speed adjustment and keyed chuck with 13mm capacity. 0-2600 rpm and 650W power output. Low weight ensures the drill is easy to use and it reduces user fatigue Compact design enables comfortable ...

DWD024-QS

FTP LUX DISTRIBUTION



www.ftpdistribution.lu 🔇 +352 26 39 33 73 🔄 info@ftpdistribution.lu

CODE



IMPACT DRILLS/DRIVERS



PERCUSSION DRILL 701W

IN BRIEF Drill with electronic speed control and professional keyless chuck. Adjustable side handle and depth stop. Low weight ensures the drill is easy to use and it reduces user fatigue Compact design enables comfortable use and allows access ...

CODE DWD024KS-QS



FTP LUX DISTRIBUTION



www.ftpdistribution.lu (🔇) +352 26 39 33 73







IMPACT DRIVERS



DRYWALL SCREWDRIVER 540W 5.300 RPM

IN BRIEF Screwdriver, ideal for fastening drywall and panels. Handle with rubber overmould. Power output 295W. Ideal for fastening drywall and panels to wooden or metal studs Removeable depth sensitive set and forget nosepiece for consistent faste ...

DW275KN-QS



IMPACT WRENCH 1-2" DRIVE

IN BRIEF Wrench with 440Nm of deliverable torque in forward and reverse. 1/2" Drive and 370W power output. 440 Nm of deliverable torque in forward and reverse Higher torque and faster speed increased productivity Soft grip handle to reduce vibra ...

CODE DW292-QS



IMPACT WRENCH 3-4" DETENT PIN ANVIL, UP TO 325 NM DELIVERABLE TORQUE.

IN BRIEF Wrench with 440Nm deliverable torque in both directions. 3/4" drive and grip with rubber overmould. Power output 370W. 440 Nm of deliverable torque in forward and reverse Robust 3/4" anvil Compact and light weight to reduce user fati ...

info@ftpdistribution.lu

CODE DW294-QS





IMPACT DRIVERS



UNIVERSAL SCREWDRIVER 540W 1000 RPM

IN BRIEF Screwdriver ideal for applications on wood, plastic and metal. Torque adjustment up to 42Nm and 295W power output. Ideal for screwdriving applications in wood, plastic and metal Versatile tool with torque control up to 42 Nm Unique Versa ...

CODE DW269K-QS



FTP LUX DISTRIBUTION



www.ftpdistribution.lu (🔇) +352 26 39 33 73







MAGNETIC DRILL PRESSES



MAGNETIC DRILL PRESS 1200W - 2 SPEED

IN BRIEF Magnetic drill press, ideal for fast and accurate drilling in metal. 3 LEDs system and mandrel. Delivers high level of performance for fast, clean and accurate drilling into steel Compact and light weight unit which is both easy to tra ...

DWE1622K-QS











<u>MIXERS</u>



1600W MIXER

1600W mixer Features: - Mixer. Power output 1600W. 3 speeds from 225 to 725 rpm. Double handle for a firmer and more comfortable handle - female adapter whips M14 - Max Ø whisk 160mm. Weight 6.3 Kg Why is the DeWalt DWD241-QS-1600W ...

CODE DWD241-QS



STIRRING-MIXING TOOL

IN BRIEF Stirring and mixing tool, ideal for mixing paint, varnish, glue and plaster. FEATURES Universal stirring/mixing tool for hand- held drills with a 13mm chuck. Mixing effect from bottom

to top. Suitable for DW130. M14 version also available.

CODE DT4950-QZ DT4951-QZ

STIRRING-MIXING TOOL M14 CHUCK



IN BRIEF Stirring and mixing paddle. Ideal for mixing paint, varnish, glue and plaster. M14 thread. FEATURES Universal stirring/mixing tool for hand- held drills with a M14 chuck. Mixing effect from bottom to top. Suitable for DW130.

CODE DT4952-QZ



XR FLEX VOLT PADDLE MIXER, 54 V, MULTI COLOUR

Dewalt DCD240N-XJ XR Flex Volt Paddle Mixer, 54 V, Multi-Colour Dual handle ergonomic with critical width and angle dimensions, reduces user fatigue All metal transmission for heavy duty cycle Safety lock off switch for minimizing accidental start ...

DCD240N-XJ

FTP LUX DISTRIBUTION



www.ftpdistribution.lu 🔇 +352 26 39 33 73 🔄 info@ftpdistribution.lu

CODE





XR FLEXVOLT BRUSHLESS PADDLE MIXER, 54 V, MULTI COLOUR

DEWALT DCD240X2-QW XR Flexvolt Brushless Paddle Mixer, 54 V, Multi-Colour 5 electronic speed setting dial (1 = 300 RPM, 2 = 450 RPM, 3 = 550 RPM, 4 = 650 RPM, 5 = 725 RPM) Dual handle ergonomic with critical width and angle dimensions, reduces user ...

CODE DCD240X2-QW











ROTARY HAMMERS

info@ftpdistribution.lu



10MM ROTARY DRILL 550W. WITH KEYLESS CHUCK

IN BRIEF Rotary Drill ideal for drilling in wooden and metal frames, with professional 10mm keyless chuck. Variable speed and roto-stop. Keyless ratcheting chuck for quick and easy bit

change Compact design enables comfortable one handed use and ...

DE DWD014S-QS



ROTARY DRILL 701W

IN BRIEF Drill with 0-2500 revolutions/min ideal for drilling in wooden and metal frames. 10mm chuck capacity. 358W Power output. Rubber grip gives maximum comfort to the user while drilling Ideal for use in a woodworking or light metal fabricat ...

CODE DWD112S-QS



VARIABLE SPEED ROTARY DRILL 770W.

IN BRIEF Two-speed drill driver, high power ensured in n all conditions of use. Powerful motor and peatented ball clutch. Power output 425W. Ideal for use in heavy steel fabrication Two speed gearbox for increased torque Improved drilling perf ...

D21441-QS

www.ftpdistribution.lu 🔇 📎 +352 26 39 33 73

CODE





<u>BATTERIES</u>



10.8V-1.3AH XR LI-ION BATTERY PACK

IN BRIEF Compact and lightweight lithium battery, compatible with all 10.8V batteries. No memory effect and self-discharge. Capacity of 1.3Ah. 10.8V XR Li-Ion Battery Pack Note: This

product is equipped with Euro Plug and operates at 220-230V

DCB127-XJ



12V XR CORDLESS LI-ION BATTERY 3AH

The DeWalt 12v XR 3ah battery is for professional and DIY use. The battery is compatible with the XR 10.8v and 12v range and most XR chargers. This battery offers higher capacity in a smaller form factor. It is a smaller in size and weighs the same a ...

CODE DCB124-XJ



<u>12V XR LITIO 5.0AH BATTERY</u>

Maximise the performance of your 12V XR tools with the Dewalt 12V XR 5Ah Battery. At more than triple the capacity of original 12V XR batteries, this battery provides extended runtime when used with all 12V XR tools while retaining a lightweight, c ...

info@ftpdistribution.lu

CODE DCB126-XJ

FTP LUX DISTRIBUTION



www.ftpdistribution.lu 🔇 +352 26 39 33 73



info@ftpdistribution.lu

BATTERIES



<u>12V XR SERIES "G" 3.0AH BATTERY RESISTANT TO CHEMICAL</u> AGENTS

Designed to withstand the chemical agents present in industrial and automotive environments and have greater resistance to shocks and falls. Glass-filled nylon outer cover guarantees resistance to oils and chemicals. External rubber coating to prot ...

CODE DCB124G-XJ



<u>12V XR SERIES "G" 5.0AH BATTERY RESISTANT TO CHEMICAL</u> <u>AGENTS</u>

Designed to withstand the chemical agents present in industrial and automotive environments and have greater resistance to shocks and falls. Glass-filled nylon outer cover guarantees

resistance to oils and chemicals. External rubber coating to prot ...

CODE DCB126G-XJ



18V XR LITIO 4.0 AH COMPACT BATTERY

18V XR Litio 4.0 Ah compact battery Note: This product is equipped with Euro Plug and operates at 220-230V

CODE DCB189-XJ





<u>BATTERIES</u>



STARTER KIT 18V XR 12.0AH

Starter kit 18V XR 12.0Ah Note: This product is equipped with Euro Plug and operates at 220-230V

DE DCB118Y2-QW

STARTER KIT 18V XR 5.0AH



Starter kit 18V XR 5.0Ah Note: This product is equipped with Euro Plug and operates at 220-230V

CODE DCB115P2-QW



18V 2.0AH XR LI-ION BATTERY PACK

IN BRIEF 2.0Ah Lithium battery with Bluetooth connection. New DEWALT Tool Connect Bluetooth 2.0Ah XR Li-Ion battery packs Security, Inventory check and customisation of your battery through Tool Connect Apple and Android App Tool Connect Connecti ...

DCB184B-XJ

18V XR LI-IONBATTERY PACK



IN BRIEF 4.0Ah Lithium battery with LED indicator for monitoring the charging progress. Excellent technical features and no memory effect. DEWALT XR 4.0Ah Li-Ion Battery Technology offers extended runtime and optimised power to complete application ...

CODE DCB183-XJ D

DCB184-XJ

FTP LUX DISTRIBUTION



www.ftpdistribution.lu 🔇 +352 26 39 33 73 🏼 🔄 info@ftpdistribution.lu



BATTERIES

18V XR POWERSTACK COMPACT BATTERY



With the compact 18V XR POWERSTACK $^{\text{M}}$ battery we present THE NEXT DIMENSION IN POWER $^{\text{M}}$. This battery provides 50% more power for faster application speed and higher productivity with a 25% smaller footprint; works with all power tools in the XR 1 ...

CODE DCBP034-XJ

<u>18V XR SERIES</u> "G" 2.0AH BATTERY RESISTANT TO CHEMICAL AGENTS

Designed to withstand the chemical agents present in industrial and automotive environments and have greater resistance to shocks and falls. Glass-filled nylon outer cover guarantees

resistance to oils and chemicals. External rubber coating to prot ...

CODE DCB183G-XJ



STARTER KIT 18V XR 6.0AH

Starter kit 18V XR 6.0Ah Note: This product is equipped with Euro Plug and operates at 220-230V

DE DCB118T2-QW



<u>STARTER KIT 18V XR 9.0AH</u>

Starter kit 18V XR 9.0Ah Note: This product is equipped with Euro Plug and operates at 220-230V

DCB118X2-QW

FTP LUX DISTRIBUTION



www.ftpdistribution.lu 🔇 +352 26 39 33 73 🕋 info@ftpdistribution.lu



<u>BATTERIES</u>



<u>18V XR SERIES "G" 5.0AH BATTERY RESISTANT TO CHEMICAL</u> AGENTS

Designed to withstand the chemical agents present in industrial and automotive environments and have greater resistance to shocks and falls. Glass-filled nylon outer cover guarantees resistance to oils and chemicals. External rubber coating to prot ...

CODE DCB184G-XJ



BATTERY 18/54V XR FLEXVOLT 9.0AH SERIES "G" RESISTANT TO CHEMICAL AGENTS AND OILS

XR FLEXVOLT 9.0Ah battery. The voltage reaches 54V to ensure unprecedented power. Compatible with all tools in the FLEXVOLT 18V XR and 54V XR range. Note: This product is

equipped with Euro Plug and operates at 220-230V

E DCB547G-XJ



XR FLEXVOLT 15AH BATTERY

Compatible with XR and XR FLEXVOLT power tools. For all those situations in which the professional needs to extend the time of use (eg. Demo-perforating hammers, miter saws). Note:

info@ftpdistribution.lu

This product is equipped with Euro Plug and operates at 220-230V

E DCB549-XJ

www.ftpdistribution.lu 🔇 📎 +352 26 39 33 73





<u>BATTERIES</u>



XR FLEXVOLT 18V-54V LI-ION BATTERY PACK

6.0 Ah Lithium battery with XR FLEXVOLT Technology The Power of corded, The Freedom of cordless SPECIFICATIONS Battery Capacity: 6.0 Ah Voltage: 18-54V V Features: XR Li-Ion Compatible with: All 18V- 54V XR Li-Ion DEWALT tools Note: This ...





XR FLEXVOLT 18V-54V LI-ION BATTERY PACK

DeWALT DCB546 9.0 Ah Lithium battery with XR FLEXVOLT Technology. A 54V Battery with unprecedented levels of power that gives you all the power you need! That's not all though: it can switch itself from 54V to 18V, so it is compatible with your exist ...





XR FLEXVOLT 18V54V LIION BATTERY PACK 12.0AH

12.0 Ah Lithium battery with XR FLEXVOLT Technology The Power of corded, The Freedom of cordless SPECIFICATIONS Battery Capacity: 12.0 Ah Voltage: 18-54V V Features: XR Li-Ion

info@ftpdistribution.lu

Compatible with: All 18V- 54V XR Li-Ion DEWALT tools Measures: 145 ...

CODE DCB548-XJ





<u>CHARGERS</u>



<u>12-18V XR 8A 4 PORT FAST CHARGER</u>

Simultaneously fast charges 4 batteries, eliminating need for multiple chargers 8A Output current per port Charges 4 x 9Ah XR FLEXVOLT batteries in 75 minutes and 4 x 12Ah in 100

minutes Mounts onto ToughSystem ${}^{\rm m}$ kit boxes for ease of storage and ...

CODE DCB104-QW



18V USB CHARGER ADAPTER

Connected to the battery, it powers electronic devices via USB cable. Connected to the supplied power supply, it functions as a battery charger (charges an 18V 5Ah battery in 65 minutes). Double USB port (1 type A and 1 type C). EQUIPMENT: USB t ...

CODE DCB094K-QW

DUAL PORT CHARGER XR FLEXVOLT 18/54V

DeWALT Battery Chargers: DCB132-QW Battery charger for De WALT XR Flexvolt batteries with 18/54V variable voltage. Charging power 8.0 Ah. It fully charges a battery in 45 minutes. De WALT DCB132-QW battery charger features: Suitable for 18V and 54 ...

ODE DCB132-QW



QUICK CHARGER 18V-54V 12A

The fastest DeWalt charger Ideal for batteries with high amperages Battery charging status indicator Integrated fan for cooling Predisposition to be fixed to the wall Technical data: BATTERY CHARGING TIME 6.0AH 40 minutes 9.0AH 60 minutes 12 ...

CODE DCB117-QW

FTP LUX DISTRIBUTION



www.ftpdistribution.lu 🔇 +352 26 39 33 73 🔄 info@ftpdistribution.lu



<u>CHARGERS</u>



UNIVERSAL CHARGER 4A - FOR10.8, 14.4 AND 18V BATTERIES, UP TO 5.0AH

IN BRIEF Charger for 10.8V, 14.4V and 18V batteries, up to 5.0Ah capacity. Charging speed: 4A. Dewalt DCB115 XR Multi-Voltage Charger All battery chargers are equipped with Euro Plug and operate at 200-230V Note: This product is equipped wit ...

CODE DCB115-QW



UNIVERSAL CHARGER XR FLEXVOLT 18/54V

Compatible with all 18V MAX* and 54V MAX* DEWALT BATTERIES Internal Fan pull air across battery to cool and reduce hot/cold pack delays This fan assisted cooling results in faster charge

times and reduced downtime in the field Charges a FLEX VOLT \ldots

CODE DCB118-QW



USB CHARGING XR BATTERY ADAPTER

IN BRIEF Battery charger with 2 USB ports to connect a wide range of devices. Compatible with 10.8V-14.4V-18V batteries of any amperage. Transforms your XR battery into a portable charger Two USB outlets allow charging of wide range of small elect ...

info@ftpdistribution.lu

CODE DCB090-XJ

www.ftpdistribution.lu (🔇 +352 26 39 33 73





<u>CHARGERS</u>

XR LI-ION MULTIVOLTAGE CAR CHARGER



IN BRIEF 2.step battery charger. Charging time of 45 min for 1.5Ah batteries and 100 minutes for 4.0Ah batteries. Charges XR Li-Ion DEWALT 10.8V, 14.4V, 18V Slide Pack batteries Charges 3.0Ah battery pack in 90 minutes DEWALT 2 stage charging sys ...

CODE DCB119-XJ



FTP LUX DISTRIBUTION



www.ftpdistribution.lu (🔇) +352 26 39 33 73









54V 230MM CUT OFF SAW

- New 54V FLEXVOLT Li-lon battery enables corded performance from a cordless tool. -Durable high power Brushless motor for the toughest applications - Rotable guard gives 5 position for improved visibility when cutting in tight spots - 82mm depth ...

DCS690X2-QW





The DCS690 is supplied either as a bare tool or with two batteries and a charger. It can be used with all DeWalt 54v Flexvolt batteries, which are also backwards compatible with DeWalt XR 18v cordless tools. Specifications • Battery Voltage: 5 ...

CODE DCS690N-XJ



ABRASIVE CHOP SAW 2200W 4000 UPM 355 MM

IN BRIEF Metal cutting chop saw, with 1300 rpm and carbide tipped blade. Robust and wide steel base, soft start and keyless bevel adjustment. Burr-free cuts at constant cutting depth throughout the life of the blade High power 2200 Watt motor with ...

DDE DW872-QS



ABRASIVE CHOP SAW 2200W 4000UPM 355MM

IN BRIEF Abrasive chop saw with powertful motor 4000 rpm, keyless clamp and keyless mitre adjustments. Practical horizontal handle and steel base. Keyless blade clamp allows quick, hassle free blade change Electronic soft start to limit start-up c ...

D28715-QS

CODE

FTP LUX DISTRIBUTION

www.ftpdistribution.lu 🔇 +352 26 39 33 73 🔄 info@ftpdistribution.lu







ABRASIVE CHOP SAW 2200W. 3800 RPM 355 MM

IN BRIEF Abrasive chop saw with high power moto, quick change clamp and workpiece support. Spark guard and spindle lock. Horizontal handle for superior ergonomics and less user fatigue Quick release clamp results in less time in changing the work ...

CODE D28730-QS













ALLIGATOR© POWER SAW - POROTON CLASS 20

IN BRIEF Double blade Alligator for cutting POROTON® Class20. Aluminum gear case and quick change blade clamp. Power output 900W. Two 39 tooth Tungsten carbide tipped blades enable the user to cut class 20 Poroton bricks Optimal cutting capabi ...

DWE398-QS



<u>ALLIGATOR© POWER SAW - XR FLEXVOLT 54V POROTON CLASS</u> 12

IN BRIEF New 54V FLEXVOLT Li-Ion battery enables corded performance from a cordless tool. Ideal for cutting Class 12 clay blocks (Poroton) Durable high power Brushless motor for the toughest applications DESCRIPTION New 54V FLEXVOLT Li-Ion batte ...

CODE DCS397N-XJ



<u>ALLIGATOR© POWER SAW - XR FLEXVOLT 54V POROTON CLASS</u> <u>12 + ACCESSORIES</u>

IN BRIEF New 54V FLEXVOLT Li-Ion battery enables corded performance from a cordless tool. Ideal for cutting Class 12 clay blocks (Poroton) Durable high power Brushless motor for the toughest applications DESCRIPTION New 54V FLEXVOLT Li-Ion batte ...

info@ftpdistribution.lu

CODE DCS397T2-QW







<u>ALLIGATOR© POWER SAW - XR FLEXVOLT 54V POROTON CLASS</u>

20

IN BRIEF New 54V FLEXVOLT Li-Ion battery enables corded performance from a cordless tool. Ideal for cutting Class 20 clay blocks (Poroton), Durable high power Brushless motor for the toughest applications DESCRIPTION New 54V FLEXVOLT Li-Ion batt ...

DCS398T2-QW

ALLIGATOR[©] POWER SAW 1700W - POROTON CLASS 12



IN BRIEF Double blade Alligator for cutting POROTON[®] Class12. Aluminum gear case and quick change blade clamp. Power output 900W. Ideal for cutting Class 12 clay block (Poroton), Powerful

motor to meet all application needs Two long life and d ...

DWE397-QS COD









BANDSAWS



<u>18V 460W METAL BAND SAW (WITHOUT BATTERIES AND</u> <u>CHARGER)</u>

Ideal for cutting lengths of metal, including threaded rods, unistruts and steel pipes Cuts with little or no sparkle Variable Speed Dial allows user complete control in all materials applications Cutting capacity up to 63mm Balanced and ea ...

DCS377NT-XJ



2 SPEED BANDSAW 230V 750W

IN BRIEF Bandsaw with steel-welded structure and blades that can be sharpened up to 10 times. Maximum cutting width 310mm, max cutting height 200mm. All steel welded construction provides extreme rigidity and accuracy even at maximium depths of c ...

CODE DW876-QS



BANDSAW 230V 749W

IN BRIEF Bandsaw with cast aluminum structure. 2 adjustable speeds for use with a great variety of materials. Large aluminium saw table. 550W output. High quality, rigid, cast aluminium construction suitable for wood, non-ferrous metal, foam, compo ...

DDE DW738-QS







VARIABLE SPEED BANDSAW 230V 749W

IN BRIEF Saw with die-cast aluminum base, suitable for cutting various materials. Large saw table and external suction spout. High quality, rigid, cast aluminium construction suitable for wood, non-ferrous metal, foam, composites and plastics ap ...

CODE DW739-QS













<u>115MM CIRC SAW BARE IN T-STAK (NO BATTERIES NO</u> <u>CHARGER)</u>

115mm Circ Saw Bare in T-STAK (no batteries no charger) The DCS571NT is a brushless 115mm (4-1/2 in.) cordless circular saw kit that comes with a 24-tooth TCT sawblade, rip fence, and AirLock compatible dust port adaptor. The saw comes packed in a T ...

DCS571NT-XJ



115MM CIRC SAW KITTED 2X 5.0AH

115mm Circ Saw Kitted 2x 5.0Ah The DCS571NT is a brushless 115mm (4-1/2 in.) cordless circular saw kit that comes with a 24-tooth TCT sawblade, rip fence, and AirLock compatible dust port adaptor. The saw comes packed in a TSTAK II flat-top suitcase ...

on adaptor. The saw comes packed in a TSTAK if jiat-top said

DCS571P2-QW

CODE



12V XR 140MM CIRCULAR SAW WITH 2 5AH BATTERIES

Dewalt Brushless Motor for extended run-time, reliability & durability. Electronic module with battery pack identification for increased power and productivity. Extremely durable tool design, including a cast aluminum base for repetitive, accur ...

info@ftpdistribution.lu

DCS512P2-QW







<u>12V XR BRUSHLESS 140MM CIRCULAR SAW IN T-STAK -</u> <u>WITHOUT BATTERY</u>

Dewalt Brushless motor for extended run-time, reliability & durability. Electronic module with battery pack identification for increased power and productivity. Extremely durable tool design, including a cast aluminum base for repetitive, accurate ...

CODE DCS512NT-XJ



18V 6.0AH CIRCULAR SAW

CODE

Speed 5,500 rpm. Maximum cutting depth 90/45 ° 67 / 51mm. Maximum cutting inclination up to 57 °. Electronic brake. LED light. Airlock compatibility. Equipment: 1 XR FLEXVOLT 18 / 54V

6.0Ah battery Battery charger TCT 24 teeth blade ...

DCS573T1-QW



18V CIRCULAR SAW (WITHOUT BATTERIES AND CHARGER)

Speed 5,500 rpm. Maximum cutting depth 90/45 ° 67 / 51mm. Maximum cutting inclination up to 57 °. Electronic brake. LED light. Airlock compatibility. Note: This product is equipped with Euro Plug and operates at 220-230V

info@ftpdistribution.lu

CODE DCS573NT-XJ









<u>18V XR 165MM CIRCULAR SAW WITH 2 5AH BATTERIES</u>

DEWALT Brushless Motor for extended run-time, reliability & durability. Extremely durable tool design, including a cast aluminum base for repetitive, accurate cuts. Variable adjustment of the bevel angle to 50 degrees. Ultra thin kerf 165 mm, ...

CODE DCS565P2-QW



18V XR 165MM CIRCULAR SAW WITHOUT BATTERIES

DEWALT Brushless Motor for extended run-time, reliability & durability. Extremely durable tool design, including a cast aluminum base for repetitive, accurate cuts. Variable adjustment of the bevel angle to 50 degrees. Ultra thin kerf 165 mm, ...

CODE DCS565NT-XJ



18V XR BRUSHLESS 184MM CIRCULAR SAW WITH 2X 5.0AH

OVERVIEW Scale for precise cutting depth setting to 65 mm General purpose ripping, crosscutting and bevelling circular saw for wood and other construction materials High torque

Brushless motor for durability and power for cutting job site and joi ...

DCS570P2-QW



18V XR BRUSHLESS 184MM CIRCULAR SAW, IN TSTAK CASE

Information: Scale for precise cutting depth setting to 65 mm General purpose ripping, crosscutting and bevelling circular saw for wood and other construction materials High torque Brushless motor for durability and power for cutting job site a ...

DCS570NT-XJ

FTP LUX DISTRIBUTION



www.ftpdistribution.lu 🔇 +352 26 39 33 73 🔄 info@ftpdistribution.lu





<u>18V XR METAL CUTTING CIRCULAR SAW, IN TSTAK CASE</u>

IN BRIEF Circular Saw with LED, transparent portion of the blade guard and stainless steel shoe. 140mm 30 teeth tungsten carbide blade. Comes in a TSTAK case. Batteries and charger sold separately. Powerful & highly efficient PM58 DeWALT fan- ...

CODE DCS373NT-XJ



54V XR FLEXVOLT 230 MM MITER SAW WITH 2 X 9 AH BATTERIES AND CHARGER

The FLEXVOLT DCS691X2 chop saw is powered by 2 x 54V x 9Ah FLEXVOLT batteries and a 54V charger, equipped with a 230mm diamond saw blade and a powerful brushless motor.

Features include wet and dry cutting with a 230mm diamond wheel with a depth of ...

DCS691X2-QW

CODE



54V XR FLEXVOLT 230 MM MITER SAW WITHOUT BATTERIES OR CHARGER

The DeWalt DCS691N 54V XR chop saw is usable for most on-site applications. The battery box minimizes the entry of dust and water into the battery terminals and improves battery life

info@ftpdistribution.lu

(battery sold separately). This saw also has a sealed switch whic ...

DE DCS691N-XJ

www.ftpdistribution.lu (📎 +352 26 39 33 73









76MM 18V XR MITER SAW WITHOUT BATTERIES OR CHARGER

18V brushless motor for increased range, high efficiency and class-leading power levels. Bestin-class 22mm depth of cut. Double direction of rotation of the blade (clockwise and counterclockwise), simple and quick change of rotation of the blade, ...

CODE DCS438N-XJ



76MM BRUSHLESS 18V XR MINI MITER SAW WITH 2 BATTERIES, CHARGER AND CASE

18V brushless motor for increased range, high efficiency and class-leading power levels. Bestin-class 22mm depth of cut. Double direction of rotation of the blade (clockwise and

counterclockwise), simple and quick change of rotation of the blade, ...





CIRCULAR SAW 54V XR FLEXVOLT - 2 BATTERIES 6 AH

Information: 54v XR FlexVolt, Power of wire Battery freedom DEWALT Brushless motor that works without brushes: lower maintenance costs and long useful life Circular saw for trimming and cross cuts on wood and other materials Cutting angle adjustm ...

info@ftpdistribution.lu

CODE DCS579T2-QW







<u>CIRCULAR SAW 54V XR FLEXVOLT - 2 BATTERIES 9 AH</u> Information: 54v XR FlexVolt, Power of wire Battery freedom DEWALT Brushless motor that works without brushes: lower maintenance costs and long useful life Circular saw for trimming

CODE DCS579X2-QW



CIRCULAR SAW 54V XR FLEXVOLT 190 MM (MACHINE BODY ONLY)

Information: 54v XR FlexVolt, Power of wire Battery freedom DEWALT Brushless motor that works without brushes: lower maintenance costs and long useful life Circular saw for trimming

and cross cuts on wood and other materials Cutting angle adjustm ...

and cross cuts on wood and other materials Cutting angle adjustm ...

DCS579NT-XJ

CODE



COMPACT CIRCULAR SAW 1200W 165MM, 55 MM DEPTH

IN BRIEF Circular saw for up to 55mm depth od cut with 1200W motor and cutaway inner guard. Dust blower and dust extraction spout. Compact, Lightweight, Easy to use circular saw with 55mm depth of cut High power 1200W motor gives increased cutti ...

info@ftpdistribution.lu

CODE DWE550-QS





info@ftpdistribution.lu



COMPACT CIRCULAR SAW 1350W 184MM, 65 MM DEPTH

IN BRIEF Circular saw s for up to 65mm depth of cut with 1350W motor and cutaway inner guard. Dust blower and dust extraction spout. Compact, Lightweight, Easy to use circular saw with 65mm depth of cut High power 1350W motor gives increased cut ...

CODE DWE560-QS

COMPACT CIRCULAR SAW 1600W 190MM, 61 MM DEPTH



IN BRIEF Circular saw for up to 61mm depth of cut, perfectly suited for general purpose ripping, cross cutting and bevelling in many materials. Scale for precise cutting depth setting to 61 mm General purpose ripping, cross-cutting and bevelling ...

CODE DWE576K-QS



COMPACT CIRCULAR SAW 1750W 235MM, 86 MM DEPTH

IN BRIEF Circular saw with robust and resistant body, spindle lock and excellent counterbalance. 4700 rev/min and 960W power output. High power, durable motor delivers

excellent power even at maximum depth of cut Stable block construction for I ...

D23700-QS

CODE





info@ftpdistribution.lu



<u>COMBINATION SAW (SAW BENCH AND MITRE SAW) 2000W</u> 250MM

IN BRIEF Combination saw with induction motor, rapid toolfree transformation from a mitre to a bench saw in few seconds. 1550W power output. The classic TGS flip-over bevelling saw Rapid tool free transformation from a saw bench to a mitre saw pro ...

DW743N-QS

CODE



<u>COMBINATION SAW (SAW BENCH AND MITRE SAW) 2000W</u> <u>305MM</u>

IN BRIEF Combination saw with induction motor, rapid toolfree transformation from a mitre to a bench saw in few seconds. 1400W power output. The next generation of TGS combination saw combines the accuracy of modern mitre saws with the power and c ...

CODE D27107-QS



DUST EXTRACTION KIT FOR D27105-7

IN BRIEF 3-way dust extraction system with 100mm diameter. Dust extraction kit for D27105/7 TGS

D271054-XJ







REPLACEMENT MITRE FENCE FOR USE IN BENCH SAW MODE

IN BRIEF Replacement mitre fence for use in bench saw mode. Replacement mitre fence for use in bench saw mode

CODE DE3496-XJ

RIGHT SIDE EXTENSION TABLE FOR D27105-7



IN BRIEF Right side additional work stand compatible with DE27105. Right extension table for D27105/7 TGS

DDE D271058-XJ

RIGHT SIDE EXTENSION TABLE FOR DW742-743



A

IN BRIEF Right side additional work stand compatible with DE742 / 3. Right side extension table for DW742/743

DE3472-XJ

RIPPING-PARALLEL FENCE FOR DW742-3

IN BRIEF Ripping parallel fence ideal for flush and edge cuts. Ripping/parallel fence for DW742/3

info@ftpdistribution.lu

CODE

CODE

DE3473-XJ

www.ftpdistribution.lu 🔇 +352 26 39 33 73







SLIDING TABLE FOR D27105-7

IN BRIEF Sliding square table compatible with DE27105. Sliding table fits to the left side of the table in table saw mode Table glides effortlessly to provide easy precise rip cutting. Tough durable construction SPECIFICATIONS Sliding table f ...

D271055-XJ CODE











JIGSAWS



18V XR BRUSHLESS JIGSAW BARE UNIT

Features: - BRUSHLESS engine - No-load speed 0-3200 strokes/min - Cutting depth: 135mm wood, 25mm aluminium, 10mm steel - Base tilt adjustment without key 0 - 45° - TSTAK case NOT INCLUDED TWO XR LITHIO 5.0Ah BATTERIES AND THE CHARGER IN A TS ...

DDE DCS334NT-XJ



JIGSAW 18V BRUSHLESS MOTOR, HANDLE ON BODY, IN TSTAK CASE.

Jigsaw 18V Motor BRUSHLESS. Features: - handle on the body - 1000-3200 strokes/min - stroke length 26mm - base inclination without key 0 - 45° - max. cutting capacity wood/steel 135/10mm - Weight 2.1Kg. Equipment: 2 XR Lithium 5.0Ah batter ...

CODE DCS335NT-XJ DCS335P2-QW



JIGSAW 18V BRUSHLESS, IN CASE TSTAK

Features: - BRUSHLESS engine - No-load speed 0-3200 strokes/min - Cutting depth: 135mm wood, 25mm aluminium, 10mm steel - Base tilt adjustment without key 0 - 45° - 2 x 5.0AH batteries - TSTAK case INCLUDES TWO XR LITHIO 5.0Ah BATTERIES AND T ...

info@ftpdistribution.lu

DE DCS334P2-QW





<u>SAWS</u>

<u>JIGSAWS</u>



JIGSAW 550W - BARREL GRIP

IN BRIEF Jigsaw with ergonomic design and keyless quick release blade change. Electronically controlled speed. Barrel grip. Keyless blade change with patented anti-deflection clamp design for ease of use and accuracy Compact, ergonomic, design ...

CODE DW343K-QS



JIGSAW 550W - HANDLE GRIP

IN BRIEF Jigsaw with ergonomic design and keyless quick release blade change. Electronically controlled speed. Top handle. Keyless blade change with patented anti-deflection clamp design for ease of use and accuracy Compact, ergonomic, design g ...

DDE DW341K-QS



JIGSAW 701W - BARREL GRIP

IN BRIEF Saw with variable speed and 3100 strokes/min with blade retention system and patented counter balance. Motor grip. FEATURES: Powerful 701 Watt motor with variable speed

delivers fast cutting action up to 3100 strokes per minute Quick ...

DW333KT-QS



JIGSAW 701W - HANDLE GRIP

DeWALT Jigsaws: DW331KT-QS The DeWALT DW331KT-QS reciprocating jigsaw has variable speed with blade retention system and patented counter-balance. The anti-vibration handle allows to use it without fatigue, and the electronic speed control with fe ...

DW331KT-QS





<u>JIGSAWS</u>



JIGSAW WITH HANDLE 650W

Runs min 500-3200 Stroke length 20mm Lock-On button Max cut wood / aluminum / steel 85/20/10 mm Commuting 4 positions Tool-free blade change and base tilt Standard supply: antiscratch shoe adapter, in cardboard box Note: This product is eq ...

DWE349-QS













1600W RADIAL MITER SAW

1600W radial miter saw, double inclination, universal brush motor, with XPS tracking system, blade / hole diameter 250 / 30mm, 4000 rpm FEATURES: blade supplied Note: This product is

equipped with Euro Plug and operates at 220-230V

CODE DWS727-QS



250MM 54V XR FV DB MITRE SAW BARE (NO BATTERIES NO CHARGER)

250mm 54V XR FV DB Mitre Saw Bare (no batteries no charger) The DeWalt DCS727 54V XR Flexvolt 250mm double bevel slide mitre saw is ideal for framing, kitchen fitting, window fitting,

fitting architrave/skirting and much more. The built in XPS cros ...

CODE DCS727N-XJ



250MM RADIAL MITER SAW 54V 6.0AH

250mm 54V XR FLEXVOLT radial miter saw, with double tilt, with XPS tracking system, blade / hole diameter 250 / 30mm, 4000 rpm, Wireless Tool Control. EQUIPMENT: 2 XR FLEXVOLT Litioda 6.0Ah batteries, blade, charger. Note: This product is equip ...

info@ftpdistribution.lu

CODE DCS727T2-QW









54V XR FLEXVOLT 216MM MITRE SAW WITH XPS TRACKING SYSTEM.

54V XR Flexvolt 216mm Mitre Saw with XPS tracking system. 54V XR Flexvolt 216mm Mitre Saw with XPS tracking system. Blade/hole diameter: 216/30mm. Speed: 6300rpm. Maximum level angle right/left: 50°/50°. Maximum left head angle: 48°. Maximum cut ...

DE DCS777T2-QW



COMPACT SLIDE MITER SAW 1850W 250MM

IN BRIEF Compact saw for cuts in every kind of material with dust suction system. Rectified base and fence. 1050W power output. Built on classic pull saw design improved and updated for

the modern user New 1850 Watt motor for powerful cutting in a ...

DWS778-QS

CODE



CORDLESS MITRE SAW 184MM

IN BRIEF Mitre saw with double insulated motor. Ideal for cuts in the most hard woods. Quick bevel and mitre adjustment systems. XPS cutline system projects a perfect shadow on your cut line 3750RPM - gives you the feeling of using a cordless mi ...

info@ftpdistribution.lu

CODE DCS365N-XJ









COMPOUND MITRE SAW 1675W 305MM

IN BRIEF Mitre saw equipped with XPS tracking system for a perfect blade alignment. 960W power output. Outstanding cutting performance in both small profiles and large construction timbers up to 110 x 303 mm XPS Shadow line cut indicator pro ...

CODE DWS780-QS



DWS771 QS XPS TELESCOPIC CUTTING AND MITER SAW

Information: The electronic speed control module provides total flexibility in low-speed applications: glass fiber, thermoset and thermoplastic materials can be perfectly cut without distortion Description: The 1600 watt motor with variable spee ...

DWS777-QS CODE

DWS771-QS



DEWALT DWS774 QS XPS 1400W MITRE SAW

Information: The classic saw design improved and updated for the modern user New 1400 Watt motor for powerful cutting in all materials XPS Shadow line cut indicator provides fast accurate alignment of the blade while illuminating the work piec ...

DWS774-QS

CODE

FTP LUX DISTRIBUTION

info@ftpdistribution.lu







<u>MITRE SAWS</u>



DHS780N XJ 2X 54V XR FLEXVOLT 305MM CORDLESS/CORDED MITRE SAW (BARE TOOL)

Information: 2x 54V cordless or mains power supply for ultimate flexibility Outstanding cutting performance in both small profiles and large construction timbers up to 110 x 303 mm XPS Shadow line cut indicator provides fast accurate alignment of ...

CODE DHS780N-XJ



ELECTRONIC MITER SAW 1600W 216MM

IN BRIEF Mitre saw with bevel adjustment. Depth stop, double guide, solid aluminum base and radial sliding. New mitre angle adjustment system provides accurate and consistent setting of

mitre angles between 0 and 60° right and 0 and 50° left Th ...





DHS780T2A QW 2X 54V XR FLEXVOLT 305MM CORDLESS/CORDED MITRE SAW

Information: 2x 54V cordless or mains power supply for ultimate flexibility Outstanding cutting performance in both small profiles and large construction timbers up to 110 x 303 mm XPS Shadow line cut indicator provides fast accurate alignment of ...

info@ftpdistribution.lu

CODE DHS780T2A-OW







XR FLEXVOLT 216MM CORDLESS MITRE SAW (BARE TOOL)

Information: The classic saw design improved and updated for the modern cordless user XPS Shadow line cut indicator provides fast accurate alignment of the blade while illuminating the work piece for increased productivity no adjustment required I ...

DCS777N-XJ













ADAPTER 220V 2X54 XR FLEXVOLT

Information: The DeWalt DCB500-QS allows the use of the Mitre saw 305mm DHA780 with the alternating current 220V Compatible with DHS780 Description: The DeWalt DCB500-QS allows the use of the Mitre saw 305mm DHA780 with the alternating current 220V ...

DDE DCB500-QS



ADJUSTABLE SUPPORT STAND

IN BRIEF Adjustable support stand, 760mm high. Compatible with DE3491 and DE3494. Adjustable support stand

CODE DE3474-XJ



COMPACT MITRE SAW WORKSTATION

Compact mitre saw workstation extendable up to 2,4m with a load capacity up to 135kg: tripod for wheeled cutting-off machines - easy to assemble and dismountable - Rubber wheels for easy transport - Height adjustable in 3 positions. Pneumatic assi ...

DE DE7260-XJ



COMPACT MITRE SAW WORKSTATION (1-2.5M)

IN BRIEF Mitre saw workstation, compatible with DEWALT miter saws. Robust and yet lightweight aluminum structure. Up to 2.5m length, 182kg max load. Bevel Capacity 48 °

DE7033-XJ

FTP LUX DISTRIBUTION



www.ftpdistribution.lu 🔇 +352 26 39 33 73 🍙 info@ftpdistribution.lu



EXTENSION ARM SUPPORT

IN BRIEF Increased length mitre brackets for DW733 planers. Increased length mitre brackets




DE7030-XJ

CODE

CODE

INCREASED LENGTH MOUNTING BRACKETS





INCREASED WIDTH WORK SUPPORT



IN BRIEF Increased width workpiece support. Length x Height 490 x 590 mm



MATERIAL SUPPORT PLATE



IN BRIEF Workpiece or material support plate, compatible with DE3491 and DE3494. Material support plate

ODE DE3495-XJ

FTP LUX DISTRIBUTION



www.ftpdistribution.lu 🔇 +352 26 39 33 73 🏻 🔄 info@ftpdistribution.lu





info@ftpdistribution.lu



COUPLE OF SAW HORSES

Couple of foldable metal saw horses. Max load capacity (coupled) 900Kg. Height: 1117mm. Rubber coated surface, for high grip. V shaped forrow to lodge rounded materials. Side hinges and flexible grip, for a comfortable carriage. ...

CODE DWST1-75676



HEAVY DUTY MITER SAW WORKSTAND

IN BRIEF Heavy duty work stand for mitre saw, easy to carry and close. Compatible with DEWALT miter saws, using DE7025 accessories. Mitre Capacity [right/left] 50/50 °



MOUNTING BRACKETS FOR DE7023



IN BRIEF Mounting brackets for working stand. Weight 14.0 kg

DE7025-XJ

CODE

PAIR OF GUIDE RODS, 100CM LENGTH



IN BRIEF Pair of guide rods, 1000mm long. Pair of guide rods, 1000 mm length

DE3494-XJ DE.

DE3491-XJ





SAWS

ROLLER WORK SUPPORT



IN BRIEF Roller work support. Depth 550 mm



UNIVERSAL WORKING STAND 640X705MM



Universal stand for mitre saws, compatible with tools of other brands. Dimensions: 640x705mm. Blade Diameter 216 mm

DE1000-XJ

CODE

CODE

CODE



UNIVERSAL MITER SAW WORKSTAND 194CM

IN BRIEF Mitre saw workstation, compatible with all DEWALT miter saws, with robust yet lightweight aluminum structure. Extendable length up to 3.83m Blade Bore 30 mm

DE7023-XJ



WORK SUPPORT FOR DE7023 LEGSTAND

IN BRIEF Lateral work support. Work support Why Should You Purchase Dewalt DE7024-XJ work support for DE7023 legstand? The Dewalt Legstand DE7024-XJ comes with a universal design that will meet all of your miter saws regardless of w ...

DE7024-XJ











<u>12V BRUSHLESS MOTOR MULTIFUNCTION TOOL - WITH 2 XR</u> <u>LITHIUM 2AH BATTERIES AND CHARGER</u>

35 accessories supplied with the product. LED light. Quick change of accessories without tools. Variable speed switch for greater control of oscillations in various applications. Universal accessory adapter for most brands. Airlock and 35mm comp ...

DCS353D2-QW

CODE



<u>12V BRUSHLESS MOTOR MULTIFUNCTION TOOL - WITHOUT</u> <u>BATTERY</u>

35 accessories supplied with the product. LED light. Quick change of accessories without tools. Variable speed switch for greater control of oscillations in various applications. Universal

accessory adapter for most brands. Airlock and 35mm comp ...

DDE DCS353NT-XJ



<u>18V XR OSCILLATING MULTI-TOOL 3SP BARE IN T-STAK (NO</u> <u>BATTERIES NO CHARGER)</u>

18v XR Oscillating Multi-Tool 3sp Bare in T-STAK (no batteries no charger) Operates on 18V XR battery system and delivers up to 20,000 RPM. The oscillating multi-tool is ideal for various cutting and sanding applications. With 3 speeds, the multi ...

DCS356NT-XJ

CODE





18V XR OSCILLATING MULTI-TOOL 3SP KITTED



18v XR Oscillating Multi-Tool 3sp Kitted Operates on 18V XR battery system and delivers up to 20,000 RPM. The oscillating multi-tool is ideal for various cutting and sanding applications. With 3 speeds, the multi-tool offers the ultimate speed and ...





OSCILLATING MULTIFUNCTION TOOL KIT

IN BRIEF Oscillating multi-tool with quick release system and up to 22000 oscillations per minute. 1.6 ° oscillation angle. Ouick accessory change & adjustment, no Hex Key required Superior Ergonomics 0 - 22,000 opm Variable Speed Tri ...

DWE315KT-QS CODE









1 M GUIDE RAIL



IN BRIEF 1m guide rail for QS-D23551 / D23651K-QS / DWS520K-QS / DC352KB-QW / QW-DC351KL. Guide Rail

CODE DWS5021-XJ

DWS5023-XJ



165MM 1300W PLUNGE SAW IN T-STAK WITH TRACK DWS5022-XJ

A 48 tooth blade gives a fine and accurate finish with very little breakout in laminates. The anti kickback function stops the saw from moving backwards along the rail and helps stop the saw

from climbing out of the work piece when making plunge cut ...



BAG FOR 1.5M GUIDE RAILS (DWS520K-QS)



IN BRIEF Bag for up to 1,5m guide rails. Designed for DWS520K-QS. Bag - for use with 1 m and 1.5 m DeWALT guide rails

info@ftpdistribution.lu

DWS5025-XJ

www.ftpdistribution.lu 🔇 +352 26 39 33 73





NEOPRENE RUBBER STRIP (DWS520K-QS)

IN BRIEF Neoprene replacement strips for guide rails DWS520K-QS. Neoprene Rubber Strip

CODE DWS5032-XJ



PLUNGE CIRCULAR SAW 1300W

IN BRIEF Plunge saw. 165mm blade with 48 teeth for thin and accurate cutting applications. 1750-4000 rev/min, 690W power output. Note: This product is equipped with Euro Plug and operates at 220-230V

DWS520KT-QS

CODE



REPLACEMENT PTFE STRIP (DWS520K-QS)



IN BRIEF Replacement lower strips for DWS520K-QS. Replacement PTFE strip



FTP LUX DISTRIBUTION



눩 www.ftpdistribution.lu 🛛 🔇 +352 26 39 33 73 🛛 🔄 info@ftpdistribution.lu





PLUNGE CIRCULAR SAW 165 MM

SPECIFICATIONS Type: Hand-held circular saw Colour: yellow/black Operating mode: Battery operation Battery: Li-Ion rechargeable battery, 54 Voltage, 6 Multi-part set: Several batteries, incl. tool inserts Tilt adjustment: until 47 ° Cutting p ...

CODE DCS520T2-QW

PLUNGE CIRCULAR SAW XR FLEXVOLT + TSTACK BOX



IN BRIEF Parallel plunge allows the user to maintain a smooth and constant hand position while cutting. A 48 tooth blade gives a fine and accurate finish with very little breakout in laminates. Rail adjustment allows the saw to be adjusted accurat ...

CODE DCS520NT-XJ



PLUNGE CIRCULAR SAW XR FLEXVOLT DIAMETER 165MM

IN BRIEF Parallel plunge allows the user to maintain a smooth and constant hand position while cutting. A 48 tooth blade gives a fine and accurate finish with very little breakout in laminates. Rail

🕥 info@ftpdistribution.lu

adjustment allows the saw to be adjusted accurat ...









RADIAL ARM SAW 230V 1.5HP 2800 RPM

IN BRIEF Radial arm saw with 507mm long cut capacity and up to 90mm depth of cut, preassembled and delivered in wooden crate. Free standing radial arm saw with 507mm of crosscut

capacity and 90 mm depth of cut Solid cast Iron arm and four r ...

DW721KN-QS



RADIAL ARM SAW 380V 2,2HP 2800 RPM

IN BRIEF Radial arm saw with three-phase motor. 2800 rev/min with arm from cast steel with rectified guides and ball bearings. The industrial radial arm saw performs accurate crosscuts time after time. Unrivalled reputation in the professional woo ...

DW729KN-XS CODE









10.8V 2AH LI-ION RECIPROCATING SAW



IN BRIEF XR 10.8V - 2.0Ah Saw with adjustable handle in 3 positions. 104W Power output. Multi-voltage XR charger. Adjustable three position pivoting handle provides user with flexibility to work in confined spaces Compact and lightweight design E ...

DCS310D2-QW

10.8V MINI RECIP SAW BARE UNIT



IN BRIEF Compact recip saw with 3 position adjustable handle. Powerful 10.8V motor and 140W power output. LED light for improved visibility. Adjustable 3 position pivoting handle provides user with flexibility to work in confined spaces. Powerful ...

CODE DCS310N-XJ

12V XR COMPACT UNIVERSAL SAW (BODY ONLY)



Lightweight and compact for maximum accessibility in tight spaces and maximum comfort in even prolonged use, this universal saw is perfect for cutting various materials, such as wood, plasterboard, composites, aluminum sheet, with the 12V XR battery ...

CODE DCS312NT-XJ

12V XR COMPACT UNIVERSAL SAW - 2 BATTERIES 2 AH



Lightweight and compact for maximum accessibility in tight spaces and maximum comfort in even prolonged use, this universal saw is perfect for cutting various materials, such as wood, plasterboard, composites, aluminum sheet, with the 12V XR battery ...


info@ftpdistribution.lu

CODE

DCS312D2-QW







<u>18V 6.0AH XR UNIVERSAL SAW</u>



Strokes / min: 0-3.000 Stroke length 28.6mm Max cutting capacity: Wood 300mm - Metal 130mm - PVC 160mm Quick and easy blade change without tools LED light Supplied with: 1 XR Flexvolt 18 / 54V 6.0Ah battery, charger, case. Note: This produc ...

CODE DCS386T1-QW

18V XR BRUSHLESS RECIPROCATING SAW



Dewalt Brushless Motor for extended run-time, reliability & durability. Twist action keyless blade clamp for quick and easy blade change. Two position blade clamp allows for flush cutting and increased versatility. Pivoting shoe allows for mor ...

DDE DCS382N-XJ

18V XR COMPACT RECIPROCATING SAW 5.0AH



No Load Stroke Rate 0-2900spm Max. Cutting Capacity (Steel Section & Pipes) 100mm Stroke Length 28.6mm Note: This product is equipped with Euro Plug and operates at 220-230V

DE DCS367NT-XJ DCS367P2-QW



18V XR LI-ION RECIPROCATING SAW

IN BRIEF Reciprocating saw: up to 2950 strokes/min and 4-positions adjustable blade as well as keyless shoe adjustment. 560W Power output. Lever-action keyless blade clamp for quick and easy blade changes Four-position blade clamp allows for flush ...



FTP LUX DISTRIBUTION



www.ftpdistribution.lu 🔇 +352 26 39 33 73 🔄 info@ftpdistribution.lu



18V XR LI-ION RECIPROCATING SAW (BARE UNIT)



IN BRIEF Reciprocating saw, variable speed with electronic brake and keyless clamp. 3-way pivoting shoe. 560W Output. Intelligent variable speed trigger, lock-off switch and electronic motor brake for quick controlled cuts and enhanced work safety ...

CODE DCS380N-XJ

18V XR UNIVERSAL SAW (WITHOUT BATTERIES AND CHARGER)



Strokes / min: 0-3.000 Stroke length 28.6mm Max cutting capacity: Wood 300mm - Metal 130mm - PVC 160mm Quick and easy blade change without tools LED light Note: This product is equipped with Euro Plug and operates at 220-230V

CODE DCS386NT-XJ



54V XR FLEXVOLT UNIVERSAL SAW - 2 BATTERIES 6 AH

Information: 54v XR FLEXVOLT, the power of the line DEWALT Brushless motor that works without brushes: lower maintenance costs and long useful life Snap switch and intelligent variable speed lock Two-position blade clamp allows for flush cutting ...

DCS389T2-QW



54V XR FLEXVOLT UNIVERSAL SAW - 2 BATTERIES 9 AH

Information: 54v XR FLEXVOLT, the power of the line DEWALT Brushless motor that works without brushes: lower maintenance costs and long useful life Snap switch and intelligent variable speed lock Two-position blade clamp allows for flush cutting ...

info@ftpdistribution.lu

CODE DCS389X2-QW

FTP LUX DISTRIBUTION



www.ftpdistribution.lu 🔇 +352 26 39 33 73





54V XR UNIVERSAL SAW (BODY ONLY)



Information: 54v XR FLEXVOLT, the power of the line DEWALT Brushless motor that works without brushes: lower maintenance costs and long useful life Snap switch and intelligent variable speed lock Two-position blade clamp allows for flush cutting ...

CODE DCS389NT-XJ



CUTTING BAR THREADED XR 18V. SHARP M6-M12, IN TSTAK CASE

Cutting bar threaded XR 18V. Sharp M6-M12. In TSTAK case. CHARGER AND BATTERIES NOT INCLUDED. Note: This product is equipped with Euro Plug and operates at 220-230V

CODE DCS350NT-XJ

RECIPROCATING SAW 1100W

IN BRIEF Reciprocating saw blade adjustable blade clamp in 4 different positions. Ideal fro flush cuts. 0-2800 strokes/min and 525W power output. 100 Watt motor designed for heavy duty applications 4 position blade clamp allows for flush cutting ...

CODE DWE305PK-QS



SHEAR IN TSTAK CASE

Information: Compact and lightweight shear for cutting sheet metal D handle with rubber overmould for comfortable use in all orientations LED for improved visibility of cut Description: Compact and lightweight shear for cutting sheet metal D ha ...

CODE

DCS491NT-XJ

FTP LUX DISTRIBUTION



www.ftpdistribution.lu 🔇 +352 26 39 33 73 🔄 info@ftpdistribution.lu





<u>XR 18V SABER MINI-SAW IN BOX TSTAK (NO BATTERIES NO</u> CHARGER)

XR 18V Saber Mini-Saw in Box TSTAK (no batteries no charger) Characteristics: - Easy, fast and tool-free blade change - Ergonomic handle and sticker that provides comfort for the user -The compact saw allows better access to complicated cu ...

DCS369NT-XJ



XR 18V SABER MINI-SAW WITH 2 LI-ION 4AH BATTERIES WITH **BOX TSTAK**

XR 18V Saber Mini-Saw with 2 Li-Ion 4Ah batteries with Box TSTAK Characteristics: - Easy, fast and tool-free blade change - Ergonomic handle and sticker that provides comfort for the user

- The compact saw allows better access to complicate ...











CIRCULAR CUTTING GUIDE FOR JIGSAW

Compass guide rod, ideal for precise circular cuts. For use with DW321K, DW323K, DW331K, DW333K and DW321K.

CODE DE3242-XJ

PARALLEL GUIDE FOR JIGSAW

IN BRIEF Parallel guide rod, ideal for precise parallel cuts.

DE3241-XJ















BENCH SAW

Bench saw Features: - Bench saw Universal brush motor 2000W - blade / hole diameter 250 / 30mm - 4800 rpm - max blade inclination -3 / 48 ° - max cutting depth at 90 ° / 45 ° 77 / 55mm - max trimming capacity (right) 825mm - 26.5Kg. ...

ODE DWE7492-QS



COMPACT TABLE SAW 1850W 210MM

Effective and AirLock compatible vacuum cleaner Easy adjustment of cutting depth and inclination Integrated handles for comfortable carrying Extremely robust construction Technical data: Power: 1,850 W No-load speed: 5,800 min-1 Inclined po ...

CODE DWE7485-QS



ROLLING STAND FOR TABLE SAW

Rolling work stand compatible with DWE7491-QS table saw.

DWE74911-XJ

CODE

SCHISSOR STAND FOR TABLE SAW DW745

IN BRIEF Support legs compatible with DW745. Scissor Stand for Table Saw DW745

CODE DE7450-XJ





SCISSOR STAND FOR TABLE SAW DWE7491

IN BRIEF Support legs compatible with DWE7491-QS. Scissor Stand for Table Saw DWE7491



TABLE SAW 54V XR FLEXVOLT 210 MM

DESCRIPTION 22 kg unit weight and optimised footprint make this the most portable saw in its class Steel roll cage protects saw against jobsite drops and impacts Rack and pinion fence system, front and rear fence lock and large, clear scales com ...

DCS7485N-XJ

CODE

CODE



TABLE SAW 54V XR FLEXVOLT 210 MM + ACCESSORIES

DESCRIPTION 22 kg unit weight and optimised footprint make this the most portable saw in its class Steel roll cage protects saw against jobsite drops and impacts Rack and pinion fence system, front and rear fence lock and large, clear scales com ...

DCS7485T2-QW







TABLE TOP MITRE SAW 1300W 260MM

IN BRIEF Mitre saw with powerful induction motor and integrated mechanical brake. Base and fence made form die-cast aluminum. Power output 900W. Powerful dust protected 1300 Watt induction motor, provides years of maintenance free service (110 ...

DDE DW711-QS



TABLE TOP MITRE SAW 1500W 260MM

IN BRIEF MItre saw wit powerful induction motor. Lightweight for great portability. Base made from rectified die-cast aluminum. 1100W power output. Combination saw with crosscut and ripping capabilities Powerful 1500 Watt induction motor to meet t ...

CODE D27111-QS



TABLE TOP MITRE SAW 1600W 260MM

IN BRIEF Mitre saw with powerful induction motor and integrated mechanical brake. Base and fence from die-cast rectified aluminum. 1030W output. Combination saw with crosscut and ripping capabilities Innovative guard design maximises safety ...

CODE D27113-QS



TABLE TOP MITRE SAW 1600W 305MM

IN BRIEF Combination mitre saw with up to 285mm cutting capacity. Precision cast aluminium base and table top. Lightweight, powerful 1600 Watt universal motor for demanding applications Combination saw with crosscut and ripping capabilities ...

D27112-QS

FTP LUX DISTRIBUTION



www.ftpdistribution.lu 🔇 +352 26 39 33 73 🔄 info@ftpdistribution.lu

CODE





250MM LARGE CAPACITY SLIDE TABLE WET TILE SAW

Low weight allows one person to transport and set up saw. Cantilevering rail / cart system allows for 940mm ripping capacity. Removeable cutting cart for easy cleaning of tile saw.

Integrated portable residual current device (PRCD) circuit breaker ...

D36000-QS



250MM SLIDE TABLE WET TILE SAW 1600W

IN BRIEF Tile saw for up to 610mm longitudinal and plunge cuts. Double lubrication nozzle. 4200 revolutions per minute. Stainless steel rail system is intergrated into the tile saw frame, ensuring accurate cuts Cantilevering rail / cart system a ...

DE D24000-QS

54V XR FLEXVOLT SLITTER - 2 X 6 AH BATTERIES



Information: The 54V brushless motor allows for improved performance in demanding applications The electronic brake quickly stops the wheel when the trigger is released The electronic clutch reduces the kickback reaction in the event of a pinch or ...

DE DCG200T2-QW



LEGSTAND FOR TILE SAW

Leg stand for adjustable tile saws (D24000). Metal construction for added stability Adjusts to four height positions for user customisation Folds away for easy transport

D240001-XJ

FTP LUX DISTRIBUTION



CODE





WET-DRY CIRCULAR TILE SAW 110MM-1300W

IN BRIEF Tile saw, up to 34mm cutting depth in hard materials, with continuous rim diamond cutting disc of 110mm diameter. Power output 800W. 1300 W motor delivers the cutting power to cut through granite, porcelain, concrete and other stone m ...

DWC410-QS



FTP LUX DISTRIBUTION



www.ftpdistribution.lu 🔇 +352 26 39 33 73









CHALK LINES



6 TO 1 CHALK REEL

This 6:1 chalk reel can be used for a wide variety of jobs from framing and wall layout to flooring and cabinet work. This reel includes a planetary gear system that prevents jams for long-lasting durability. Avoid chalk spillage with the extra-large flip cap for easy refill.





<u>BLUE CHALK 225 G</u>

Dewalt[®] 8 oz. blue chalk features an oval shaped bottle that will not roll off work surfaces and an easy pouring tethered opening.

DWHT47049-9



RED CHALK 225 G

CODE

CODE

Dewalt[®] 8 oz. red chalk features an oval shaped bottle that will not roll off work surfaces and an easy pouring tethered opening.

DWHT47048-9





<u>CLAMPS</u>



LARGE TRIGGER CLAMP

The Dewalt[®] large trigger clamp is versatile and easy to use. Its reinforced nylon body and heattreated steel bar are strong and durable. With 135kg of clamping force, 82mm throat depth, quick change button for easy conversion to a spreader, and ...

CODE DWHT0-83192

DWHT0-83194

MEDIUM TRIGGER CLAMP

The Dewalt[®] medium trigger clamp is versatile and easy to use. Its reinforced nylon body and heat-treated steel bar are strong and durable. With 63kg of clamping force, 62mm throat depth, and removable jaw pads to help reduce marring, this clamp w ...

DWHT0-83139 DWHT0-83140

PARALLEL BAR CLAMP

CODE

The Dewalt[®] parallel bar clamp is built tough to deliver up to 680kg (1,500 lb) of force. Use this clamp for all of your woodworking projects, specifically with furniture development. This clamp has an ergonomic, bi-material handle for better grip ...

CODE DWHT83831-1 DWHT83832-1



XL TRIGGER CLAMP

The Dewalt[®] extra large trigger clamp is versatile and easy to use. Its reinforced nylon body and heat treated steel bar are strong and durable. With 270kg of clamping force, 95mm throat depth, quick change button for easy conversion to a spreader ...

DWHT0-83185 DWHT0-83186 DWHT0-83187

FTP LUX DISTRIBUTION



www.ftpdistribution.lu 🔇 +352 26 39 33 73 🔄 info@ftpdistribution.lu

CODE





<u>CLAMPS</u>



5-IN-1 HACKSAW

The DEWALT[®] 5-in-1 multi-function Hacksaw has a low profile which enables users to make cuts in tight spaces, while the high tension can securely hold blades up to 150kg. The 45 or 90 degree blade angles for standard and flush cuts.

DE DWHT0-20547

FOLDING JAB SAW WITH RASP



The Dewalt[®] Folding jab saw conveniently allows for both drywall cutting and plane cutting with one tool. Both the saw and the rasp fold into the handle for compact storage.

DWHT0-20123

MINI HACKSAW

CODE



The Dewalt[®] mini hacksaw with 300mm (12") blade is ideal for cutting in tight spaces thanks to its compact design. It's convenient tool-free features allows the user to switch between 25cm (10") and 30cm (12") blades and adjust the blade length and ...

DE DWHT20327-0

MULTI-PURPOSE SAW



The Dewalt[®] Multi-purpose saw can assist with a variety of applications. The saw works with most reciprocating saw and hacksaw blades.

DDE DWHT20542-0

FTP LUX DISTRIBUTION



www.ftpdistribution.lu 🔇 +352 26 39 33 73 🔄 info@ftpdistribution.lu



HACKSAWS AND PRUNING SAWS

WOOD SAW



Wood saw with Toughcoat blade coating, triple sharpened teeth, bi-material handle. It has a 3-sided tooth design that allows the user to cut up to 50% faster than traditional hand saws. Not only is this saw faster, but it preserves sharpness thanks t ...

CODE

DWHT0-20544 DWHT0-20545



FTP LUX DISTRIBUTION



www.ftpdistribution.lu (🔇) +352 26 39 33 73



info@ftpdistribution.lu



HAMMERS AND CHISELS

250MM PRY BAR FINE NARROW CLAW



Japanese style nail remover, with extra large striking surface," I "shaped handle section. With nail punch - length 250 mm.

CODE DWHT0-55524

CARBON FIBRE COMPOSITE HAMMER TACKER



The Dewalt[®] carbon fibre composite hammer tacker features a lightweight carbon fibre composite structure. The reduction in overall weight and vibration allows you to work longer with less muscle exertion.

DWHT75900-0



CHOPPING AXE

CODE

The Dewalt[®] 1.6kg (3.5 lb) single bit axe is designed to withstand harsh forestry environments and to make the user's job easier. With a hollow, light-weight handle, swings are quicker and more balanced for deeper, easier cuts. Scalloped cutting ...

DE DWHT56032-0



DOWEL SET (3 PCS.)

Set 3 nail punches. The color of the tip identifies the type of tip. The bi-material handle offers great comfort and absorbs shocks.

DWHT0-58018





HAMMERS AND CHISELS



ENGINEER SLEDGE HAMMER

The Dewalt[®] engineering sledge hammer is built to last with its carbon fibre composite overstrike to protect the weakest part of the tool without adding excessive weight. This tool can be used to remove bathroom tile or other concrete and masonry w ...

CODE DWHT56026-1

DWHT56028-0

DWHT56030-0

FLAT BAR

CODE

The Dewalt[®] flat bar has a wide prying end for leverage. This bar has multiple nail pullers and point bevelled ends for efficient nail removal.

DWHT55518-1 DWHT55528-1



MIG WELD HAMMER - SMOOTH FACE

The Dewalt[®] mig weld hammer strikes like a 567g. hammer and is made of steel for durability and long life. It features a magnetic nail starter for easy, one-handed nail placement. It also features a vibration absorbing grip to improve user comfort ...

E DWHT51135-0

DWHT51138-0



<u>XP STEEL HAMMER</u>

The Dewalt[®] steel hammer ideal for your next finishing job. With its updated technology, this hammer offers less sting to help reduce arm fatigue and improved grip durability. This hammer has a thick, heat-treated shaft for added durability in tou ...

CODE

DWHT51379-0

DWHT51381-0

DWHT51005-0

FTP LUX DISTRIBUTION



www.ftpdistribution.lu 🔇 +352 26 39 33 73 🔄 info@ftpdistribution.lu





KNIVES AND CUTTERS

25MM METAL SNAP-OFF KNIFE WITH AUTO-LOCK SLIDER



The Dewalt[®] 25 mm metal snap-off knife is rust resistant and has an auto-locking slider for blade adjustments. The integrated blade snapper ensures you'll have a sharp cutting edge without having to manually change out a blade.

DWHT10045-0

FIXED BLADE TRADESMAN KNIFE



The Dewalt[®] Fixed blade tradesman knife features a durable 90mm stainless steel blade with secure plastic sheath cover. The rubber molded outer offers improved comfort and additional grip and a tethered loop hole for added security. Sheath for dur ...

CODE DWHT1-10354

FOLDING RETRACTABLE UTILITY KNIFE



The Dewalt[®] folding retractable utility knife is compact and durable. Blade storage makes changing your blade hassle free; this is especially convenient when your tool box isn't close to hand. The Rapid Load[™] blade changing system makes removing ...

CODE DWHT10035-0

LARGE TRAPEZOID BLADES (10 PCS.)



The Dewalt[®] Induction hardened utliity blades are heat treated for durability. The bladegrinding geometry is designed to deliver first-cut sharpness. Each pack contains 10 blades. They are constructed to be used with most standard utility knives.

DWHT11004-2

FTP LUX DISTRIBUTION



www.ftpdistribution.lu 🔇 +352 26 39 33 73 🗹 info@ftpdistribution.lu

CODE



CODE

CODE

HAND TOOLS

KNIVES AND CUTTERS

SNAP-OFF INDUCTION HARDENED BLADE (3 PCS.)

The Dewalt® snap-off blades allow for a sharp cutting edge without having to change a blade.



DWHT11719-0 DWHT11726-0

PREMIUM FOLDING POCKET KNIFE



The Dewalt® Premium folding knife is built strong with its stainless steel blade for long-lasting sharpness. The servated blade enables you to effortlessly cut through a variety of materials. It also features a wire stripper allowing you to cut 12 and 14 gauge wire.

DWHT0-10313

PREMIUM RETRACTABLE UTILITY KNIFE



The Dewalt[®] Premium retractable utility knife has the blade security of a fixed knife with the convenience of a retractable knife. Offering 3X the blade retention of our traditional knives and an easy blade change with the simple press of a button, ...

DWHT0-10295

SNAP-OFF KNIFE WITH AUTO-LOCK SLIDER



The Dewalt[®] snap-off knife has an auto-locking slider for blade adjustments. The integrated blade snapper ensures you'll have a sharp cutting edge without having to manually change out a blade. The autoload function automatically draws a blade fro ...

CODE DWHT0-10249 DWHT0-10250

FTP LUX DISTRIBUTION



www.ftpdistribution.lu 🔇 +352 26 39 33 73 🔄 info@ftpdistribution.lu



KNIVES AND CUTTERS



SNAP-OFF KNIFE WITH THUMB WHEEL LOCK

The Dewalt® Snap-off knife with thumb-wheel blade lock for extra security. The integrated blade snapper ensures you'll have a sharp cutting edge without having to manually change out a blade.

DWHT10332-0 DWHT10333-0 CODE



FTP LUX DISTRIBUTION



www.ftpdistribution.lu (🔇) +352 26 39 33 73









<u>LEVELS</u>



16,5 CM BILLET LEVEL

The Dewalt[®] 16,5 cm (6.5") billet level is unbeatable for use in tight, confined places on the job site. Machined from an extruded aluminum, this level offers ultimate durability. Additional vial windows on the top and bottom allow for fast and a ...

E DWHT42525-0

25 CM TORPEDO LEVEL



Torpedo level 25 cm. In extruded aluminum with ABS ends for greater impact resistance. 1 vertical bubble, 1 horizontal bubble and 1 adjustable bubble with inclination indication.

CODE DWHT0-43003

RECTANGULAR SECTION LEVEL



Rectangular section level with 2 vertical bubbles and 1 horizontal bubble. Anti-shock bubbles of great duration. Accuracy of the worktops 0.5 mm / m.

DWHT0-43172

CODE

DWHT0-43248





MEASURING WHEELS



30M FIBERGLASS LONG TAPE MEASURE

The Dewalt® 30m. fibreglass long tape features a blade-release button and a 3-to-1 gear ratio for fast blade rewinds for efficiency. The long tape's stainless-steel crank arm provides durability for demanding job-sites. A spring-loaded carabiner a ...

DWHT34218-0



30M STEEL LONG TAPE MEASURE

The DEWALT® 30m Steel Long Tape Measure features a blade-release button and a 5-to-1 gear ratio for fast blade rewinds for efficiency. The long tape's stainless-steel crank arm provides durability for demanding job-sites. A spring-loaded carabiner attachment offers great portability.

DWHT0-34093 CODE









PLIERS AND CUTTERS



COMPOUND ACTION DIAGONAL PLIER

The Dewalt[®] Compound Action diagonal pliers include induction hardened cutting blades giving these pliers 70% more cutting power over standard cutting pliers. The bi-material handle allows for a strong grip and provides added comfort.

DE DWHT0-70275



COMPOUND ACTION LINESMAN PLIERS

The Dewalt[®] Compound Action linesman pliers include induction-hardened cutting blades giving these pliers 70% more cutting power over standard cutting pliers. The bi-material handle allows for a strong grip and provides added comfort.

DWHT0-70276



COMPOUND ACTION LONG NOSE PLIER

The Dewalt[®] Compound Action long nose plier include induction hardened cutting blades giving these pliers 70% more cutting power over standard cutting pliers. The bi-material handle allows for a strong grip and provides added comfort.

CODE DWHT0-70277

COMPOUND ACTION PLIERS SET (3 PCS.)



Induction hardened cutting edges for added strength and durability. The Compound action design guarantees a 70% increase in cutting capacity. Spring mechanism for added convenience. Locking system for safe storage. Bi-material handles for a solid and ...

info@ftpdistribution.lu





PLIERS AND CUTTERS

DIAGONAL CUTTING PLIERS



2-in-1 Functionality cut and pry staples and nails. Flush grip design won't catch on pockets or tool pouches. Near flush cut design reduces cut nail height by 75%.

DWHT0-74274

V-JAW PUSHLOCAL PLIERS

CODE



The Dewalt[®] V-jaw pusklock pliers with its long jaw design provide more gripping area and a long reach. Its wide opening jaw can accommodate wider bolts, nuts or pipes, making this a musthave tool for your toolbox, workbench or tool belt. It also ...

DWHT0-74431 DWHT0-74432







SCREWDRIVERS



FULLFIT SCREWDRIVER SET (2 PCS.)

The Dewalt[®] FullFit screwdriver set with magnetic screw lock system securely holds screws for one-handed fitment. CNC machined tips with Full Fit design provides greater contact with the

fastner to limit stripped screws. Torsion zone flexes, reduc ...

DDE DWHT0-62057



FULLFIT SCREWDRIVER SET (2 PCS.)

Screwdrivers with Fullfit tip, for a perfect grip, guarantees a greater contact surface. High performance steel hex blade, can be used with a wrench to increase clamping capacity.

Quadrilobular handle for comfort and optimal clamping capacity.

CODE DWHT62057-0



FULLFIT SCREWDRIVER SET (6 PCS.)

The Dewalt[®] FullFit screwdriver set with magnetic screw lock system securely holds screws for one-handed fitment. CNC machined tips with FullFit design provides greater contact with the fastner to limit stripped screws. Torsion zone flexes, reduce ...

ODE DWHT0-62056



FULLFIT SCREWDRIVER SET (6 PCS.)

Screwdrivers with Fullfit tip, for a perfect grip, guarantees a greater contact surface. High performance steel hex blade, can be used with a wrench to increase clamping capacity. Quadrilobular handle for comfort and optimal clamping capacity.







SCREWDRIVERS



FULLFIT TELESCOPING MULTI-BIT RATCHETING SCREWDRIVER

The Dewalt® FullFit telescoping multi-bit ratcheting screwdriver is designed for maximum fit in fasteners and reduces the potential for stripped screws. The telescoping bar provides the right amount of length when needed and retracts for storage. ...

CODE DWHT0-66567



RATCHET BIT HOLDER SCREWDRIVER

Ratchet bit holder screwdriver, with telescopic bit holder bar, with magnetic tip. Supplied with 10 inserts (standard, Phillips and square).

DWHT68001-0

CODE









HAND TOOLS

info@ftpdistribution.lu

<u>SHEARS</u>

LEFT CUT ERGO AVIATION SNIP



The Dewalt[®] left cut ergo aviation snip was designed with a reduced handle span, providing lower level of muscle effort required while cutting tough materials. This tool is traditionally used for cutting aluminum, vinyl siding, screening, cardboard ...

DWHT14673-0

CODE

RIGHT CUT ERGO AVIATION SNIP



The Dewalt[®] right cut ergo aviation snip was designed with a reduced handle span, providing lower level of muscle effort required while cutting tough materials. This tool is traditionally used for cutting aluminum, vinyl siding, screening, cardboar ...

CODE DWHT14674-0

STRAIGHT CUT ERGO AVIATION SNIP

The Dewalt[®] straight cut ergo aviation snip was designed with a reduced handle span, providing lower level of muscle effort required while cutting tough materials. This tool is traditionally used for cutting aluminum, vinyl siding, screening, cardb ...

CODE DWHT14675-0





HAND TOOLS

STAPLERS



HEAVY DUTY STAPLE AND BRAD TACKER

The Dewalt® heavy duty staple and brad tacker can be squeezed easily, has an AntiJam™mechanism to help prevent misfires and is made of aluminium which is lightweight and durable.

DWHTTR350-0



FTP LUX DISTRIBUTION



www.ftpdistribution.lu 🔇 +352 26 39 33 73



附 info@ftpdistribution.lu





info@ftpdistribution.lu

<u>TAPE MEASURES</u>



<u>3M POCKET TAPE MEASURE</u>

The Dewalt[®] 3m Pocket tape measure offers great convenience in a small package. The rear magnet mounts to metal toolboxes for storage and the 3m blade length is great for measuring standard drywall and plywood sheets.

DWHT36098-1



COMPACT TAPE

Compact tape measure with rubber case coating for great durability. Abrasion resistant "Tough blade" coated tape. 28mm web width for extension stiffness up to 3m. Ergonomic Design: Optimized profile for a firm and comfortable grip. With window fo ...

CODE DWHT38114-0 DWHT38128-0

TOUGH TAPE MEASURING TAPE



Tough tape measuring tape

CODE

DWHT36917-0 DWHT36928-0







WRENCHES



1/2" FULL METRIC SOCKET SET (22 PCS.)

The Dewalt[®] metric socket set includes a variety of sockets and accessories for your convenience. The sockets include DirectTorque[™] technology to help prevent rounding of fasteners and to provide better grip. Measures from mm 8 to 32.

DDE DWMT19241-1



1/4" 3/8" AND 1/2" SOCKETS AND ACCESSORIES SET METRIC AND INCH (205 PCS.)

The Dewalt[®] 205-piece tool set includes the ratchets and sockets you need for almost any mechanical job. It also comes with a bit driver, specialty and nut bits, combination wrenches, and hex keys. The set comes in a durable blow-molded case with ...

CODE DWMT81534-1



1/4" METRIC AND IMPERIAL SOCKETS AND ACCESSORIES SET (50 PCS.)

The Dewalt[®] mechanics tool set includes a variety of \mathcal{A}'' drive tools as well as 22 bits. The 72 tooth count ratchet allows for a 5 degree arc swing for maneuverability in restricted areas. These tools feature a full polish chrome finish for corrosion resistance.

DE DWMT81610-0







WRENCHES



3/8" 1/2" IMPACT ACCESSORY SET IN TOUGHBOX (10 PCS.)

The Dewalt[®] Impact accessory socket set offers a wide variety of accessories for any user need. The black oxide finish ensures durability by resisting corrosion whilst the durable molded case offers protection and easy portability.

CODE DWMT74741-0

FOLDING LOCKING HEXAGONAL KEY SET (8 PCS.)



The Dewakt[®] folding locking hexagonal key (mm) includes a push-button locking feature allowing for 3 positions and includes 8 of the most commonly used hexagonal key sizes. Set consisting of: 2 - 2.5 - 3 - 4 - 5 - 6 - 8 - 10 mm.

DWHT0-70263

CODE



FULL METRIC 1/2" DEEP IMPACT SOCKET SET IN TOUGHBOX (7 PCS.)

The Dewalt[®] deep impact socket set offers a variety of impact sockets for any user need. The set comes in a lockable stacking case for easy storage.

CODE DWMT74737-0

FULL METRIC COMBINATION WRENCH SET (18 PCS.)



The Dewalt[®] full polish metric combination wrench set offers a variety of metric combination wrenches for any user need. These wrenches have a long panel design to provide more reach during use and the ability to apply more torque to a fastener. T...

DWMT19237-1

FTP LUX DISTRIBUTION



www.ftpdistribution.lu 🔇 +352 26 39 33 73 🔄 info@ftpdistribution.lu

CODE



HAND TOOLS

<u>WRENCHES</u>



FULL METRIC STUBBY RATCHETING COMBINATION WRENCH <u>SET (7 PCS.)</u>

The Dewalt® full polish metric stubby ratcheting combination wrench set offers a wide variety of stubby ratcheting wrenches. These wrenches have 72 teeth for a 5 degree arc swing. Measures from mm 10 to 19.

DWMT19261-0



FTP LUX DISTRIBUTION





(🔇) +352 26 39 33 73





<u>CHISELS</u>

<u> 19MM HEX XLR CHISEL 400MM - POINTED</u>

IN BRIEF Pointed chisel made of extra durable metal. Otstanding resistance and much longer service life. Length: 400mm. XLR 400x19 Pointed Chisel APPLICATIONS For heavy duty chiselling, chanelling and demolition tasks in concrete/rebar and h ...

DE DT6953-QZ

28MM HEX CHISEL 500X110MM - ASPHALT CUTTER

IN BRIEF Asphalt chisel with 28mm hexagonal shank. 500x110mm. Peculiar treatment of the chisel's tip for utmost resistance. Asphalt Cutter APPLICATIONS Heavy duty breaking of concrete, ashphalt & stone. Heavy duty tamping tasks and earth ...

CODE DT6934-QZ

28MM HEX CHISEL 500X125MM - CLAY SPADE

IN BRIEF Clay spade chisel with 28mm hexagonal shank. 500x125mm. Peculiar point treatment for maximum strength. 140 mm Clay Spade APPLICATIONS Heavy duty breaking of concrete,

ashphalt & stone. Heavy duty tamping tasks and earth rod driving.

CODE DT6928-QZ

28MM HEX CHISEL 500X125MM - POINTED

IN BRIEF Pointed chisel with 28mm hexagonal shank. 500mm legth. Peculiar point treatment for outsatnding strength and service life. Bull point APPLICATIONS Heavy duty breaking of concrete, ashphalt & stone. Heavy duty tamping tasks and ear ...

CODE DT6927-QZ

FTP LUX DISTRIBUTION





info@ftpdistribution.lu

<u>CHISELS</u>

28MM HEX CHISEL 500X36MM - FLAT

IN BRIEF Flat chisel with 28mm hexagonal shank. 500x36mm. Special tip treatment for maximum strength. Cold Chisel APPLICATIONS Heavy duty breaking of concrete, ashphalt & stone. Heavy duty tamping tasks and earth rod driving.

CODE DT6929-QZ

POINTED CHISEL 400 MM

Tip geometry optimized to keep sharpness and production capacity constant. Head made with harder steel to resist wear and demolish at speed. Body made with softer steel to resist kickback and minimize breakage.

CODE DT6821-QZ



28MM HEX CHISEL 500X76MM - FLAT

IN BRIEF Flat spade chisel with hexagonal shank of 28mm. 500x76mm. Special treatment of the chisel's tip for added strength. Scaling Tool APPLICATIONS Heavy duty breaking of concrete, ashphalt & stone. Heavy duty tamping tasks and earth r ...

CODE DT6932-QZ

FTP LUX DISTRIBUTION



www.ftpdistribution.lu 🔇 +352 26 39 33 73



<u>CHISELS</u>



30MM HEX CHISEL 410MM - FLAT

IN BRIEF Flat chisel with 30mm hexagonal shank. 410mm length. Peculiar treatment of the tip for maximum strength. 520mm x 36mm flat chisel 30mm hex Extreme APPLICATIONS For heavy duty chiselling, chanelling and demolition tasks in concrete/re ...

CODE DT6809-QZ

30MM HEX CHISEL 410MM - POINTED

IN BRIEF Pointed chisel with 30mm hexagonal shank. 410mm length. Peculiar treatment of the tip for maximum strength. 520mm pointed chisel 30mm hex APPLICATIONS For heavy duty chiselling, chanelling and demolition tasks in concrete/rebar and h ...

CODE DT6808-QZ



DT60330 QZ SDS PLUS CHISEL SET (3 PIECE)

Dewalt DT60330-QZ SDS-plus - Chisel-Set (3 Piece) Content: 3Pcs Has a wide range of chisels covering most common applications Material: steel

DT60330-QZ

<u>SDS-MAX CHISEL - FLAT</u>

IN BRIEF SDS-MAX Chisel made of extra strong metal. Maximum strength and service life. 25mm drill diameter and 280mm length. SDS-MAX Flat Chisel APPLICATIONS For heavy duty chiselling, channelling, and demolition tasks in concrete, stone (med ...

DT6822-QZ

CODE

DT8088-QZ

FTP LUX DISTRIBUTION





<u>CHISELS</u>

SDS-MAX CHISEL 110X400MM - CLAY SPADE

IN BRIEF Clay spade chisel made of durable extra metal. Maximum strength and service life. Width of 110mm and length of 400mm. SDS-MAX 110x400mm Clay Spade Chisel APPLICATIONS For heavy duty chiselling, channelling, and demolition tasks in co ...



SDS-MAX CHISEL 25X280 - SLIDING CHASING

IN BRIEF Sliding chasing chisel. Maximum toughness and service life. 35mm diameter and 380mm length. SDS-MAX 25x280 Sliding Chasing Chisel APPLICATIONS For heavy duty chiselling, channelling, and demolition tasks in concrete, stone (medium h ...

CODE DT6833-QZ

SDS-MAX CHISEL 26X300MM - HOLLOW-GOUGE

IN BRIEF Hollow gouge chisel made of extra durable metal. Great resistance and much longer service life. 26mm diameter and 300mm length. SDS-MAX 26x300 Hollow/Gouge Chisel APPLICATIONS For heavy duty chiselling, channelling, and demolition ta ...

DT6826-QZ

CODE

SDS-MAX CHISEL 50X360MM - FLAT

IN BRIEF Flat spade chisel made of extra durable metal. Utmost resistance and longer service life. 50mm drill diamter and 360 mm length. SDS-MAX 50x360 Flat Chisel APPLICATIONS For heavy duty chiselling, channelling, and demolition tasks in c ...



FTP LUX DISTRIBUTION





<u>CHISELS</u>

SDS-MAX CHISEL 80X300MM - FLAT

IN BRIEF Flat spade chisel made of extra durable metal. Maximum strength and long service life. 80mm width and 300mm length. SDS-MAX 80x300 Flat Chisel APPLICATIONS For heavy duty chiselling, channelling, and demolition tasks in concrete, sto ...

CODE DT6825-QZ

SDS-MAX CHISEL 90X400MM - ASPHALT CUTTER

IN BRIEF Asphalt chisel made of extra durable metal. Maximum strength and service life. Width of 90mm and length of 400mm. SDS-MAX 90x400mm Asphalt Cutter Chisel APPLICATIONS For

heavy duty chiselling, channelling, and demolition tasks in con ...

CODE DT8091-QZ

<u>SDS-MAX XLR CHISEL 300X25MM - FLAT</u>

IN BRIEF Pointed chisel made of extra durable metal. Accurate control of the production process ensures maximum resistance. Length: 300mm. SDS-MAX XLR 400x25 Flat Chisel APPLICATIONS For heavy duty chiselling, chanelling and demolition tasks ...

DT6811-QZ

<u>SDS-MAX XLR CHISEL 30MM - POINTED</u>

IN BRIEF Pointed chisel made of extra durable metal. Accurate control of the production process ensures ultimate resistance. Length: 300mm. SDS-MAX XLR 300 Pointed Chisel APPLICATIONS For heavy duty chiselling, chanelling and demolition task ...

CODE DT6888-QZ

FTP LUX DISTRIBUTION







<u>CHISELS</u>

<u>SDS-MAX XLR CHISEL 360X50MM - FLAT</u>

IN BRIEF Flat spade chisel made of extra durable metal. Accurate control of the production process ensures maximum resistance. Length: 400mm. SDS-MAX XLR 360x50 Flat Chisel APPLICATIONS For heavy duty chiselling, chanelling and demolition ta ...

CODE DT6818-QZ

SDS-MAX XLR CHISEL 400MM - POINTED

IN BRIEF Pointed chisel made of extra durable metal. Accurate control of the production process ensures maximum resistance. Length: 400mm. SDS-MAX XLR 400 Pointed Chisel APPLICATIONS For heavy duty chiselling, chanelling and demolition tasks ...

CODE DT6889-QZ

SDS-MAX XLR CHISEL 400X25MM- FLAT

IN BRIEF Flat chisel made of extra durable metal. Accurate control of the production process ensures maximum resistance. Length: 300mm. SDS-MAX XLR 400x25 Flat Chisel APPLICATIONS For heavy duty chiselling, chanelling and demolition tasks in ...

DT6812-QZ



SDS-PLUS CHISEL - FLAT, 20X250MM

IN BRIEF Flat chisel made of hardened steel, with special surface treatment to preserve grains. Long service life. 20x250 flat chisel APPLICATIONS For light chipping and chiselling of tile, mortar, glazing compounds and other masonry products ...

E DT6802-QZ

FTP LUX DISTRIBUTION





<u>CHISELS</u>



<u>SDS-PLUS CHISEL - FLAT, 40X200MM</u>

IN BRIEF Flat chisel made of hardened steel, with special surface treatment to preserve grains. Long service life. 40x200 flat chisel APPLICATIONS For light chipping and chiselling of tile, mortar, glazing compounds and other masonry products ...



SDS-PLUS CHISEL - GOUGE-HOLLOW 22X240MM



IN BRIEF Gouge hollow chisel made of hardened steel, with special surface treatment to preserve grains. Long service life. Gouge/hollow chisel APPLICATIONS For light chipping and chiselling of tile, mortar, glazing compounds and other masonry ...

CODE DT6805-QZ



<u>SDS-PLUS CHISEL - POINTED, 250MM</u>

IN BRIEF Pointed chisel made of hardened steel, with special surface treatment to preserve grains. Longer service life. 250 pointed chisel APPLICATIONS For light chipping and chiselling of tile, mortar, glazing compounds and other masonry pro ...

DT6801-QZ

SDS-PLUS CHISEL - SLIDING CHASING 22X250MM



IN BRIEF Sliding Chasing Chisel made of hardened steel, with special surface treatment to preserve grains. Sliding chasing chisel APPLICATIONS For light chipping and chiselling of tile, mortar, glazing compounds and other masonry products wi ...

CODE DT6804-QZ

FTP LUX DISTRIBUTION





DRILL BITS AND TIPS

<u>CHISELS</u>

SDS-PLUS CHISEL - TILE 40X200MM

IN BRIEF Tile chisel made of hardened steel, with a special surface treatment to preserve grains. Long service life. Tile chisel APPLICATIONS For light chipping and chiselling of tile, mortar, glazing compounds and other masonry products wit ...



SDS-PLUS CHISEL 300MM - POINTED

IN BRIEF Pointed chi<mark>sel</mark> made of hardened steel, with a special surface treatment to preserve grains. 300mm SDS-Plus XLR 300 Pointed Chisel APPLICATIONS For heavy duty chiselling,

chanelling and demolition tasks in concrete/rebar and hard ston ...

CODE DT6978-QZ



SDS-PLUS XLR CHISEL 300X25MM - FLAT

IN BRIEF Flat chisel made of hardened steel, with special surface treatment to preserve grains. Long service life. SDS-Plus XLR 300x25 Flat Chisel APPLICATIONS For heavy duty chiselling,

chanelling and demolition tasks in concrete/rebar and h ...

CODE DT6979-QZ

SDS-PLUS XLR CHISEL 300X40MM - FLAT

IN BRIEF Flat spade chisel made of hardened steel, with special surface treatment to preserve grains. 300x40mm. SDS-Plus XLR 300x40 Flat Chisel APPLICATIONS For heavy duty chiselling,

chanelling and demolition tasks in concrete/rebar and hard ...

DT6984-QZ

FTP LUX DISTRIBUTION





info@ftpdistribution.lu

DRILL BITS FOR OTHER MATERIALS



DIAMOND TILE DRILL BIT

IN BRIEF Peculiar drill bit with diamond tip to easily drill in the hardest materials, ceramics and marble floor tiles. 5mm diameter. APPLICATIONS Diamond grit edged head tough & hard wearing enables easy start drilling at 45° into mate ...

CODE	DT6037-QZ	DT6038-QZ	DT6039-QZ	DT6040-QZ	DT6041-QZ
CODE	DT6042-QZ	DT6043-QZ	DT6044-QZ	DT6045-QZ	

MULTI MATERIAL DRILL BIT

IN BRIEF Multi-material drill bit with angle of 120° point angle suitable for applications on any kind of material. 3x80x50mm. APPLICATIONS Suitable for wood, plastics, mild steel and non

ferrous metals and masonry. For use in rotary or per ...

CODE	DT6515-QZ	DT6516-QZ	DT6517-QZ	DT6518-QZ	DT6519-QZ
CODE	DT6520-QZ	DT6521-QZ	DT6522-QZ	DT6524-QZ	DT6525-QZ
CODE	DT6526-QZ				



SET OF 5 DIAMOND TILE DRILLS

IN BRIEF 5 pieces kit of drill bits for drilling in ceramic and porcelain tiles, with water supply system. Diameters: 5, 6, 7, 8, 10mm. This set of drill bits from DeWalt has been designed to perform the task of easy and accurate drilling of holes ...

CODE DT6046-QZ





DRILL BITS FOR OTHER MATERIALS



WATER TRAY FOR TILE DRILL

IN BRIEF Water suplly system for diamond tip drill bits for ceramics and granite.





FTP LUX DISTRIBUTION



www.ftpdistribution.lu 🔇 +352 26 39 33 73







IMPACT TORSION BIT SETS



14-PIECE IR TORSION SCREWING KIT

IN BRIEF 14 pieces kit including Impact Torsion 25mm screwdriving bits, short and long magnetic adapters. CNC precisely machined bit with a torsion zone to absorb peaks in torque.

Allows optimum bit flex for maximum life in Impact/High Torque app ...

CODE DT70512T-QZ



2-PIECE SET PH2 50MM + EXTRASTRONG SLEEVE

IN BRIEF Set including magnetic bit sleeve 10x and Ph2 50mm screwdriving bits. The 15 degree torsion zone allows the screw driver bit to flex rather than breaking. The Full Fit head prevents the rounding of the screw head and prevents cam out (bi ...

CODE DT70536T-QZ



<u>2-PIECE SET PZ2 50MM + EXTRASTRONG SLEEVE 10X</u>

IN BRIEF Set including magnetic bit sleeve 10x and pz2 50mm screwdriving bits. The 15 degree torsion zone allows the screw driver bit to flex rather than breaking. The Full Fit head prevents the rounding of the screw head and prevents cam out (bi ...

DT70535T-QZ

2-PIECE SET T20 50MM + EXTRASTRONG SLEEVE 10X



IN BRIEF Set with magnetic bit sleeve 10x and T20 50mm screwdriving bits. The 15 degree torsion zone allows the screw driver bit to flex rather than breaking. The Full Fit head prevents the rounding of the screw head and prevents cam out (bit hea ...

CODE DT70537T-QZ

FTP LUX DISTRIBUTION





IMPACT TORSION BIT SETS

FLEX TORQ T20 25MM BIT SET (25 PCS.)



Flex Torq T20 25mm bit set (25 pcs.)



FLEX TORQ T25 25MM BIT SET (25 PCS.)



Flex Torq T25 25mm bit set (25 pcs.)



2-PIECE SET T25 50MM + EXTRASTRONG SLEEVE



IN BRIEF Set with magnetic bit sleeve 10x and T25 50mm screwdriving bits. The impact bits have a 15° torsion zone that allows the screw driver bit to flex rather than breaking and the Full Fit head prevents the rounding of the screw head and prev ...

CODE

DT70538T-QZ



EXTRA STRONG SLEEVE FOR IR TORSION 50MM BITS

IN BRIEF Magnetic sleeve, 10 times stronger, suited for use with Torsion 50mm screwdriving bits. Outstanding performances in tightening. CNC precisely machined bit with a torsion zone to absorb peaks in torque. Allows optimum bit flex for maximum ...

CODE DT70547T-QZ





IMPACT TORSION SCREWDRIVER BITS



EXTREME 25MM IMPACT TORSION PHILIPS BITS 1-4" (5 PCS)

IN BRIEF Screwdriving bit with prolonged service life thanks to a flexible torsion zone designed to absorb torque peaks. Effective length: 25mm. EXTREME [®] IMPACT BITS FOR PHILLIPS [®] SCREWS 25mm 5pcs per box

CODE DT7993T-QZ

DT7995T-QZ



EXTREME 25MM IMPACT TORSION POZIDRIV BITS 1-4" (5 PCS)

IN BRIEF Screwdriving bit designed to flex up to 15° if subjected to high torque. APPLICATIONS Framing metal studs HVAC installation Installing cabinets Deck Building FEATURES CNC precisely machined torsion zone for consistency of fi ...

CODE DT7386T-QZ

DT7388T-QZ

DISTRIBUTION



EXTREME 25MM IMPACT TORX BIT 1-4" (5PCS)

IN BRIEF Screwdriving bit designed to flex up to 15° if subjected to high torque. 25mm length. EXTREME [®] IMPACT BITS FOR TORX SCREWS 25mm 5 pcs per box.

CODE DT7381T-QZ DT7382T-QZ



EXTREME 25MM IMPACT TORX BITS 1-4"

IN BRIEF Screwdriving bit with prolonged service life thanks to a flexible torsion zone designed to absorb torque peaks. Effective length 25mm. EXTREME [®] IMPACT BITS FOR TORX SCREWS 25mm

DT7384T-QZ

FTP LUX DISTRIBUTION



www.ftpdistribution.lu 🔇 +352 26 39 33 73 🕋 info@ftpdistribution.lu

CODE



IMPACT TORSION SCREWDRIVER BITS

EXTREME 25MM NON-IMPACT TORX BITS 1-4"



IN BRIEF 25mm screwdriving bits for impact screwdrivers. 1/4" drive, T40. 5 pieces pack. EXTREME [®] BITS FOR TORX SCREWS 25mm

CODE DT7373-QZ

EXTREME 50MM IMPACT TORSION PHILIPS BITS 1-4" (5 PCS)



IN BRIEF Screwdriving bit providing up to 15° flexion in case of sudden torque peaks. Magnetic shank for faster applications. Length: 50mm. EXTREME ® IMPACT BITS FOR PHILLIPS ® SCREWS 50mm 5pcs per box

CODE DT7997T-QZ

DT7999T-QZ



EXTREME 50MM IMPACT TORSION POZIDRIV BITS 1-4" (5 PCS)

IN BRIEF Screwdriving bit designed to flex up to 15° if subjected to high torque. 50mm effective legth. APPLICATIONS Framing metal studs HVAC installation Installing cabinets Deck Building FEATURES CNC precisely machined torsion zone ...

CODE DT7390T-QZ

DT7392T-QZ



EXTREME 50MM IMPACT TORSION TORX BITS 1-4" (5 PCS)

IN BRIEF Screwdriving bit providing up to 15° flexion in case of sudden torque peaks. Magnetic shank for faster applications. Length: 50mm. EXTREME [®] IMPACT BITS FOR TORX [®] SCREWS

DT7395T-QZ

CODE

DT7398T-QZ





IMPACT TORSION SCREWDRIVER BITS



<u>SET 2 EXTREME 85MM IMPACT TORSION TORX BITS</u> 1-4" (5 PCS)

IN BRIEF Screwdriving bit with peculiar geometry to ensures a long service life and eliminate stripping as well as slipping on screws heads.

CODE DT70568T-QZ DT70569T-QZ

SET 2 IMPACT 85MM POZIDRIV BITS 1-4" (5 PCS.)

IN BRIEF 85mm Screwdriving bit for impact drivers. 1/4" drive. Sold in 2 pieces pack.

CODE DT70566T-QZ

SET 2 IMPACT TORSION PHILIPS BITS 1-4" (5 PCS.)

IN BRIEF 85mm screwdriving bits for impact screwdrivers. 1/4" drive. 2 pieces pack.



DT70567T-QZ









MAGNETIC SOCKET DRIVERS

•	CLEANABLE NUT DRIVER							
8 Beiwatt	CODE DT7465-QZ DT	7466-QZ DT7467-QZ						
DEWALT	<u>COMPACT NUT DRIVER</u>							
8MM	COMPACT NUT DRIVER							
	CODE DT7462-QZ DT	746 <mark>3-Q</mark> Z DT7464-QZ						
	FTPI	XII						
	<u>HEXAGONAL SOCKET DRI</u>	<u>VER - MAGNETIC</u>						
		IN BRIEF Socket driver with flexible torsion zone to absorb sudden torque peaks and reduce						
	breakage. Ribbed and nickel coated. H	exagonal socket driver - 25 mm -	magnetic					
	CODE DT7401-QZ	DT7403-QZ	DT7415-QZ					
	IR BIT HOLDER IR BIT HOLDER							
DEWALT								
	CODE DT7524-QZ							







MAGNETIC SOCKET DRIVERS

	IR DRIVE GUIDE
DEWALT	IR TORSION ZONE BIT HOLDER IR TORSION ZONE BIT HOLDER
	IR TORSION ZONE DRIVE GUIDE









MASONRY CORE DRILLS

EXTENSION PIECE 280MM



IN BRIEF SDS-MAX adapter for core drills. 280mm extension. 280mm extension piece. To be used with Heavy duty SDS-Max Core drills in conjunction with a pilot bit.



PILOT BIT 155MM

IN BRIEF SDS-MAX adapter for core drills. 155mm pilot bit. 155mm pilot bit

DT6772-QZ

SDS-MAX CORE ADAPTER

IN BRIEF SDS-MAX adapter for core drills. 180mm. Special carbide quality for increased durability. Bright finish. HEAVY DUTY CORE ADAPTORS APPLICATIONS For clean round holes in blocks, bricks and light concrete. To be used with Heavy duty S ...

CODE DT6770-QZ DT6771-QZ



SDS-MAX CORE DRILL

IN BRIEF Crore drill designed to reduce the risk of breakage and to increase service life. Suitable for SDS-Max hammers or ribbed shank. HEAVY DUTY SDS-MAX CORE DRILLS APPLICATIONS For clean round holes in blocks, bricks and light concrete. ...

CODE	DT6761-QZ	DT6762-QZ	DT6763-QZ	DT6764-QZ	DT6765-QZ
CODE	DT6766-QZ				

FTP LUX DISTRIBUTION





info@ftpdistribution.lu

MASONRY CORE DRILLS



SDS-PLUS CORE ADAPTER

IN BRIEF Adapter for core drills. For use with SDS-Plus hammers. 110mm. Light duty SDS-Plus core adapter APPLICATIONS For fitting drainage and water pipes, heating pipes, switches, junction & distribution boxes. To be used with light du ...

CODE DT6750-QZ DT6751-QZ

SDS-PLUS CORE ADAPTER - PILOT DRILL

IN BRIEF Adapter for core drills, with pilot drill bit. To be used with SDS-Plus hammers. 120mm. Light duty SDS-Plus core adapter - pilot drill

CODE DT6753-QZ



SDS-PLUS CORE DRILL

IN BRIEF Core drill, thin-walled for more speed and outstanding results with less effort. Highly efficient core drilling with rotation only. Light duty SDS-Plus core drill APPLICATIONS For fitting drainage and water pipes, heating pipes, swit ...

CODE	DT6748-QZ	DT6743-QZ	DT6744-QZ	DT6745-QZ	DT6746-QZ
CODE	DT6747-QZ				





MASONRY DRILL BITS

DT60099 QZ EXTREME IMPACT MASONRY DRILL BIT SET 5PC

Information: DEWALT Extreme Impact Masonry Drill Bits has a carbide tip for fast drilling, with an innovative flute design for fast material removal. 1/4in hex shank for use with impact drivers and screwdrivers with bit holder or chuck. Suitable ...

CODE DT60099-QZ



DT60300 QZ HAMMER DRILL BIT SET SDS PLUS (8 PIECE)

Dewalt DT60300-QZ Hammer drill bit-Set SDS-plus (8 Piece) The tip design ensures better bit penetration, longer life, faster drilling and greater durability Heavy-Duty shank for maximum durability Maximized central core for increased energy transmission

CODE DT60300-QZ



DT60301 QZ HAMMER DRILL BIT SET SDS PLUS (5 PIECE)

Dewalt DT60301-QZ Hammer drill bit-Set SDS-plus (5 Piece) The tip design ensures better bit penetration, longer life, faster drilling and greater durability Heavy-Duty shank for maximum durability Maximized central core for increased energy transmission

CODE DT60301-QZ



DT60302 QZ HAMMER DRILL BIT SET SDS PLUS (6 PIECE)

Dewalt DT60302-QZ Hammer drill bit-Set SDS-plus (6 Piece) The tip design ensures better bit penetration, longer life, faster drilling and greater durability Heavy-Duty shank for maximum durability Maximized central core for increased energy transmission

DT60302-QZ

CODE

FTP LUX DISTRIBUTION





info@ftpdistribution.lu

MASONRY DRILL BITS



DT6956 QZ EXTREME MASONRY DRILL BIT SET 5PC

Information: Designed to last twice as long as conventional masonry drill bits. Also delivering up to 50% more holes each charge. Made with an extra strong Tungsten Carbide tip which is approximately three times stiffer compared to steel and a d ...

CODE DT6956-QZ



- IVIII

EXTREME FULL CARBIDE DRILL BITS SDS PLUS

Information: Suitable for drilling plug & anchor holes in masonry, all types of stone and concrete. Description: • New solid carbide drill tip with optimised 4 cutter geometry offers the highest levels of drill bit life and durability fr ...

DT9620-QZ CODE

DT9584-QZ

EXTREME MASONRY DRILL BIT

Information: The DEWALT Extreme Masonry Drill Bits offer excellent quality for all types of masonry work. They last up to 2 times longer and deliver up to 50% more holes per charge on a cordless drill than a standard masonry bit. Optimum carbide ...



FTP LUX DISTRIBUTION

www.ftpdistribution.lu 🔇 +352 26 39 33 73





MASONRY DRILL BITS

EXTREME SDS-MAX 2-CUTTER DRILL BIT

IN BRIEF Drill bit with 2 cutting edges for fast and efficient work. Helical flutes for consistent discharge of debris and optimal drilling speed. APPLICATIONS Building renovation Drilling anchor holes Fixings or clearance Holes in masonry co ...

CODE DT6820-QZ DT8087-QZ



EXTREME SDS-MAX DRILL BIT

IN BRIEF Drill bit provided with 4 cutting edges to reduce vibrations and for increased productivity. Durable body and core. APPLICATIONS For use with SDS-Max drive hammer drills (Hilti type F,G or Y) for anchor, fixing or clearance holes in m ...

CODE	DT9410-QZ	DT9411-QZ	DT9412-QZ	DT9415-QZ	DT9400-QZ
CODE	DT9401-QZ	DT9405-QZ	DT9406-QZ	DT9407-QZ	DT9409-QZ
CODE	DT9416-QZ	DT9417-QZ	DT9418-QZ	DT9419-QZ	DT9420-QZ
CODE	DT9421-QZ	DT9422-QZ	DT9423-QZ	DT9424-QZ	DT9425-QZ
CODE	DT9426-QZ	DT9427-QZ	DT9428-QZ	DT9429-QZ	DT9430-QZ
CODE	DT9431-QZ	DT9433-QZ	DT9434-QZ	DT9435-QZ	DT9436-QZ
CODE	DT9438-QZ	DT9439-QZ	DT9440-QZ	DT9441-QZ	DT9442-QZ
CODE	DT9443-QZ	DT9445-QZ	DT9446-QZ	DT9447-QZ	DT9448-QZ
CODE	DT9449-QZ	DT9450-QZ			

FTP LUX DISTRIBUTION



www.ftpdistribution.lu 🔇 +352 26 39 33 73

info@ftpdistribution.lu



MASONRY DRILL BITS

EXTREME SDS-PLUS 4-CUTTER DRILL BIT



IN BRIEF Drill bit with 4 channels flute geometry to maximize the drilling speed and easy discharge of debris. Carbide bit tip. APPLICATIONS For fixing holes and through holes 16mm -30mm. FEATURES 4 flute spiral with maximum flute entry ena ...



EXTREME2 SDS- PLUS DRILL BITS (10PCS)

IN BRIEF Drill bit with highly balanced body for a more efficient energy transmission. Point angle: 140°. 10 pieces pack. APPLICATIONS Suitable for fast drilling of plug, anchor or clearance holes in masonry, stone, concrete and brick/block ...







MASONRY DRILL BITS



777777777

HAMMER DRILL BIT SDS PLUS

Hammer drill bit SDS-plus The tip design ensures better bit penetration, longer life, faster drilling and greater durability Heavy-Duty shank for maximum durability Maximized central core for increased energy transmission

CODE	DT9662-QZ	DT9631-QZ	DT9663-QZ	DT9635-QZ	DT9664-QZ
CODE	DT9641-QZ	DT9642-QZ	DT9665-QZ	DT9644-QZ	DT9645-QZ
CODE	DT9646-QZ	DT9647-QZ	DT9648-QZ	DT9649-QZ	DT9650-QZ
CODE	DT9651-QZ	DT965 <mark>3-Q</mark> Z	DT9 <mark>655-QZ</mark>	DT9630-QZ	

MASONRY DRILL BIT

IN BRIEF Drill bit with 130 ° point angle. Ideal for anchors, fasteners, and generic drilling of holes. Single blister pack. APPLICATIONS Typically used for drilling anchor, plastic plug, fixing or pipework clearance holes. Suitable for maso ...

CODE	DT6504-QZ	DT6505-QZ	DT6506-QZ	DT6606-QZ	DT6507-QZ
CODE	DT6557-QZ	DT6508-QZ	DT6558-QZ	DT6608-QZ	DT6708-QZ
CODE	DT6509-QZ	DT6510-QZ	DT6560-QZ	DT6610-QZ	DT6710-QZ
CODE	DT6562-QZ	DT6612-QZ	DT6712-QZ	DT6563-QZ	DT6564-QZ
CODE	DT6714-QZ	DT6566-QZ	DT6716-QZ	DT6718-QZ	DT6720-QZ
CODE	DT6500-QZ	DT6732-QZ	DT6733-QZ		





MASONRY DRILL BITS



MASONRY DRILL BIT SET 4-10MM (5 PCS)

IN BRIEF Set of 5 masonry drill bits in plastic case. Sizes from 4 to 10mm. These DEWALT rotary/percussion masonry drill bits have 130° Douglas Form carbide tips. They are ideal for drilling anchor, plastic, fixing or pipework clearance holes. Su ...

CODE DT6952-QZ



SDS MAX HOLLOW DRILL BIT

The DEWALT SDS Max Hollow Drill Bits enable alignment to frequently used rebar and anchor sizes. They feature a Y-Cutter carbide tip for exact positioning, perfect starting and maximum durability. The bits are fitted with an AIRLOCKTM adaptor that ...





SDS PLUS HOLLOW DRILL BIT

The DEWALT SDS Plus Hollow Drill Bits enable alignment to frequently used rebar and anchor sizes. They feature a Y-Cutter carbide tip for exact positioning, perfect starting and maximum durability. The bits are fitted with an AIRLOCK^m adaptor t ...

CODE DT60341-QZ

DT60343-QZ

FTP LUX DISTRIBUTION





🕥 info@ftpdistribution.lu

MASONRY DRILL BITS



SDS-MAX XLR FULL HEAD CARBIDE DRILL BIT

IN BRIEF Drill bit designed with 4 cutting edges, allows you longlasting applications, drilling of precise and clean holes and material discharge. APPLICATIONS DeWALT ® raises the bar still further with a superior range of SDS MAX drill bits. ...

CODE	DT60847-QZ	DT60809-QZ	DT60810-QZ	DT60811-QZ	DT60812-QZ
CODE	DT60816-QZ	DT60817-QZ	DT60818-QZ	DT60819-QZ	DT60820-QZ
CODE	DT60821-QZ	DT60822-QZ	DT60823-QZ	DT60824-QZ	DT60825-QZ
CODE	DT60826-QZ	DT60827-QZ	DT60828-QZ	DT60829-QZ	DT60830-QZ
CODE	DT60831-QZ	DT608 <mark>32-</mark> QZ	DT60833-QZ	DT60834-QZ	DT60835-QZ
CODE	DT60836-QZ	DT60837-QZ	DT60838-QZ	DT60839-QZ	DT60842-QZ
CODE	DT60844-QZ	DT60845-QZ	DT60846-QZ		
DIS	TDI				

SDS-PLUS EXTREME 2 DRILL BIT IN BLISTER PACK

Single pack in blister. FEATURES The new 140 ° cutting edge inclination with a special carbide grade allows for longer life and faster drilling. Hot welded for maximum strength. The tip body is extremely centered for more efficient energy tran ...







info@ftpdistribution.lu

MASONRY DRILL BITS

SDS-PLUS XLR FULL HEAD CARBIDE DRILL BIT



IN BRIEF Drill bit ideal for extremely precise and clean holes. The 4 channels flute geometry provides excellent discharge of core material. APPLICATIONS Suitable for drilling plug & anchor holes in masonry, all types of stone and concrete. ...

CODE	DT8934-QZ	DT8935-QZ	DT8936-QZ	DT8937-QZ	DT8938-QZ
CODE	DT8939-QZ	DT8940-QZ	DT8941-QZ	DT8942-QZ	DT8907-QZ
CODE	DT8908-QZ	DT8909-QZ	DT8910-QZ	DT8911-QZ	DT8912-QZ
CODE	DT8913-QZ	DT891 <mark>4-Q</mark> Z	DT8915-QZ	DT8916-QZ	DT8917-QZ
CODE	DT8918-QZ	DT892 <mark>0-Q</mark> Z	DT8921-QZ	DT8922-QZ	DT8923-QZ
CODE	DT8924-QZ	DT8925-QZ	DT8926-QZ	DT8927-QZ	DT8928-QZ
CODE	DT8929-QZ	DT8930-QZ	DT8931-QZ	DT8932-QZ	DT8933-QZ
DIS	TDI				

SDS-PLUS XLR FULL HEAD CARBIDE DRILL BITS (10 PCS)



IN BRIEF Drill bit ideal for extremely precise and clean holes. 4-channels flute geometry provides consistent discharge of debris. Ten pieces. Full head carbide drill bits (10 pack). APPLICATIONS DeWALT [®] raises the bar still further with a ...

CODE	DT8950-QZ	DT8951-QZ	DT8955-QZ	DT8956-QZ	DT8957-QZ
CODE	DT8965-QZ	DT8966-QZ	DT8967-QZ	DT8968-QZ	DT8969-QZ
CODE	DT8971-QZ	DT8972-QZ			

FTP LUX DISTRIBUTION

www.ftpdistribution.lu (🔇) +352 26 39 33 73





MASONRY DRILL BITS



SET OF 19 PIECES SCREWING AND DRILLING MASONRY (5 PCS)

Set of 19 pieces screwing and drilling masonry Content: 1 magnetic adapter 1 magnetic adapter with guide 8 25mm inserts: PH2 PZ2 T25 3 50mm inserts: PH2 PZ2 T25 6 tips Extreme masonry measures 4,5,5.5,6,7,8 mm

CODE DT70712-QZ



SET OF 4 SDS-PLUS DRILL BIT SET

IN BRIEF Set of 4 drill bits in plastic case. Sizes: 5.6x110mm-8.10x160mm. The Innovative EXTREME 2 SDS-Plus drill bit is amongst the best in terms of its speed, life and endurance.

Superior carbide grade for long life and greater durability Op ...

CODE DT9700-QZ



SET OF 7 XLR SDS-PLUS DRILL BITS IN METAL CASSETTE

IN BRIEF Set of 7 drill bits in metal case. Diameters: 5.6x110mm 8.10x160mm. SDS-Plus Full Solid Head Carbide Drill Bits for extremely long life and optimum drilling performance 4-cutter geometry provides clean holes, high drilling speed and redu ...

DT8976-QZ

CODE

CODE



XLR FULL CARBIDE DRILL BITS SDS PLUS

Information: Suitable for drilling plug & anchor holes in masonry, all types of stone and concrete. Description: • New solid carbide drill tip with optimised 4 cutter geometry offers the highest levels of drill bit life and durability fr ...

info@ftpdistribution.lu

DT8919-QZ

FTP LUX DISTRIBUTION



www.ftpdistribution.lu 🔇 +352 26 39 33 73



METAL DRILL BITS



1/4" IMPACT DRILL TAPS (5 PCS.)

Impact ready drill taps Measures: M4 M5 M6 M8 M10



ASSORTMENT OF 10 HSS-R METAL DRILL BITS IN PLASTIC CASE



IN BRIEF Set of 10 HSS-R DIN 338 drill bits in plastic case. Diameters from 1mm to 10mm. 10 Piece Jobber Bit Set, 1, 2, 3, 4, 5, 6, 7, 8, 9, 10mm Drill Size, Right Spiral Flute Type, HSS Material, Set of 10 Piece, 118° Point Angle, H8 Diameter To ...

CODE DT5911-QZ



ASSORTMENT OF 13 HSS-R METAL DRILL BITS IN PLASTIC CASE

IN BRIEF Assortment of 13 HSS-R DIN 338 drill bits in plastic case. Diameters from 1.5 to 6.5mm. 13 Piece Jobber Bit Set, 1.5, 2, 2.5, 3, 3.2, 3.5, 4, 4.5, 5(x2), 5.5, 6, 6.5mm Drill Size, Right Spiral Flute Type, HSS Material, Set of 13 Piece, 11 ...

CODE DT5912-QZ



ASSORTMENT OF 19 HSS-G DRILL BITS IN METAL CASE

IN BRIEF Set of 19 HSS-G DIN 338 drill bits in metal casket. Diameters from 1 to 10mm. 19 piece jobber metal drill bit sets, 1, 1.5, 2, 2.5, 3, 3.5, 4, 4.5, 5, 5.5, 6, 6.5, 7, 7.5, 8, 8.5, 9, 9.5, 10mm drill size, twist flute type, straight shank ...

🕥 info@ftpdistribution.lu

DT5923-0Z

FTP LUX DISTRIBUTION



CODE



info@ftpdistribution.lu

METAL DRILL BITS



ASSORTMENT OF 29 EXTREME2 METAL DRILL BITS IN PLASTIC CASE

IN BRIEF Set of 29 EXTREME2 drill bits for metal. Diameters from 1 to 13mm. Extreme 2 metal tip drills on contact, eliminating 'walking' for accurate holes (Ø 3.2mm and over) Innovative tapered web greatly reduces breakage No-slip shank with 3 ...

CODE DT7926-XJ



A TATA

ASSORTMENT OF 29 HSS-G DRILL BITS IN METAL CASE

IN BRIEF Kit of 29 HSS-G DIN 338 bits in metal case. Diameters from 1 to 13mm. General purpose 29 piece metal drill bit set manufactured from high-speed steel supplied in a metal case.

Tough metal storage case designed to withstand worksite condi ...

CODE DT5929-QZ

EXTREME COBALT DRILL BIT SET (2 PCS)

IN BRIEF Set of 2 HSS-CO Extreme cobalt drill bits. Optimized geometry of tip and flutes as well as reinforced core. 2x49x24mm. This cobalt metal drill bit provides improved performance with a 4 x longer life and double the resistance to breaking. ...



FTP LUX DISTRIBUTION

www.ftpdistribution.lu 🔇 +352 26 39 33 73





METAL DRILL BITS



TTI

EXTREME STEP DRILL BIT

IN BRIEF Drill bit ideal for impact wrenches, ideal to enlarge the holes from 4 to 34mm on metal, aluminum and PVC. FEATURES For drilling and enlarging holes in metal from 6mm to 34mm Impact ready from 6mm-25mm Quick change shank design fo ...

CODE DT5026-QZ DT5030-QZ

EXTREME2 METAL DRILL BIT

IN BRIEF EXTREME2 drill bit for metal with recessed cutting wings, ideal for fast, precices and clean drilling. Gold ferric oxide finish. APPLICATIONS Suitable for portable drilling of steel, alloyed and non-alloyed up to 900 N/mm2. For drill ...

CODE	DT5034-QZ	DT5035-QZ	DT5036-QZ	DT5037-QZ	DT5038-QZ
CODE	DT5039-QZ	DT5040-QZ	DT5041-QZ	DT5042-QZ	DT5043-QZ
CODE	DT5044-QZ	DT5045-QZ	DT5046-QZ	DT5047-QZ	DT5048-QZ
CODE	DT5049-QZ	DT5050-QZ	DT5051-QZ	DT5052-QZ	DT5053-QZ
CODE	DT5054-QZ	DT5055-QZ	DT5056-QZ	DT5057-QZ	DT5058-QZ
CODE	DT5059-QZ	DT5060-QZ	DT5061-QZ	DT5062-QZ	DT5063-QZ
CODE	DT5067-QZ				

FTP LUX DISTRIBUTION



www.ftpdistribution.lu (+352 26 39 33 73



METAL DRILL BITS



EXTREME2 METAL DRILL BIT (10 PCS)

IN BRIEF Set of 5 EXTREME2 drill bits for metal with recessed cutting wings, ideal for fast drilling. Gold ferric oxide finish. 11.5x142x91mm. APPLICATIONS Suitable for portable drilling of steel, alloyed and non-alloyed up to 900 N/mm2. For ...

CODE	DT5560-QZ	DT5561-QZ	DT5562-QZ	DT5563-QZ	DT5535-QZ
CODE	DT5536-QZ	DT5537-QZ	DT5538-QZ	DT5539-QZ	DT5540-QZ
CODE	DT5541-QZ	DT5542-QZ	DT5543-QZ	DT5544-QZ	DT5545-QZ
CODE	DT5546-QZ	DT554 <mark>7-Q</mark> Z	DT5548-QZ	DT5549-QZ	DT5550-QZ
CODE	DT5551-QZ	DT555 <mark>2-Q</mark> Z	DT5553-QZ	DT5554-QZ	DT5555-QZ
CODE	DT5556-QZ	DT5557-QZ	DT5558-QZ	DT5559-QZ	DT5566-QZ
CODE	DT5567-QZ	DT5568-QZ			

HSS-CO EXTREME2 COBALT DRILL BIT FOR METAL

IN BRIEF HSS-CO EXTREME2 drill bit with optimized geometry of tip and flutes, reinforced core. Easy drilling on all surfaces. 5.5x93x57mm. This cobalt metal drill bit from DeWalt provides improved performance with a 4 x longer life and double the ...

CODE	DT4961-QZ	DT4905-QZ	DT4906-QZ	DT4907-QZ	DT4908-QZ
CODE	DT4909-QZ	DT4911-QZ	DT4912-QZ	DT4913-QZ	DT4914-QZ
CODE	DT4915-QZ	DT4916-QZ	DT4917-QZ	DT4910-QZ	DT4962-QZ
CODE	DT4963-QZ	DT4964-QZ	DT4965-QZ	DT4966-QZ	DT4967-QZ

info@ftpdistribution.lu

FTP LUX DISTRIBUTION

www.ftpdistribution.lu 🔇 +352 26 39 33 73





METAL DRILL BITS

HSS-CO EXTREME2 COBALT DRILL BIT FOR METAL (10PCS)



2020

IN BRIEF Set of 10 HSS-CO EXTREME2 drill bits with optimized peculiar geometry of tip and flutes, reinforced core. 9.5x128x83mm. This cobalt metal drill bit from DeWalt provides improved performance with a 4 x longer life and double the resistanc ...



HSS-G DIN 338 METAL DRILL BIT

IN BRIEF Set of 5 HSS-G bits made of DIN 338 steel for extremely fast drilling. 118 ° point angle. 1x34x12mm. APPLICATIONS Suitable for portable or stationary drilling in steel cast steel, alloyed and non-alloyed material, grey cast-iron, sph ...

CODE	DT5201-QZ	DT5202-QZ	DT5203-QZ	DT5204-QZ	DT5205-QZ
CODE	DT5208-QZ	DT5209-QZ	DT5212-QZ	DT5214-QZ	DT5215-QZ
CODE	DT5216-QZ	DT5217-QZ	DT5218-QZ	DT5219-QZ	DT5221-QZ
CODE	DT5222-QZ	DT5224-QZ	DT5226-QZ	DT5227-QZ	

🕥 info@ftpdistribution.lu

FTP LUX DISTRIBUTION

www.ftpdistribution.lu 🔇 +352 26 39 33 73





METAL DRILL BITS



KIT OF 10 HSS-G DRILL BITS IN PLASTIC CASE

IN BRIEF Assortment of 10 HSS-G DIN 338 drill bits in handy plastic case. Diameters from 1 to 10mm. Precision ground twist drill for rapid drilling, long life and excellent concentricity. Manufactured from High Speed Steel to DIN338 Ground from ...

CODE DT5921-QZ



KIT OF 13 HSS-G DRILL BITS IN METAL CASE

IN BRIEF Kit of 13 HSS-G DIN 338 drill bits in metal case. Diameters from 1.5 to 6.5mm. 13pce Rapid Cut long life drills for fast accurate drilling, long life and excellent concentricity manufactured from high speed steel to DIN338 ground from sol ...

CODE DT5922-QZ



KIT OF 29 HSS COBALT DRILL BITS IN PLASTIC CASE

IN BRIEF Set of 29 HSS-CO Extreme cobalt drill bits with optimized geometry and reinforced core. Diameters from 1 to 13mm. This cobalt metal drill bit set from DeWalt provides improved performance with a 4 x longer life and double the resistan ...

CODE DT4957-QZ



SERIES OF 19 HSS METAL DRILL BITS IN METAL CASE

IN BRIEF Assortment of 19 drill bits in metal case, HSS-R DIN 338. Diameters from 1mm to 10mm. 19 Piece Jobber Bit Set, 1, 1.5, 2, 2.5, 3, 3.5, 4, 4.5, 5, 5.5, 6, 6.5, 7, 7.5, 8, 8.5, 9, 9.5, 10mm Drill Size, Right Spiral Flute Type, HSS Material, ...

CODE DT5913-QZ

FTP LUX DISTRIBUTION



www.ftpdistribution.lu 🔇 +352 26 39 33 73 🔄 info@ftpdistribution.lu



info@ftpdistribution.lu

METAL DRILL BITS



SERIES OF 29 HSS METAL DRILL BITS IN METAL CASE

DeWALT Metal Drill Bits : DT5930-QZ Assortment of 19 drill bits in metal case, made with DIN 338 steel. Diameters: 1, 1.5, 2, 2.5, 3, 3.2, 3.3, 3.5, 4, 4.2, 4.5, 4.8, 5, 5.5, 6, 6.5, 7, 7.5, 8, 8.5, 9, 9.5, 10, 10.5, 11, 11.5, 12, 12.5, 13 mm ...





SET OF 19 PIECES FOR SCREWING AND DRILLING METALS (5 PCS)

Set of 19 pieces for screwing and drilling metals Content: 1 magnetic adapter 1 magnetic adapter adapter with guide 8 25mm inserts: PH2 PZ2.3 3 50mm inserts: PH2 PZ2 6 Extreme metal drills

measures 2,3,4,5,6,8 mm

CODE DT70711-QZ



SET OF 6 HSS COBALT DRILL BITS

IN BRIEF Set of 6 HSS-CO Extreme cobalt drill bits, with optimized flute and tip geometry and reinforced core. Diameters from 2 to 8mm. 6pc Extreme HSS Industrial Metal Drill Bit Set DT4956-QZ Contents: 2, 3, 4, 5, 6 & 8mm bits that are m ...

CODE DT4956-QZ

www.ftpdistribution.lu (📎) +352 26 39 33 73





METAL DRILL BITS



TITAN DRILL BITS FOR IMPACT WRENCH 1-4"

IN BRIEF Drill bit with hexagonal shank. Suitable for corded and cordless drill drivers. Size: 4.8x76x32mm. These impact ready titanium metal drill bits feature twice the standard life and resistance to breaking. They have a one-piece solid desig ...

CODE	DT50000-QZ	DT50001-QZ	DT50002-QZ	DT50003-QZ	DT50004-QZ
CODE	DT50005-QZ	DT50006-QZ	DT50007-QZ	DT50008-QZ	DT50009-QZ
CODE	DT50010-QZ	DT50011-QZ	DT50012-QZ	DT50013-QZ	DT50014-QZ
CODE	DT <mark>50</mark> 015-QZ	DT50016-QZ	DT50017-QZ	DT50018-QZ	DT50019-QZ
CODE	DT50050-QZ				











info@ftpdistribution.lu

STEP DRILL



STEP DRILL WITH TITANIUM COATING OF 13



Step drill with 13 diameter titanium coating: 5-13-15-17-19-21-23-25-27-29-31-33-35 with 12.7mm 3-shank

DT90247-QZ



STEP DRILL WITH TITANIUM COATING OF 8

Step drill with titanium coating of 8 diameters: 6-8-10-12-14-16-18-20 with 9mm 3-shank

CODE DT90248-QZ





info@ftpdistribution.lu

TORSION BIT SETS



10-PIECE IMPACT TORSION SCREWDRIVING SET WITH PIVOTING BIT TIP HOLDER

IN BRIEF Assortment of 10 pieces including Impact Torsion 25mm screwdriving bits pivotal bitholder. CNC precisely machined bit with a torsion zone to absorb peaks in torque. Allows optimum bit flex for maximum life in Impact/High Torque applicati ...

DT70518T-QZ



11-PIECE IMPACT TORSION SOCKET SET

IN BRIEF kit of 11 hexagonal sockets for impact wrenches with 1/2" drive. Impact rated sockets for use with 1/2" drive impact wrenches Manufactured to highest standards to ensure application durability Black oxide finsh with laser marking Cont ...

CODE DT7506-QZ



32-PIECE SCREWDRIVING ASSORTMENT

IN BRIEF Set of 32 pieces including various screwdriving bits for a wide range of fastening applications. 4 x Phillips bits: PH1, PH2 (x2), PH3 4 x Pozi bits: PZ1, PZ2 (x2), PZ3 4 x Slotted bits: 0.5x3, 0.8x4, 0.8x5, 1.2x6.5mm 4 x Hex bits: 3, ...

DE DT7969-QZ

FTP LUX DISTRIBUTION



www.ftpdistribution.lu 🔇 +352 26 39 33 73



TORSION BIT SETS



<u>9-PIECE ASSORTMENT OF IMPACT TORSION SCREWDRIVING</u> <u>BITS- WITH RIGHT ANGLE ATTACHMENT</u>

IN BRIEF Set of 10 pieces including Torsion 25mm bits and pivoting magnetic adapter. The DEWALT DT71517T-QZ Right Angle Torsion Drill Attachment is durable and has a compact design that allows it to fit in tight spaces where work is difficult to ...

CODE DT71517T-QZ



9-PIECE IMPACT TORSION SOCKET SET

IN BRIEF Assortment of 9 hexagonal sockets for impact wrenches with 1/2" drive. 6 Point impact wrench and drivers suitable for use with high-torque power tools Ideal for tightening bolts

in steel framework, tightening hex drive nuts / bolts in fi ...

CODE DT7507-QZ



SCHREWDRIVING KIT WITH SOCKET

IN BRIEF 24 pieces set composed by 25mm screwdriving bits, sockets, ratchet, 1/4"adapter and magnetic bitholder. 24 Piece 1/4" high performance socket and screwdriving set comprising

the following: 6 x hexagon sockets - 6mm, 7mm, 8mm, 10mm, 11mm, ...

CODE DT71516-QZ





TORSION SCREWDRIVER BITS

110MM TORSION PHILIPS PH2 BITS (5 PCS)

IN BRIEF Screwdriving bits for long lasting applications and intense use. 5 pieces pack. 110mm Pozidriv [®] bit (5 pcs) APPLICATIONS For all screwdriving applications. FEATURES High quality

professional screwdriver bits. Flexible Torsion ...

DT7204-QZ

110MM TORSION POZIDRIV PZ2 BITS (5 PCS)

IN BRIEF Screwdriving bits for long lasting applications and intense use. 5 pieces pack. 110mm Phillips [®] bit (5 pcs) APPLICATIONS For all screwdriving applications. FEATURES High quality professional screwdriver bits. Flexible Torsion ...

DT7203-QZ

25MM TORSION PHILIPS BITS (20 PCS)



IN BRIEF Screwdriving bit with nickel coating, ribs and flexible torsion zone to absorb sudden torque peaks and reduce breakage. APPLICATIONS For all screwdriving applications. FEATURES High quality professional screwdriver bits. Flexible T ...

DT7238-QZ

25MM TORSION PHILIPS BITS (5 PCS)



IN BRIEF Robust screwdriving bit, hardened for great quality and resistance. Flexible torsion zone to absorb torque peaks and reduce breakage. APPLICATIONS For all screwdriving applications. FEATURES High quality professional screwdriver bits ...

DT7231-QZ

DT7232-QZ DT7233-QZ

FTP LUX DISTRIBUTION



CODE



TORSION SCREWDRIVER BITS

25MM TORSION POZIDRIV BIT (5 PCS)



IN BRIEF Screwdriving bit with flexible torsion zone to absorbe torque peaks reduce breakage. Ribbed for utmost tightness. APPLICATIONS For all screwdriving applications. FEATURES High quality professional screwdriver bits. Flexible Torsion ...

CODE DT7211-QZ

DT7213-QZ

25MM TORSION POZIDRIV BITS (20 PCS)



IN BRIEF Robust screwdriving bit, hardened for great quality and resistance. Flexible torsion zone to absorb torque peaks and reduce breakage. APPLICATIONS For all screwdriving applications. FEATURES High quality professional screwdriver bit ...

CODE DT7218-QZ

25MM TORSION SQUARE BIT (5 PCS)



IN BRIEF Screwdriving bit with nickel and diamond particles coating for extreme tightness in screwing. APPLICATIONS For all screwdriving applications. FEATURES High quality professional screwdriver bits. Flexible Torsion Zone absorbs torque ...

CODE DT7170-QZ

DT7172-QZ



25MM TORSION TORX BITS (20 PCS)

IN BRIEF Screwdriving bit, great durability. Extreme DEWALT bits are ribbed and nickel coated for outstanding hold and tightness. 20 pieces pack. APPLICATIONS For all screwdriving applications. FEATURES High quality professional screwdrive ...

DT7266-QZ

CODE

DT7268-QZ

FTP LUX DISTRIBUTION

www.ftpdistribution.lu 🔇 +352 26 39 33 73 🔄 info@ftpdistribution.lu





TORSION SCREWDRIVER BITS

info@ftpdistribution.lu

	~	
	-	4
	C-	
197	017271	
	DrWALT	
	DEWAL	
A STATE	DEWAL'	C N
A COLUMN TO A COLUMN		

25MM TORSION TORX BITS (5 PCS)

IN BRIEF Screwdriving bit with flexible torsion zone to absorb sudden torque peaks and reduce breakage. With ribbing for great tightness. APPLICATIONS For all screwdriving applications. FEATURES High quality professional screwdriver bits. F ...



50MM TORSION PHILIPS BITS (5 PCS)



IN BRIEF Screwdriving bit, great durability. Extreme DEWALT bits are ribbed and nickel coated for outstanding hold and tightness. APPLICATIONS For all screwdriving applications. FEATURES

High quality professional screwdriver bits. Flexible ...



50MM TORSION POZIDRIV BIT (5 PCS)



IN BRIEF Screwdriving bit, tempered for utmost resistance. Nickel coated and ribbed for outsatanding resistance. APPLICATIONS For all screwdriving applications. FEATURES High quality professional screwdriver bits. Flexible Torsion Zone abs ...

CODE DT7226-QZ

www.ftpdistribution.lu 🔇 +352 26 39 33 73

DT7227-QZ





TORSION SCREWDRIVER BITS



<u>70MM TORSION TORX BITS (5 PCS)</u>

IN BRIEF Hardened screwdriving bit, maximum durability and quality. Flexible torsion zone to absorb sudden torque peaks and reduce breakage. 5 pieces pack. APPLICATIONS For all screwdriving applications. FEATURES High quality professional s ...





FTP LUX DISTRIBUTION



www.ftpdistribution.lu (🔇) +352 26 39 33 73



附 info@ftpdistribution.lu



WOOD DRILL BITS

o	8 1		
×	1 3		
10 11	1 1		7
1	1	1	a
2	1	i	
EN I	1 /		
100			

BLACK&GOLD HSS DRILL BITS


135° Split point tip design to help reduce walking. High Speed Steel to be used in plastic, wood, and metal. Tapered web design for extreme durability and resisting breakage. Black and gold coating to help prevent rust and wear. 3-Flats shank to reduce spin-out in the chuck.

CODE	DT20510-QZ	DT20511-QZ	DT20512-QZ	DT20513-QZ	DT20514-QZ
CODE	DT20516-QZ	DT20517-QZ	DT20519-QZ	DT20520-QZ	DT20521-QZ
CODE	DT20522-QZ	DT20523-QZ	DT20524-QZ	DT20525-QZ	DT20526-QZ
CODE	DT20528-QZ	DT205 <mark>30-Q</mark> Z	DT20532-QZ	DT20534-QZ	DT20536-QZ

BRAD POINT WOOD DRILL BIT



IN BRIEF Chrome-vanadium steel drill bit for clean and accurate holes. For diameters greater than 11mm the shank is reduced to 9.5mm. APPLICATIONS Suitable for drilling hardboard, plywood, chipboard and all natural hard and softwood. Typicall ...



FLATWOOD DRILL BIT - 300MM EXTENSION PIECE

IN BRIEF 300mm extension for flat wood drill bit. Flatwood Drill Extensions APPLICATIONS For the rapid drilling of holes in wood. Suitable for natural hard and soft wood, chipboard and other man made materials. Ideal for door locks, morti ...

CODE DT4849-07

FTP LUX DISTRIBUTION



www.ftpdistribution.lu 🔇 +352 26 39 33 73 🔄 info@ftpdistribution.lu



🕥 info@ftpdistribution.lu

WOOD DRILL BITS

PILOT DRILL BIT (3PCS)

IN BRIEF Pilot drill bit for pre holes. Three pieces pack. Pilot bits APPLICATIONS For use in hard and soft wood, composite board and MDF. Ideal for cabinet making, furniture assembly, remodelling and shop fitting. FEATURES Complete dril ...



DT7610-XJ

PILOT DRILL BIT AND 4-CUTTER COUNTERSINK



IN BRIEF Pilot drill bit with countersink. Available in a variety of sizes. Pilot drill bit & 4 cutter countersink. APPLICATIONS For use in hard and soft wood, composite board and MDF. Ideal for cabinet making, furniture assembly, remode ...



DT7607-XJ

TIP FOR WOOD WITH 3 CUTTING EDGES

Tip for wood with 3 cutting edges

CODE	DT90239-QZ	DT90240-QZ	DT90241-QZ	DT90242-QZ	DT90243-QZ
CODE	DT90244-QZ	DT90245-QZ	DT90292-QZ	DT90293-QZ	





info@ftpdistribution.lu

WOOD DRILL BITS



SELF FEED WOOD DRILL BIT

IN BRIEF Special drill bit made with a high percentage of carbon steel. 32mm diameter. Ideal for a quick and accurate drilling. APPLICATIONS For rapid drilling of clean large diameter holes in wood. FEATURES 2 x sharp cutting edges for extre ...

CODE	DT4577-QZ	DT4578-QZ	DT4579-QZ	DT4580-QZ	DT4581-QZ
CODE	DT4582-QZ	DT4583-QZ	DT4584-QZ	DT4585-QZ	DT4586-QZ
CODE	DT4575-QZ	DT4576-QZ	DT4587-QZ	DT4588-QZ	DT4589-QZ
CODE	DT4590-QZ				

SELF FEED WOOD DRILL BIT 140MM - EXTENSION PIECE



IN BRIEF Extension piece for Forstner self feed wood drill bit. 140mm. Self Feed Extension piece 140mm APPLICATIONS For rapid drilling of clean large diameter holes in wood. FEATURES 2 x sharp cutting edges for extremely fast drilling in ...

DT4592-QZ



<u>SET OF 5 CHROME-VANADIUM WOOD DRILL BITS IN PLASTIC</u> CASE

IN BRIEF Set of 5 bits for wood made of chrome vanadium steel, with practical plastic case. Diameters from 4 to 10mm. Manufactured from chrome vanadium alloyed steel Centre location point and outer cutting spurs for clean accurate holes Diameter ...

DE DT4535-QZ






info@ftpdistribution.lu

WOOD DRILL BITS

SHOCKPROOF FLATWOOD DRILL BIT



CODE	DT4763-QZ	DT4764-QZ	DT4765-QZ	DT4766-QZ	DT4767-QZ
CODE	DT4768-QZ	DT4769-QZ	DT4770-QZ	DT4771-QZ	DT4772-QZ
CODE	DT4773-QZ	DT4774-QZ	DT4775-QZ	DT4776-QZ	DT4777-QZ
CODE	DT4778-QZ	DT478 <mark>0-Q</mark> Z	DT4781-QZ	DT4783-QZ	DT4784-QZ
CODE	DT4785-QZ	DT478 <mark>6-Q</mark> Z	DT4787-QZ	DT4788-QZ	DT4789-QZ
CODE	DT4791-QZ	DT4792-QZ	DT4793-QZ	DT4762-QZ	
-					

TCT HINGE BORING BIT



IN BRIEF Hinge boring bit with a diameter of 26mm. Ideal for drilling in hardwood, softwood, plywood and laminates. APPLICATIONS Typically used to fit cantilever hinges. FEATURES

Tungsten carbide tipped wood boring tool for clean accurate f ...

DT4541-QZ

CODE

DT4543-QZ





WOOD DRILL BITS



WOOD AUGER DRILL BIT

IN BRIEF Centering tip for accurate drilling. Peculiar "Lewis" spiral flute for easy discharge of chips and a fast drilling. 30x380x280mm. APPLICATIONS Typically used for boring clean precise holes through beams, joists, doors etc. FEATURES ...

CODE	DT4600-QZ	DT4602-QZ	DT4604-QZ	DT4606-QZ	DT4608-QZ
CODE	DT4610-QZ	DT4612-QZ	DT4614-QZ	DT4615-QZ	DT4616-QZ
CODE	DT4618-QZ	DT4619-QZ	DT4620-QZ	DT4621-QZ	DT4632-QZ
CODE	DT <mark>46</mark> 34-QZ	DT463 <mark>6-Q</mark> Z	DT4638-QZ	DT4640-QZ	DT4642-QZ
CODE	DT4644-QZ	DT464 <mark>5-Q</mark> Z	DT4646-QZ	DT4648-QZ	DT4649-QZ
CODE	DT4650-QZ	DT4651-QZ			









DXPW001CE - PRO ELECTRIC MOTOR WASHERS DEWALT 160 BAR, 2500W, 2800 RPM

High quality 2800 rpm motor pump powered by a SINGLE-PHASE electric motor with THERMAL PROTECTION. Brass pump head. CRANKSHAFT system with THREE CERAMIC COATED PISTONS to give extended useable life. Double HNBR RUBBER GASKETS for improved protect ...

CODE 26771



DXPW001CE KART - PRO ELECTRIC MOTOR WASHERS DEWALT 160 BAR, 2500W, 2800 RPM

High quality 2800 rpm motor pump powered by a SINGLE-PHASE electric motor with THERMAL PROTECTION. Brass pump head. CRANKSHAFT system with THREE CERAMIC COATED

PISTONS to give extended useable life. Double HNBR RUBBER GASKETS for improved protect ...





DXPW001E - PRO HIGH PRESSURE DEWALT WASHERS 130BAR, 2300W

Premium quality 2800 rpm motor pump powered by a SINGLE PHASE electric motor with THERMAL PROTECTION. Aluminum pump head with ANODIZED COATING. 3 axial STAINLESS

STEEL pistons wobble plate pump system. SELF PRIMING function Rotative switch control ...

info@ftpdistribution.lu







DXPW002CE - PRO ELECTRIC MOTOR WASHERS DEWALT 180 BAR, 2900W, 2800 RPM

High quality 2800 rpm motor pump powered by a SINGLE-PHASE electric motor with THERMAL PROTECTION. Brass pump head. CRANKSHAFT system with THREE CERAMIC COATED PISTONS to give extended useable life. Double HNBR RUBBER GASKETS for improved protecti ...

CODE 26773



DXPW002CE KART - PRO ELECTRIC MOTOR WASHERS DEWALT 180 BAR, 2900W, 2800 RPM

High quality 2800 rpm motor pump powered by a SINGLE-PHASE electric motor with THERMAL PROTECTION. Brass pump head. CRANKSHAFT system with THREE CERAMIC COATED PISTONS to give extended useable life. Double HNBR RUBBER GASKETS for improved protectio ...





DXPW003CE - PRO ELECTRIC MOTOR WASHERS DEWALT 150 BAR, 2900W, 2800 RPM

High quality 2800 rpm motor pump powered by a SINGLE-PHASE electric motor with THERMAL PROTECTION. Brass pump head. CRANKSHAFT system with THREE CERAMIC COATED PISTONS to give extended useable life. Double HNBR RUBBER GASKETS for improved protecti ...

🕥 info@ftpdistribution.lu







DXPW003CE KART - PRO ELECTRIC MOTOR WASHERS DEWALT 150 BAR, 2900W, 2800 RPM

High quality 2800 rpm motor pump powered by a SINGLE-PHASE electric motor with THERMAL PROTECTION. Brass pump head. CRANKSHAFT system with THREE CERAMIC COATED PISTONS to give extended useable life. Double HNBR RUBBER GASKETS for improved protecti ...

CODE 26776



DXPW003E - PRO HIGH PRESSURE DEWALT WASHERS 160BAR, 2900W

Premium quality 2800 rpm motor pump powered by a SINGLE PHASE electric motor with THERMAL PROTECTION Brass pump head CRANKSHAFT system with THREE CERAMIC COATED PISTONS to give longer useable life Double TEXTILE RUBBER GASKETS for improved protection ...

CODE 14671



DXPW004E - PRO HIGH PRESSURE DEWALT WASHERS 150BAR, 3000W

High quality 1450 rpm motor pump powered by a SINGLE PHASE electric motor with THERMAL PROTECTION Brass pump head CRANKSHAFT system with THREE CERAMIC COATED PISTONS providing longer useable life Double TEXTILE RUBBER GASKETS for improved protection ...

🕐 info@ftpdistribution.lu







DXPW005E - PRO HIGH PRESSURE DEWALT WASHERS 200BAR, 5000W

High quality 1450 rpm motor pump powered by a 3 PHASE electric motor with THERMAL PROTECTION. Brass pump head. CRANKSHAFT system with THREE CERAMIC COATED PISTONS to give longer useable life. Double TEXTILE RUBBER GASKETS for improved protection. ...

CODE 25157



DXPW006E - PRO HIGH PRESSURE DEWALT WASHERS 170BAR, 5000W

High quality 1450 rpm motor pump powered by a 3 PHASE electric motor with THERMAL PROTECTION. Brass pump head. CRANKSHAFT system with THREE CERAMIC COATED PISTONS

to give longer useable life. Double TEXTILE RUBBER GASKETS for improved protection B ...





DXPW007E - PRO HIGH PRESSURE DEWALT WASHERS 230BAR, 7400W

High quality 1450 rpm motor pump powered by a 3 PHASE electric motor with THERMAL PROTECTION. Brass pump head. CRANKSHAFT system with THREE CERAMIC COATED PISTONS to give longer useable life. Double TEXTILE RUBBER GASKETS for improved protection B ...

🕐 info@ftpdistribution.lu







DXPW008E - PRO GAS ENGINE WASHERS DEWALT 190BAR

High quality piston pump direct driven powered by a HONDA Gas Engine. Brass pump head. CRANKSHAFT system with THREE CERAMIC COATED PISTONS to give longer useable life. Double TEXTILE RUBBER GASKETS for improved protection. Pump oil tank with OIL ...

CODE 25160



DXPW009E - PRO GAS ENGINE WASHERS DEWALT 210BAR

High quality piston pump direct driven powered by a HONDA Gas Engine. Brass pump head. CRANKSHAFT system with THREE CERAMIC COATED PISTONS to give longer useable life. Double TEXTILE RUBBER GASKETS for improved protection. Pump oil tank with OIL ...

CODE 25161



DXPW010E - PRO GAS ENGINE WASHERS DEWALT 250BAR

High quality piston pump powered by a HONDA Gas Engine through Gear Box for SPEED REDUCTION. Brass pump head. CRANKSHAFT system with THREE CERAMIC COATED PISTONS to give longer useable life. Double TEXTILE RUBBER GASKETS for improved protection GI ...

🕐 info@ftpdistribution.lu

CODE 25162







DXPW011E - PRO GAS ENGINE WASHERS DEWALT 250BAR

High quality PISTON PUMP DIRECT DRIVEN powered by a HONDA Gas Engine. BRASS pump head with NICKEL COATING. CRANKSHAFT system with THREE CERAMIC COATED PISTONS to give longer useable life. Double TEXTILE RUBBER GASKETS for improved protection. Pum ...

CODE 26303



FTP LUX DISTRIBUTION





(🔇) +352 26 39 33 73





info@ftpdistribution.lu



<u>1/2 "IMPACT WRENCH SET IN TSTAK TROLLEY WITH USAG SELF-</u> <u>REPAIR ASSORTMENT (39 PCS.)</u>

Dewalt trolley including: Impact wrench 1/2 "DCF894 with 2 batteries included Usag case with 39 tools: • Sockets wrenches Teflon coated 270 B (17-19-21 mm) • Combination ratchet wrenches 285 KA 8-10-13-17 mm • Bit box with ratchet 606 1/4 " ...

E DWUSK138-IT



<u>100-PIECE DRILLING AND SCREWING ACCESSORIES FITTING A</u> TSTAK DRAWER

IN BRIEF 100 pieces assortment with metal drill bits, holesaws, mandrel, magnetic adapter, sockets and various 25mm screwdriving bits. Re-usable storage case that is compatible with the

T-Stak drawer unit. Contains Screwdriving, metal drilling, ...



10PC MIX TORX 57MM IMPACT SD KEYRING (50 PCS.)



10pc Mix Torx 57mm Impact SD Keyring 3 T20 - 4 T25 - 3 T30

E DT7275-QZ







10PC SDS-PLUS EXTREME® (5 PCS.)

SDS-plus EXTREME® DEWALT 2 masonry drill bits: 5mm x 110mm, 6mm x 110mm x2, 6mm x 160mm x2, 7mm x 160mm, 8mm x 160mm, 9mm x 160mm, 10mm x 160mm, 12mm x 160mm

CODE DT70753-QZ

10PC SET XLR SDS PLUS FULL HEAD CARBIDE (5 PCS.)

SDS-plus Full Head Carbide masonry drill bits: 5mm x 110mm, 6mm x 110mm x2, 6mm x 160mm x2, 6.5mm x 160mm, 8mm x 160mm x2, 10mm x 160mm, 12mm x 160mm.

CODE DT70752-QZ



SCREWING SET 32 PIECES

25mm Screwbits: PH1, PH2x3, PR2x2, PH3, PZ1x2, PZ2x5, PZ3x3, SL6x2, SL8, T10x2, T15x2, T20x2, T27, T30, T40, Porta inserti magnetico

CODE DT70523T-QZ

SCREWING SET 33 PCS (5 PCS)



Screwing set 33 pcs - 1 magnetic adapter - 1 magnetic adapter with guide - 28 25mm inserts: PH1,2,3 PZ1,2,3 T10,15,20,25,30,40 SL5.5,8 - 3 inserts of 50mm: PH2 PZ2 T25

DT70709-QZ

CODE

FTP LUX DISTRIBUTION



www.ftpdistribution.lu 🔇 +352 26 39 33 73 🏼 🔄 info@ftpdistribution.lu



SET OF 6 WOOD DRILL BITS WITH 3 CUTTING EDGES



Set 6 wood drill bits with 3 cutting edges diameters: 13-16-18-22-25-32 mm



CODE

12V SCREWDRIVER AND SCREWDRIVER KIT, 2 3.0AH BATTERIES, BATTERY CHARGER AND TSTAK CASE

Composition: 2-speed drill driver DCD701 Impact wrench 1/4 "" DCF801 2 XR Lithium 12V 3.0Ah batteries with charge indicator Quick charger T-stack case Features of the Compact Dewalt

12V DCD701 screwdriver drill: Powerful 12 Volt combined tool for d ...





<u>18V DRILL DRIVER AND SCREWDRIVER KIT, 2 BATTERIES AND</u> TSTACK CASE

The Dewalt DCK2062M2T-QW Kit is designed to be light and easy to handle. The kit consists of: The DCD709 Impact Drill Driver measures only 175 mm, with brushless motor, offers high

info@ftpdistribution.lu

performance and long life. Equipped with LEDs to provide optimal ligh ...



www.ftpdistribution.lu 🔇 +352 26 39 33 73





18V SCREWDRIVER AND GRINDER KIT WITH TSTACK CASES



Dewalt DCK2153P2T-IT screwdriver and grinder kit. Cordless drill with percussion 18V XR Lithium with 5.0Ah battery. Two speeds guaranteed by a completely metal gear system. 15 torque adjustment points for a correct setting in each application possibi ...





63PC DRILL DRIVE SET WITH EXTREME® MASONRY AND EXTREME® 2 HSS-G METAL DRILL BITS (5 PCS.)

Set 63 pieces for drilling and screwing Content: Extreme wall tips: 4, 5, 6 x2, 7, 8 x2 mm Extreme metal drills: 1.5, 2, 2.5, 3, 3.5, 4, 4.5, 5, 5.5, 6, 6.5, 7 mm 25mm inserts: PH1, PH2 x3, PH3, PZ1, PZ2 x23, PZ3, T15, T20 x3, T25 x3, T30, T40. 50mm ...

CODE DT70759-QZ



<u>68PC DRILL DRIVE SET WITH SDS PLUS EXTREME®, EXTREME®</u> <u>2 METAL, AND EXTREME® MASONRY DRILL BITS (5 PCS.)</u>

Set of 68 pieces for drilling and screwing Content: SDS + Extreme2 tips: 6 x 110mm, 6 x2, 8, 10 x 160mm. Extreme 2 metal tips: 1.5, 2, 2.5, 3, 3.5, 4, 4.5, 5, 5.5, 6, 6.5, 7 mm Extreme wall tips: 4, 5, 6 x2, 7, 8 x2 mm 25mm inserts: PH1, PH2 x3, PH3, ...

🕐 info@ftpdistribution.lu

CODE DT70760-QZ





🕐 info@ftpdistribution.lu

85-PIECE SET FOR DRILLING AND SCREWING

85-piece set for drilling and screwing Large box of 85 pieces containing: 5 wooden bits 14, 18, 20, 22, 25mm - 6 metal / wood / plastic tips 2, 3, 4, 5, 6, 8mm - 5 SDS tips + 5,6,8,10, 12 mm x 160mm - 1 magnetic adapter with guide - 2 bushes 8.10 mm ...

CODE DT70763-QZ

85-PIECE SET FOR PUNCH AND SCREW

85-piece set for punch and screw Large box of 85 pieces containing: 5 wooden sticks 18, 20, 22, 25,32mm - 6 metal / wood / plastic tips 2, 3, 4, 5, 6, 8mm - 5 SDS tips + 5,5,6,7,8, 10mm x 160mm - 1 magnetic adapter with guide - 2 bushes 8.10 mm - 2 i ...

CODE DT70762-QZ



COMPLETE "FLIP&DRIVE" SET (10 PCS)

IN BRIEF 10 pieces "Flip & Drive" set including drill bits, countersink, screwdriving bits and connectors. Set Contents: No.6 Connector, 8, 10, 12 Countersink, PZ2, PZ2(x2), PH2(x2) Pilot Bit Drill/Drive Accessory for Drilling Countersink and ...

CODE DT7612-XJ





info@ftpdistribution.lu



DEWALT DT71566 QZ MIXED DRILL BIT SET 100 PCS

Information: DeWalt high speed steel drill bit set comes with 100 pieces and can be used with general purpose drilling and screwdriving. All pieces are compatible with hand braces & power drills, and organised in a carry case. Description: ...

E DT71566-QZ



DIAMETER SCREWDRIVING GUIDE

Information: The DeWalt diameter screwdriving guide has a self retracting guide sleeve that protects fingers and holds screws in place, whilst eliminating wobbling and slipping. Description: Tough quality, professional screwdriver bits including ...

DT7702-QZ DT7701-QZ



DRILL DRIVER SET IN TROLLEY TSTAK WITH DEWALT AND USAG ELECTRIC ASSORTMENT (120 PCS.)

Dewalt trolley including: DCD796 cordless drill with 2 batteries included Accessory set for drilling and screwing DT71569 Usag case with 20 tools: • Combination ratchet wrenches 285 KA 8-10-13-17 mm • 085 EX 180 insulated universal pliers • Set ...

CODE

DWUSK127-IT







DRILL DRIVER SET IN TROLLEY TSTAK WITH DEWALT AND USAG MAINTENANCE ASSORTMENT (124 PCS.)

TSTAK trolley with Dewalt maintenance assortment and Usag tools, consisting of: DeWalt DCD796 cordless drill with percussion (2 batteries included) Set 100 accessories DT1569 DeWalt for drilling and screwing Usag 24 tools assortment: • Universal pl ...

CODE DWUSK117-IT



PCS

DT70523TM QZ IMPACT TORSION SCREWDRIVER BIT SET 32

Information: Robust small cassette for safe storage and easy accessibility to screwdriving accessories. It is impact ready for use in impact drivers, while the magnetic bit tip holder features

a retractable collar to eject the screwdriver bit only ...



DT71565 QZ COMBINATION SCREWDRIVER & METAL DRILL BIT SET 36 PCS

Information: S2 grade steel screwdriver bits and HSS TiN metal drill bits. Supplied with a magnetic bit holder in a handy-sized, hard plastic case. Description: 9 x 25mm screwdriver bits 18 x 50mm screwdriver bits 7 x HSS metal drill bits (...

info@ftpdistribution.lu

DT71565-QZ

CODE







DT71567 QZ DRILL AND SCREWDRIVER BIT SET 16 PCS

Information: Dewalt Combination Set has S2 Steel Pozi Screwdriver Bits, HSS Titanium Metal Drill Bits and Masonry Drill Bits with Carbide Hammer Heads. Comes in a plastic case with flip up sections for easy access to accessories. Description: 1 ...

CODE DT71567-QZ



DT9679 QZ SET 15 PIECES FOR DRILLING AND SCREWING

15-piece Set For Drilling and Screwing: 6x Tips length 110mm measurements: 5-5,5-6-7-8-10mm 4x Tips 160mm length measures: 6-8-10-12mm 1x Tip length 210mm measuring 14mm 1x Pointed chisel 250mm 1x flat chisel 250mm 2x 250mm spatulas chisel

ODE DT9679-QZ



EXTREME FLEXTORQ SCREWING SET 25 PCS (5 PCS)


Extreme FlexTorq screwing set 25 pcs - 1 magnetic insert holder with torsion zone - 1 magnetic 8mm hexagonal compass - 15 inserts of 25mm: PZ2,3 SL6 T20,25,30 - 5 inserts of 57mm: PH2 PZ2,3 - 3 inserts of 85mm: PH2 PZ2

DT70730T-QZ

CODE

CODE

PRICE



EXTREME FLEXTORQ SCREWING SET 31 PCS (5 PCS)

Extreme FlexTorq screwing set 31 pcs 1 magnetic insert holder with torsion zone 15 25mm inserts: PH1,2,3 PZ1,2,3 T20,25 - 15 inserts from 57mm: PH1,2 PZ1,2,3 T20,25

🕥 info@ftpdistribution.lu

DT70737T-QZ







EXTREME FLEXTORQ SCREWING SET 32 PCS (5 PCS)

Extreme FlexTorq screwing set 32 pcs 1 magnetic insert holder with torsion zone 1 magnetic 8mm hexagonal compass - 22 25mm inserts: PH2 PZ1,2,3 SL6 T15,20,25,30 - 5 inserts from

57mm: PH2 PZ2,3 T20,30 - 3 inserts from 85mm: PH2 PZ2 T25

CODE DT70743T-QZ



EXTREME FLEXTORQ SCREWING SET 37 PCS (5 PCS)

Extreme FlexTorq screwing set 37 pcs 1 magnetic insert holder with torsion zone 1 insert holder with guide - 22 inserts 25mm: PH1,2,3 PZ1,2,3 SL6 T20,25,25 security - 11 inserts from 57mm: PH2 PZ1,2,3 T20, 25 - 2 inserts from 85mm: PH2 PZ2

DT70731T-QZ CODE

HEXAGONAL SOCKETS: 1/2" SQUARE (5 PCS)

Information: DeWalt 1/2" hexagonal sockets High quality Professional tool Description: DeWalt 1/2" hexagonal sockets High quality Professional tool

CODE	DT7531-QZ	DT7532-QZ	DT7533-QZ	DT7534-QZ	DT7535-QZ
CODE	DT7536-QZ	DT7537-QZ	DT7539-QZ	DT7540-QZ	DT7541-QZ
CODE	DT7551-QZ	DT7552-QZ	DT7553-QZ	DT7555-QZ	DT7556-QZ
CODE	DT7557-QZ	DT7530-QZ			











KIT WITH SDS-PLUS ROTARY HAMMER, HAMMER DRILL, 125MM GRINDER, 4 XR 18V 5.0AH BATTERIES, 2 CHARGERS AND 3 TSTAK CASES

Kit DCK353P4T SDS-Plus Hammer + DCD796 Hammer drill + DCG405 125mm grinder with 4 XR 18V 5.0Ah batteries + 2 Battery chargers + 3 TSTAK cases DeWalt DCH273P2T SDS-PLUS rotary hammer Power output 400 Watt Impact energy 2.1J Percussion per minu ...

CODE DCK353P4T-IT

MAGNETIC FLEXIBLE SHAFT WITH 1/4" HEXAGONAL JOINT



Magnetic flexible shaft with 1/4" hexagonal joint. It is equipped with a 10 times stronger quick magnetic hold. Length: 30cm, 90° angled head. Equipment: side grip for a better control.

DT70621-QZ



MASTERBOX MERCHANDISER WITH 12X DT71516-QZ

IN BRIEF Masterbox merchandiser with 12 pieces of DT71516-QZ. A 24 Piece compact Socket and Screwdriving Kit with Sockets from 6 to 13 mm and a Socket Adapter. Also a variety of

Screwdriver Bits, a Reversable Geared Ratchet and a Magnetic Bit Hold ...

CODE DT71516M-QZ





MASTERBOX MERCHANDISER WITH 12X DT7969-QZ



IN BRIEF Masterbox Merchandiser with 12 sets composed of magnetic bitholder and various inserts for all fastening and tightening applications.

CODE DT7969M-QZ



SCREWING SET 40 PCS (5 PCS)

Screwing set 40 pcs - 2 hexagonal sockets 8,10mm - 1 magnetic adapter with guide - 21 25mm inserts: PH1,2,3 PZ2,3 PZ2,3 T15,20,25,30 - 14 inserts of 50mm: PH1,2 PZ2,3 T15,20,25,30 - 2 inserts of 85mm: PH2 PZ2

CODE DT70702-QZ



SET 14 POINTS METAL-WOOD-PLASTIC BLACK & GOLD TRIANGULAR SHANK (5 PCS.)

Set 14 points metal-wood-plastic Black & Gold triangular shank measurements: 1, 1.5x2, 2x2, 2.5, 3x2, 3.5, 4x2, 5, 6, 8 mm

DT70727-QZ

FTP LUX DISTRIBUTION



www.ftpdistribution.lu 🔇 +352 26 39 33 73 🔄 info@ftpdistribution.lu





info@ftpdistribution.lu





<u>SET 19 METAL-WOOD-PLASTIC TIPS BLACK & GOLD</u> <u>TRIANGULAR SHANK (5 PCS)</u>

Set 19 metal-wood-plastic tips Black & Gold triangular shank measurements: 1, 1.5, 2x2, 2.5x2, 3x2, 3.5x2, 4x2, 5x2, 5.5, 6, 7, 8, 10 mm

CODE DT70728-QZ



<u>SET 23 METAL-WOOD-PLASTIC TIPS BLACK & GOLD</u> <u>TRIANGULAR SHANK (5 PCS.)</u>

Set 23 metal-wood-plastic tips Black & Gold triangular shank measurements: 1x2, 1.5x2, 2x2, 2.5x2, 3x2, 3.5x2, 4x2, 4, 5, 5x2, 6, 7, 8, 9, 10, 12 mm

DT70729-QZ



SET 25 25MM IMPACT TORSION SCREWDRIVER BITS (21 PCS.)

Information: Torsion maximises the bits life and turning force when used in extreme applications Impact Torsion give you more surface area and increased friction who gives less slippage and less than 40 of movement. Description: These Impact rea ...

DT70556T-QZ DT70555T-QZ





ASSORTMENTS

info@ftpdistribution.lu



<u>SET 9 MECCHIE WOOD EXTREME ATTACK HEXAGONAL 1/4 " (5</u> PCS.)

Set of 9 wooden slots Extreme hexagonal 1/4 "connection sizes: 12, 14, 16, 18, 20, 22, 25, 28, 32 mm

DT70751-QZ



<u>SET N. 10 FLEX TORQ 50MM POZIDRIV INSERTS + CARABINER</u> (50 PCS)

Set n. 10 Flex Torq 50mm Pozidriv inserts + carabiner - 2 PZ1 - 6 PZ2 - 2 PZ3





PCS)

SET OF 19 PIECES FOR SCREWING AND DRILLING METALS (5

Composition: 7x Pozi Screwdriver Bits 6x Drill Bits 4x Phillips Screwdriver Bits 1x Compact Magnetic Drive Guide 1x Magnetic Bit Holder 1x Small ToughCase

CODE DT70711-QZ





ASSORTMENTS



SET OF 25 INSERTS: 25 MM (21 PCS)

Informaion: These DeWalt screwdriver bits are designed for use with impact drivers for optimal results. These strong and durable screwdriver bits are supplied in a handy, plastic flip-top box. Professional use bits ideal for driving fasteners int ...

CODE DT71522-QZ DT71521-QZ













<u>1 3/4 IN. SDS MAX COMBINATION HAMMER</u>

1-3/4 IN. SDS MAX COMBINATION HAMMER E-CLUTCH helps protect user from violent rotations in a bind up. Constant Speed Electronics maintain speed under heavy loads in higher PSI concrete for fast, efficient drilling. Drill and demolish concrete with ...

D25733K-QS D25773K-QS

<u>1 M GUIDE RAIL</u>



IN BRIEF 1m guide rail for QS-D23551 / D23651K-QS / DWS520K-QS / DC352KB-QW / QW-DC351KL. Guide Rail

CODE DWS5021-XJ

DWS5023-XJ



1-2" TO 1-4" IMPACT WRENCH ADAPTER

IN BRIEF Impact wrench adapter 1/2" hexagonal drive, suitable for 1/4" drive tools. 1/2 to 1/4 Impact Wrench Adaptor APPLICATIONS For all screwdriving applications.

DT7508-QZ



<u>1-4 TO 1-2 IMPACT DRIVER ADAPTER</u>

IN BRIEF Impact driver adapter 1/4" to 1/2". 1/4 to 1/2 Impact Driver Adaptor

CODE DT7512-QZ





info@ftpdistribution.lu



<u>1/2 "IMPACT WRENCH SET IN TSTAK TROLLEY WITH USAG SELF-</u> <u>REPAIR ASSORTMENT (39 PCS.)</u>

Dewalt trolley including: Impact wrench 1/2 "DCF894 with 2 batteries included Usag case with 39 tools: • Sockets wrenches Teflon coated 270 B (17-19-21 mm) • Combination ratchet wrenches 285 KA 8-10-13-17 mm • Bit box with ratchet 606 1/4 " ...

CODE DWUSK138-IT



10PC MIX TORX 57MM IMPACT SD KEYRING (50 PCS.)

10pc Mix Torx 57mm Impact SD Keyring 3 T20 - 4 T25 - 3 T30



CODE DT7275-QZ

FTP LUX DISTRIBUTION



www.ftpdistribution.lu 🔇 +352 26 39 33 73



info@ftpdistribution.lu

1/2 "12V XR IMPACT WRENCH WITH 2 5AH BATTERIES



Technical data: Tightening torque 340 Nm Lightweight for added comfort Optimized impact mechanism Note: This product is equipped with Euro Plug and operates at 220-230V

CODE DCF901P2-QW

1/2" BRUSHLESS 95 NM RATCHET WITH 2 AH BATTERY AND CHARGER

DeWALT's DCF512D1G cordless ratchet is part of the new generation of powerful 18-volt cordless ratchets with high torque and compact size. The robust 1/2" external square drive with ball guard allows for quick change and ensures a secure fit of the ...

CODE DCF512D1G-QW



<u>1/2" BRUSHLESS 95 NM RATCHET WITH BAG, 2 AH BATTERY</u> <u>AND CHARGER</u>

This versatile cordless 18V brushless motor 1/2-inch ratchet is designed to help you complete a wide variety of demanding jobs. Providing 75Nm of maximum torque, the ratchet is suitable for a variety of fastening projects with a variable speed trigg ...

DCF512D1-QW







1/2" BRUSHLESS RATCHET 95 NM WITHOUT BATTERIES OR CHARGER

The powerful brushless motor delivers up to 95Nm of torque. Narrow design for a comfortable grip and easy work in small spaces. Variable speed for optimum control in every application. Integrated LED lighting. Note: This product is equipped wi ...

CODE DCF512N-XJ



10PC SDS-PLUS EXTREME® (5 PCS.)

SDS-plus EXTREME® DEWALT 2 masonry drill bits: 5mm x 110mm, 6mm x 110mm x2, 6mm x 160mm x2, 7mm x 160mm, 8mm x 160mm, 9mm x 160mm, 10mm x 160mm, 12mm x 160mm

DT70753-QZ

CODE

115MM AND 230MM ANGLE GRINDERS SET



Pair of angle grinders: DWE4156-QS 115MM 900W + DWE492-QS 230MM 2200W Note: This product is equipped with Euro Plug and operates at 220-230V

DWE492DUO1-QS







1/2" FULL METRIC SOCKET SET (22 PCS.)

The Dewalt[®] metric socket set includes a variety of sockets and accessories for your convenience. The sockets include DirectTorque[™] technology to help prevent rounding of fasteners

and to provide better grip. Measures from mm 8 to 32.

DDE DWMT19241-1

1/2" 12V XR IMPACT WRENCH WITH 5AH "G" BATTERY



External rubber coating to protect the surfaces on which you work. Glass-filled nylon outer cover ensures durability. Supplied with: 1 12V XR "G" 5Ah battery, battery charger, pre-formed foam for chest of drawers, rubber overbody. Note: This ...





<u>1/4" 3/8" AND 1/2" SOCKETS AND ACCESSORIES SET METRIC</u> AND INCH (205 PCS.)

The Dewalt[®] 205-piece tool set includes the ratchets and sockets you need for almost any mechanical job. It also comes with a bit driver, specialty and nut bits, combination wrenches, and hex keys. The set comes in a durable blow-molded case with ...

CODE DWMT81534-1









1/4" BRUSHLESS 54 NM RATCHET WITH 2 AH BATTERY AND **CHARGER**

The powerful brushless motor delivers up to 54Nm of torque. Narrow design for a comfortable grip and easy work in small spaces. Variable speed for optimum control in every application. Integrated LED lighting. Equipment: 1 x 18V 2Ah battery B ...

CODE DCF504D1-QW



1/4" BRUSHLESS 54 NM RATCHET WITH 3 AH BATTERY AND **CHARGER**

DeWALT's DCF504L1G cordless ratchet is part of the new generation of powerful cordless ratchets with high torque and compact dimensions. The robust external 1/4" square drive with

ball guard allows for quick change and ensures a secure fit of the pl ...



18V XR LITIO 4.0 AH COMPACT BATTERY



18V XR Litio 4.0 Ah compact battery Note: This product is equipped with Euro Plug and operates at 220-230V

CODE DCB189-XJ











1/4" BRUSHLESS RATCHET 54 NM WITHOUT BATTERIES OR CHARGER

The DeWALT DCF504N cordless ratchet is part of the new generation of powerful cordless ratchets with high torque and compact size. The robust external 1/4" square drive with ball guard allows for quick change and ensures a secure fit of the plug-in ...

CODE DCF504N-XJ



1/4" METRIC AND IMPERIAL SOCKETS AND ACCESSORIES SET (50 PCS.)

The Dewalt[®] mechanics tool set includes a variety of \mathcal{X}'' drive tools as well as 22 bits. The 72 tooth count ratchet allows for a 5 degree arc swing for maneuverability in restricted areas. These tools feature a full polish chrome finish for corrosion resistance.

DWMT81610-0

CODE



10 LITER, COMPRESSOR

DESCRIPTION Extremely quiet compressor, with two air outlets and side roller cage. Developed for interior work. SPECIFICATIONS Container volume: 9.4 | Voltage: 230 volts Recording power: 1.5 hp Recording power: 1100 W Pump type: oil-free Max. ...

CODE DPC10QTC-QS





info@ftpdistribution.lu



<u>10-PIECE IMPACT TORSION SCREWDRIVING SET WITH</u> <u>PIVOTING BIT TIP HOLDER</u>

IN BRIEF Assortment of 10 pieces including Impact Torsion 25mm screwdriving bits pivotal bitholder. CNC precisely machined bit with a torsion zone to absorb peaks in torque. Allows optimum bit flex for maximum life in Impact/High Torque applicati ...

CODE DT70518T-QZ



10-PIECE JIGSAW BLADE KIT - METAL CUTTING

IN BRIEF 10 pieces assortment of blades for cutting metals (DT2160, DT2161, DT2172, DT2163, DT2054). Suitable for use with Dewalt, AEG, Atlas, Copco, Bosch, Elu, Festo, Hitachi, Holzher, Makita, Metabo High Carbon Steel blades for wood cutting H ...

CODE DT2292-QZ



10-PIECE JIGSAW BLADE KIT - WOOD AND METAL CUTTING

DeWALT Jigsaw Blades : DT2294-QZ 10 pieces assortment of blades for wood and metal, made of High Carbon Steel and High Strength Steel. The storage case is handy and re-usable and contains DT2165, DT2177, DT2050, DT2160 and DT2163 blades. Cont ...

CODE DT2294-QZ

www.ftpdistribution.lu 🔇 +352 26 39 33 73





info@ftpdistribution.lu



10-PIECE JIGSAW BLADE KIT - WOOD CUTTING

IN BRIEF Assortment of 10 blades for wood (DT2165, DT2177, DT2050, DT2166, DT2168, DT2075). Suitable for use with Dewalt, AEG, Atlas, Copco, Bosch, Elu, Festo, Hitachi, Holzher, Makita, Metabo High Carbon Steel blades for wood cutting High Stren ...

DE DT2290-QZ

10.8V 2AH LI-ION RECIPROCATING SAW



IN BRIEF XR 10.8V - 2.0Ah Saw with adjustable handle in 3 positions. 104W Power output. Multi-voltage XR charger. Adjustable three position pivoting handle provides user with flexibility to work in confined spaces Compact and lightweight design E ...

CODE DCS310D2-QW

10.8V MINI RECIP SAW BARE UNIT



IN BRIEF Compact recip saw with 3 position adjustable handle. Powerful 10.8V motor and 140W power output. LED light for improved visibility. Adjustable 3 position pivoting handle provides user with flexibility to work in confined spaces. Powerful ...

CODE DCS310N-XJ





info@ftpdistribution.lu



10.8V XR LED FLASHLIGHT

IN BRIEF Torch with belt clip and magnetic thread. Pivoting head rotates 180° horizontally and vertically. Compact and impact resistant. Flashlight has belt clip, magnetic mount or can be free standing, Flashlight head can rotate 180° horizontal ...

CODE DCL510N-XJ



10.8V-1.3AH XR LI-ION BATTERY PACK

IN BRIEF Compact and lightweight lithium battery, compatible with all 10.8V batteries. No memory effect and self-discharge. Capacity of 1.3Ah. 10.8V XR Li-Ion Battery Pack Note: This product is equipped with Euro Plug and operates at 220-230V

CODE DCB127-XJ



100 M LASER DISTANCE METER

IN BRIEF Laser distance measurer with up to 100m range and inclinometer. Calculates area, volume and angles. Up to 20 measures can be stored. Laser distance measurer (LDM) manufactured to withstand the inevitable job site drops and falls on the J ...

CODE DW03101-XJ









<u>100-PIECE DRILLING AND SCREWING ACCESSORIES FITTING A</u> <u>TSTAK DRAWER</u>

IN BRIEF 100 pieces assortment with metal drill bits, holesaws, mandrel, magnetic adapter, sockets and various 25mm screwdriving bits. Re-usable storage case that is compatible with the T-Stak drawer unit. Contains Screwdriving, metal drilling, ...

CODE DT71569-QZ

CODE



10L XR FLEXVOLT 54V AIR COMPRESSOR

DCC1054T2-QW

The first 54V battery-powered compressor takes you into a new professional dimension. The innovative design, the compact machine body and the cordless platform guarantee pneumatic supply applications anywhere and in all conditions. SPECIFICATIONS ...



10MM ROTARY DRILL 550W. WITH KEYLESS CHUCK

IN BRIEF Rotary Drill ideal for drilling in wooden and metal frames, with professional 10mm keyless chuck. Variable speed and roto-stop. Keyless ratcheting chuck for quick and easy bit change Compact design enables comfortable one handed use and ...

CODE DWD014S-QS







10PC SET XLR SDS PLUS FULL HEAD CARBIDE (5 PCS.)

SDS-plus Full Head Carbide masonry drill bits: 5mm x 110mm, 6mm x 110mm x2, 6mm x 160mm x2, 6.5mm x 160mm, 8mm x 160mm x2, 10mm x 160mm, 12mm x 160mm.

CODE DT70752-QZ



11" CORDURA TOOL AND SMALL PARTS BAG

The DeWALT Toughsystem 2.0 Tool Bag is made to be water and dirt resistant thanks to its 1680 denier water repellent material. It's made to be comfortable to use with an ergonomic handle and padded shoulder strap. Characteristics Water and dirt ...

E DWST83524-1



11-PIECE IMPACT TORSION SOCKET SET

IN BRIEF kit of 11 hexagonal sockets for impact wrenches with 1/2" drive. Impact rated sockets for use with 1/2" drive impact wrenches Manufactured to highest standards to ensure application durability Black oxide finsh with laser marking Cont ...

CODE DT7506-QZ

110MM TORSION PHILIPS PH2 BITS (5 PCS)

IN BRIEF Screwdriving bits for long lasting applications and intense use. 5 pieces pack. 110mm Pozidriv [®] bit (5 pcs) APPLICATIONS For all screwdriving applications. FEATURES High quality professional screwdriver bits. Flexible Torsion ...

CODE DT7204-QZ

FTP LUX DISTRIBUTION



www.ftpdistribution.lu 🔇 +352 26 39 33 73 🔄 info@ftpdistribution.lu



info@ftpdistribution.lu

110MM TORSION POZIDRIV PZ2 BITS (5 PCS)

IN BRIEF Screwdriving bits for long lasting applications and intense use. 5 pieces pack. 110mm Phillips [®] bit (5 pcs) APPLICATIONS For all screwdriving applications. FEATURES High quality professional screwdriver bits. Flexible Torsion ...

CODE DT7203-QZ



<u>115MM CIRC SAW BARE IN T-STAK (NO BATTERIES NO</u> <u>CHARGER)</u>

115mm Circ Saw Bare in T-STAK (no batteries no charger) The DCS571NT is a brushless 115mm (4-1/2 in.) cordless circular saw kit that comes with a 24-tooth TCT sawblade, rip fence,

and AirLock compatible dust port adaptor. The saw comes packed in a T ...

CODE DCS571NT-XJ



<u>115MM CIRC SAW KITTED 2X 5.0AH</u>

115mm Circ Saw Kitted 2x 5.0Ah The DCS571NT is a brushless 115mm (4-1/2 in.) cordless circular saw kit that comes with a 24-tooth TCT sawblade, rip fence, and AirLock compatible dust

port adaptor. The saw comes packed in a TSTAK II flat-top suitcase ...

CODE DCS571P2-QW





info@ftpdistribution.lu



12-18V XR 8A 4 PORT FAST CHARGER

Simultaneously fast charges 4 batteries, eliminating need for multiple chargers 8A Output current per port Charges 4 x 9Ah XR FLEXVOLT batteries in 75 minutes and 4 x 12Ah in 100 minutes Mounts onto ToughSystemTM kit boxes for ease of storage and ...

CODE DCB104-QW

12/18V 2 SPOT & CROSS GREEN BEAM LASER



Multivoltage XR power tool battery platform (18V AND 12V compatible) for extra long run time and the convenience of rechargeable power tool batteries. Self-levelling Cross Line Laser with 2 Spots (plumb up and down). Working Range: 30m (50m with dete ...





12/18V 2 SPOT & CROSS GREEN BEAM LASER KIT

Multivoltage XR power tool battery platform (18V AND 12V compatible) for extra long run time and the convenience of rechargeable power tool batteries Self-levelling Cross Line Laser with 2 Spots (plumb up and down) Working Range: 30m (50m with detect ...







🕥 info@ftpdistribution.lu



12/18V 5 SPOT & CROSS GREEN BEAM LASER

Multivoltage XR power tool battery platform (18V AND 12V compatible) for extra long run time and the convenience of rechargeable power tool batteries. Self-levelling Cross Line Laser with 5 Spots. Working Range: 30m (50m with detector). Accuracy: +/- ...

DCE825NG18-XJ



12/18V 5 SPOT & CROSS GREEN BEAM LASER KIT

Multivoltage XR power tool battery platform (18V AND 12V compatible) for extra long run time and the convenience of rechargeable power tool batteries. Self-levelling Cross Line Laser with 5

Spots. Working Range: 30m (50m with detector). Accuracy: +/- ...

DCE825D1G18 -QW

CODE



12/18V CROSS LINE GREEN BEAM LASER

Multivoltage XR power tool battery platform (18V AND 12V compatible) for extra long run time and the convenience of rechargeable power tool batteries. Working Range: 30m (50m with detector). Accuracy: +/-3mm @ 10m. Fine adjustment knob for precision ...







info@ftpdistribution.lu



12/18V CROSS LINE GREEN BEAM LASER KIT

Multivoltage XR power tool battery platform (18V AND 12V compatible) for extra long run time and the convenience of rechargeable power tool batteries Working Range: 30m (50m with detector) Accuracy: +/-3mm @ 10m Fine adjustment knob for precision and ...



12/18V XR UNDERHOOD LAMP WITHOUT BATTERIES

XR 12V and 18V battery compatibility LEDs can be operated separately Rotatable hooks Color temperature: 5000K Operation with 12 / 18V XR battery Brightness: 800/1650 Lm Folding Useful

length 1.3-1.9 mt Note: This product is equipped with E ...





1200PK HDGV RING NAILS

DeWalt Hot Dip Galvanised Ring Nails are a range of ribbed ring nails tested to work with the DeWalt DCN692 framing nailer, guaranteeing the best level of performance between the nails and gun. Although it has been tested with DeWalt products, these ...

CODE

DNPT28R50HDZ DNPT28R63HDZ DNPT31R75HDZ

FTP LUX DISTRIBUTION



www.ftpdistribution.lu 🔇 +352 26 39 33 73



info@ftpdistribution.lu



125 MM ANGLE GRINDER 54V XR FLEXVOLT 2 BATTERIES 6 AH

Information: The 54V brushless motor allows for improved performance in demanding applications The electronic brake quickly stops the wheel when the trigger is released The electronic clutch reduces the kickback reaction in the event of a pinch or ...

DCG418T2-QW

125 MM ANGLE GRINDER 54V XR FLEXVOLT 2 BATTERIES 9 AH



Information: The 54V brushless motor allows for improved performance in demanding applications The electronic brake quickly stops the wheel when the trigger is released The electronic clutch reduces the kickback reaction in the event of a pinch or ...

DCG418X2-QW



125 MM ANGLE GRINDER WITH ACCESSORIES IN CASE

125mm 1500w electronic grinder with cap and cups for concrete. Note: This product is equipped with Euro Plug and operates at 220-230V







info@ftpdistribution.lu

125MM ANGLE GRINDER 1500W, 2800-10500RPM



125mm Angle Grinder, 1500W, 2800-10500rpm, slow start. M14 spindle thread, electromechanical clutch for no kick back, dust extraction system, No-Volt card, 2.6 Kg. Equipment: quick hooking protection, anti-vibrations directable side grip, flange a ...

CODE DWE4257-QS

125MM ANGLE GRINDER WITH REAR HANDLE, 1500W



DeWALT Angle Grinders: DWE4277-QS De WALT 125mm Angle Grinder with rear handle, 1500W, 10500rpm, slow start. M14 spindle thread, electro-mechanical clutch for no kick back, dust extraction system, No-Volt card, 2.6 Kg. Equipment: Quick hooking pr ...

CODE DWE4277-QS



125MM FLAT HEAD ANGLE GRINDER

Angle grinder with flat head 125mm 900W - 11800 rpm, M14 spindle thread, No-Volt switch. EQUIPMENT: Disk protection, side handle, flange and counter flange, service key. Note: This product is equipped with Euro Plug and operates at 220-230V

CODE DWE4157F-QS







<u>12V BRUSHLESS MOTOR MULTIFUNCTION TOOL - WITH 2 XR</u> <u>LITHIUM 2AH BATTERIES AND CHARGER</u>

35 accessories supplied with the product. LED light. Quick change of accessories without tools. Variable speed switch for greater control of oscillations in various applications. Universal accessory adapter for most brands. Airlock and 35mm comp ...

CODE DCS353D2-QW



<u>12V BRUSHLESS MOTOR MULTIFUNCTION TOOL - WITHOUT</u> <u>BATTERY</u>

35 accessories supplied with the product. LED light. Quick change of accessories without tools. Variable speed switch for greater control of oscillations in various applications. Universal

accessory adapter for most brands. Airlock and 35mm comp ...

CODE DCS353NT-XJ



<u>12V SCREWDRIVER AND SCREWDRIVER KIT, 2 3.0AH</u> BATTERIES, BATTERY CHARGER AND TSTAK CASE

Composition: 2-speed drill driver DCD701 Impact wrench 1/4 "" DCF801 2 XR Lithium 12V 3.0Ah batteries with charge indicator Quick charger T-stack case Features of the Compact Dewalt 12V DCD701 screwdriver drill: Powerful 12 Volt combined tool for d ...

info@ftpdistribution.lu







🕐 info@ftpdistribution.lu



<u>12V SDS-PLUS XR BRUSHLESS HAMMER 14MM 1.1J - WITH 2</u> <u>XR LITHIUM 3AH BATTERIES AND CHARGER</u>

XR 12V platform. Brushless motor. Compact, lightweight and ergonomic design for added comfort and support during long periods of operation. LED light positioned on the front body to ensure excellent visibility during use. Impact energy 1.1J, Perc ...

CODE DCH072L2-QW



<u>12V SDS-PLUS XR BRUSHLESS HAMMER 14MM 1.1J -</u> <u>WITHOUT BATTERY</u>

XR 12V platform. Brushless motor. Compact, lightweight and ergonomic design for added comfort and support during long periods of operation. LED light positioned on the front body to ensure excellent visibility during use. Impact energy 1.1J, Perc ...

CODE DCH072NT-XJ



12V XR 140MM CIRCULAR SAW WITH 2 5AH BATTERIES

Dewalt Brushless Motor for extended run-time, reliability & durability. Electronic module with battery pack identification for increased power and productivity. Extremely durable tool design, including a cast aluminum base for repetitive, accur ...

CODE DCS512P2-QW









<u>12V XR BRUSHLESS 140MM CIRCULAR SAW IN T-STAK -</u> <u>WITHOUT BATTERY</u>

Dewalt Brushless motor for extended run-time, reliability & durability. Electronic module with battery pack identification for increased power and productivity. Extremely durable tool design, including a cast aluminum base for repetitive, accurate ...

CODE DCS512NT-XJ



<u>12V XR BRUSHLESS COMPACT DRILL DRIVER - 2 BATTERIES 2</u> AH

Information: The new 12V machines and batteries are 100% compatible with existing 10.8V products 29mm shorter than the previous model LED light at the base of the drill to allow you to work in situations of poor visibility Battery charge indicato ...

DCD706D2-QW

CODE

CODE



<u>12V XR BRUSHLESS COMPACT DRILL DRIVER - 2 BATTERIES 2</u> AH

Information: The new 12V machines and batteries are 100% compatible with existing 10.8V products 38.5mm shorter than the previous model LED light at the base of the drill to allow you to work in situations of poor visibility Battery charge indica ...

DCD701D2-QW

FTP LUX DISTRIBUTION

www.ftpdistribution.lu 🔇 +352 26 39 33 73 🔄 info@ftpdistribution.lu









<u>12V XR BRUSHLESS COMPACT IMPACT WRENCH - 2 BATTERIES</u> <u>2 AH</u>

Information: the 3 electronic speeds allow you to work with great precision in any application. 33mm shorter than the previous model, allows you to work in confined spaces The precision drive mode allows you to tighten even the smallest screws wit ...

CODE DCF801D2-QW



12V XR BRUSHLESS IMPACT WRENCH - 2 BATTERIES 2 AH

Information: 36mm shorter than the previous model, it allows you to work in confined spaces Only 0.9kg weight (body without battery) 30% more autonomy than the previous model 16 torque adjustment points for maximum precision in every operation ...

DCF601D2-QW

CODE



<u>12V XR BRUSHLESS IMPACT WRENCH 3/8 "CONNECTION - 2</u> <u>BATTERIES 2 AH</u>

Information: the 3 electronic speeds allow you to work with great precision in any application. The "precision wrench " mode allows you to have the best control even in the most delicate applications 33mm shorter than the previous model, allows y

applications 33mm shorter than the previous model, allows y ...

DCF902D2-QW





🕥 info@ftpdistribution.lu

12V XR COMPACT UNIVERSAL SAW (BODY ONLY)



Lightweight and compact for maximum accessibility in tight spaces and maximum comfort in even prolonged use, this universal saw is perfect for cutting various materials, such as wood, plasterboard, composites, aluminum sheet, with the 12V XR battery ...

CODE DCS312NT-XJ

12V XR COMPACT UNIVERSAL SAW - 2 BATTERIES 2 AH



Lightweight and compact for maximum accessibility in tight spaces and maximum comfort in even prolonged use, this universal saw is perfect for cutting various materials, such as wood,

plasterboard, composites, aluminum sheet, with the 12V XR battery ...

DE DCS312D2-QW



12V XR CORDLESS LI-ION BATTERY 3AH

The DeWalt 12v XR 3ah battery is for professional and DIY use. The battery is compatible with the XR 10.8v and 12v range and most XR chargers. This battery offers higher capacity in a smaller

form factor. It is a smaller in size and weighs the same a ...

CODE DCB124-XJ





info@ftpdistribution.lu



12V XR LITIO 5.0AH BATTERY

Maximise the performance of your 12V XR tools with the Dewalt 12V XR 5Ah Battery. At more than triple the capacity of original 12V XR batteries, this battery provides extended runtime when used with all 12V XR tools while retaining a lightweight, c ...

CODE DCB126-XJ



12V XR MULTI-HEAD DRILL DRIVER - WITH 2 XR LITHIUM 3AHBATTERIES AND CHARGER

XR 12V Multihead Drill / Screwdriver. Compact and ergonomic design. Compact and lightweight design for added comfort. Weight 0.7 Kg (machine body only), maximum comfort of use. Different heads for maximum versatility. Eccentric spindle for screw ...





12V XR MULTI-HEAD DRILL DRIVER - WITHOUT BATTERY

XR 12V Multihead Drill / Screwdriver. Compact and ergonomic design. Compact and lightweight design for added comfort. Weight 0.7 Kg (machine body only), maximum comfort of use. Different heads for maximum versatility. Eccentric spindle for screw ...

CODE DCD703NT-XJ







12V XR SERIES "G" 3.0AH BATTERY RESISTANT TO CHEMICAL AGENTS

Designed to withstand the chemical agents present in industrial and automotive environments and have greater resistance to shocks and falls. Glass-filled nylon outer cover guarantees resistance to oils and chemicals. External rubber coating to prot ...

CODE DCB124G-XJ



12V XR SERIES "G" 5.0AH BATTERY RESISTANT TO CHEMICAL <u>AGENTS</u>

Designed to withstand the chemical agents present in industrial and automotive environments and have greater resistance to shocks and falls. Glass-filled nylon outer cover guarantees resistance to oils and chemicals. External rubber coating to prot ...

CODE

DCB126G-XJ

13-18MM BOARD BISCUITS (1000 PCS)



IN BRIEF Pack of 1000 dowels for biscuit jointer. Size: 10. For thicknesses from 13 to 18mm. Pack of 1000 size 10 biscuts suitable for most woodworking/jointing applications.

CODE DT3931-QZ

FTP LUX DISTRIBUTION

www.ftpdistribution.lu 🔇 +352 26 39 33 73 🔄 info@ftpdistribution.lu







14-PIECE IR TORSION SCREWING KIT

IN BRIEF 14 pieces kit including Impact Torsion 25mm screwdriving bits, short and long magnetic adapters. CNC precisely machined bit with a torsion zone to absorb peaks in torque. Allows optimum bit flex for maximum life in Impact/High Torque app ...

CODE DT70512T-QZ

150MM ANGLE GRINDER, 1400W, 9000RPM



150mm Angle Grinder, 1400W, 9000rpm. M14 spindle thread, dust extraction system, No-Volt card, 2.6 Kg. Equipment: quick hooking protection, anti-vibrations directable side grip, flange and counterflange, operation wrench. Note: This product is ...

CODE DWE4238-QS



<u>16 GAUGE BRADS DPN1664PP-XJ NAILER COMPATIBLE -</u> <u>GALVANIZED</u>

IN BRIEF Galvanized brads with 0° magazine angle. Diameter of 1.6mm and lengths from 57 to 65mm. Compatible with DPN1664PP-XJ. Pack of 2500 pieces.



info@ftpdistribution.lu

FTP LUX DISTRIBUTION

www.ftpdistribution.lu (📎 +352 26 39 33 73





info@ftpdistribution.lu



<u>16 GAUGE NAILER WITH PRECISION POINT. FOR 25-64MM</u> <u>BRADS.</u>

IN BRIEF Pneumatic nailer with magazine capacity of 110 nails and double firing mode. Operating pressure of 4.8-8.3bar. The DPN1664PP is a pnuematic, lightweigth and oil free nailer that achieves an impressive performance with absolute minimal ma ...

CODE DPN1664PP-XJ

16,5 CM BILLET LEVEL



The Dewalt[®] 16,5 cm (6.5") billet level is unbeatable for use in tight, confined places on the job site. Machined from an extruded aluminum, this level offers ultimate durability. Additional vial windows on the top and bottom allow for fast and a ...

DWHT42525-0



1600W MIXER

CODE

1600W mixer Features: - Mixer. Power output 1600W. 3 speeds from 225 to 725 rpm. Double handle for a firmer and more comfortable handle - female adapter whips M14 - Max Ø whisk 160mm. Weight 6.3 Kg Why is the DeWalt DWD241-QS-1600W ...

CODE DWD241-QS





info@ftpdistribution.lu



1600W RADIAL MITER SAW

1600W radial miter saw, double inclination, universal brush motor, with XPS tracking system, blade / hole diameter 250 / 30mm, 4000 rpm FEATURES: blade supplied Note: This product is equipped with Euro Plug and operates at 220-230V

CODE DWS727-QS



<u>165MM 1300W PLUNGE SAW IN T-STAK WITH TRACK</u> <u>DWS5022-XJ</u>

A 48 tooth blade gives a fine and accurate finish with very little breakout in laminates. The anti kickback function stops the saw from moving backwards along the rail and helps stop the saw

from climbing out of the work piece when making plunge cut ...



17 LT COMPRESSOR WITH WHEELS



Engine without oil Motor power 2.5Hp / 1.8Kw Air intake 240 Liters / min Maximum pressure 13.8 Bar FAD 141 Lt / min @ 6.23Bar 2 air outlet connectors Universal EUs Telescopic handle Equipment: Flexible hose 10Mt Note: This product is equi ...

CODE DPC17PS-QS







<u>18 GAUGE NAILER WITH PRECISION POINT. FOR 15-55MM</u> BRADS.

IN BRIEF Pneumatic nailer with a magazine capacity of 100 nails. Sequential firing mode and 4.9-8.4bar operating pressure. Dewalt DPN1850PP-XJ 18G Positive Placement Brad Nailer 50mm Max Features: Advanced design Precision Point nose with u ...

CODE DPN1850PP-XJ

<u>18-GAUGE BRADS DPN1850PP-XJ NAILER COMPATIBLE - INOX</u> <u>STEEL</u>

IN BRIEF Stainless steel brads 0° magazine angle. Diameter of 1.25mm and length from 30 to 50mm. Package of 5000 pieces.

DNBT1850SZ

DNBT1830SZ



<u>18-GAUGE BRADS DPN1850PP-XJ NAILER COMPATIBLE-</u> <u>GALVANIZED</u>

IN BRIEF Brads for nailers, galvanized with 0° magazine angle. Diameter of 1.25 mm and lengths from 15 to 40mm. Compatible with DPN1850PP-XJ.

CODE	DNBT1840GZ	DNBT1838GZ	DNBT1835GZ	DNBT1850GZ	DNBT1845GZ
CODE	DNBT1830GZ	DNBT1825GZ	DNBT1820GZ	DNBT1815GZ	

FTP LUX DISTRIBUTION

www.ftpdistribution.lu 🔇 +352 26 39 33 73 🔄 info@ftpdistribution.lu









<u>180MM 54V XR FLEXVOLT BRUSHLESS ANGLE GRINDER -</u> <u>WITHOUT BATTERY</u>

180mm 54V XR FLEXVOLT Brushless angle grinder, variable speed 6500 rpm, spindle thread M14, weight 2.6 kg. EQUIPMENT: protection for cutting, protection for grinding, side handle. Without battery and charger, cardboard box. Note: This product is ...

CODE DCG440N-XJ



18V 1/2" IMPACT WRENCH AND DRILL WITH PERCUSSION SET WITH 2 18V 5AH BATTERIES, CHARGER AND CASES

DCK922HDP2-IT kit formed by DCF922P2T + DCD805NT. DCF922P2T: Impact wrench 4 modes 18V XR BRUSHLESS connection 1/2 " DETENT PIN. Tightening torque 406Nm, Peak torque

609Nm, 0-2500RPM, 0-3600 pulses / min, max recommended bolt diameter M20.4 mode (1 ...





<u>18V 1/2'' XR BRUSHLESS HIGH TORQUE IMPACT WRENCH</u> (WITHOUT BATTERIES AND CHARGER)

XR Lithium 18V, 5.0 Ah, 1/2" connection. Power output 610W. Tightening torque 135-400-950 Nm. Speed 0-400-1200-1900 Rpm, Pulse / min 0-2400. Max bolt diameter M20. Application control is via 3 motor speeds and torque settings. The 1/2 " ...

CODE DCF899NT-XJ





info@ftpdistribution.lu



<u>18V 1/4" 192NM XR BRUSHLESS IMPACT DRIVER - WITH 2 X</u> <u>2AH BATTERIES AND CHARGER</u>

3 LED ring lights for uniform illumination without shadows. Brushless motor guarantees a copy of 192Nm. 1/4 '' (6.35mm) drive allows quick bit mounting. Lightweight and compact impact wrench, comfortable for prolonged use and for working in confin ...

CODE DCF840D2T-QW



<u>18V 1/4" 192NM XR BRUSHLESS IMPACT DRIVER - WITHOUT</u> BATTERY

3 LED ring lights for uniform illumination without shadows. Brushless motor guarantees a copy of 192Nm. 1/4 " (6.35mm) drive allows quick bit mounting. Lightweight and compact impact

wrench, comfortable for prolonged use and for working in confin ...





<u>18V 1/4″ 205NM XR BRUSHLESS COMPACT IMPACT DRIVER -</u> <u>WITH 2 X 2AH BATTERIES AND CHARGER</u>

Compact 3-speed impact wrench 18V XR BRUSHLESS 1/4" connection. Tightening torque 205Nm, 0-1000-2800-3250 rpm, 0-3800 pulses / min, max recommended bolt diameter M16, Weight (machine body only) 0.9Kg. EQUIPMENT: 2 XR Lithium 2Ah batteries, charger ...







DEWALT I

CATALOG

DEWALT

<u>18V 1/4" 205NM XR BRUSHLESS COMPACT IMPACT DRIVER -</u> <u>WITH 2 X 5AH BATTERIES AND CHARGER</u>

SPECIAL OFFERS

3x LED "Halo" light ring offers excellent workpiece lighting. Application control is achieved through 3 motor speeds and torque settings including Precision Drive. New compact brushless motor allows you to fit into tight spaces. Compatible with ...

CODE DCF850P2T-QW



<u>18V 1/4" 205NM XR BRUSHLESS COMPACT IMPACT DRIVER -</u> <u>WITHOUT BATTERY</u>

Compact 3-speed impact wrench 18V XR BRUSHLESS 1/4" connection. Tightening torque 205Nm, 0-1000-2800-3250 rpm, 0-3800 pulses / min, max recommended bolt diameter M16,

Weight (machine body only) 0.9Kg. In TSTAK case without batteries and charger. ...





<u>18V 125MM ANGLE GRINDER (WITHOUT BATTERIES AND</u> <u>CHARGER)</u>

Features: Flexvolt technology using DCB547 XR Flexvolt 9Ah battery compared to DCB184 18V XR 5Ah. 42% more power using the DCB546 XR Flexvolt 6Ah battery compared to the DCB184

info@ftpdistribution.lu

18V XR 5Ah. Brushless technology motor for greater efficiency and grea ...

DCG409NT-XJ

www.ftpdistribution.lu (📎 +352 26 39 33 73





🕥 info@ftpdistribution.lu



18V 125MM FLATHEAD SAG NAKED IN T-STAK

18V 125mm Flathead SAG Naked in T-Stak nnovative, brushless motor technology - higher performance, more compact dimensions, longer battery life and longer battery life. Ultra flat gear head for working at sharp angles down to 40°. Epoxy resin armou ...

CODE DCG405FNT-XJ



<u>18V 16 MM 1.4J XR ULTRA COMPACT SDS-PLUS BRUSHLESS</u> <u>HAMMER - WITHOUT BATTERY</u>

18V Brushless motor for extreme runtime and reduced maintenance. 1.4J of impact energy, 0-4980 bpm with a no load speed of 0-1060 rpm, ideal for drilling anchors and fixing holes into concrete, brick and masonry from 4mm to 16mm. Lanyard ready atta ...

CODE DCH172NT-XJ

18V 2.0AH XR LI-ION BATTERY PACK



IN BRIEF 2.0Ah Lithium battery with Bluetooth connection. New DEWALT Tool Connect Bluetooth 2.0Ah XR Li-Ion battery packs Security, Inventory check and customisation of your battery through Tool Connect Apple and Android App Tool Connect Connecti ...

CODE DCB184B-XJ

FTP LUX DISTRIBUTION



www.ftpdistribution.lu 🔇 +352 26 39 33 73





18V 3.0AH XR BRUSHLESS COMPACT IMPACT DRIVER

Extremely compact screwdriver that allows you to work in confined spaces with minimum effort. Brushless motor that does not require maintenance. High-precision speed control switch that allows for greater control of application speed. Metal gears ...





<u>18V 460W METAL BAND SAW (WITHOUT BATTERIES AND</u> <u>CHARGER)</u>

Ideal for cutting lengths of metal, including threaded rods, unistruts and steel pipes Cuts with little or no sparkle Variable Speed Dial allows user complete control in all materials applications

Cutting capacity up to 63mm Balanced and ea ...

DCS377NT-XJ



CODE



18V 5.0AH XR BRUSHLESS DRILL DRIVER

Powerful 18 Volt combined tool for drilling, including percussion, and heavy screwing. Application speed increased to 38,250 percussions / minute. 3-position LED light with torch function on the base of the product for effective lighting. New elec ...

CODE DCD791P3-IT





info@ftpdistribution.lu



18V 5.0AH XR BRUSHLESS HAMMER DRILL DRIVER

DCD796P3-IT cordless drill with percussion 18V XR Lithium with 5.0Ah battery is the new generation of impact wrenches equipped with 5.0Ah lithium batteries. It has the possibility of using the percussion for masonry drilling. The DCD796P3-IT drill ...

CODE DCD796P3-IT



18V 6.0AH 125MM ANGLE GRINDER

Features: Flexvolt technology using DCB547 XR Flexvolt 9Ah battery compared to DCB184 18V XR 5Ah. 42% more power using the DCB546 XR Flexvolt 6Ah battery compared to the DCB184

18V XR 5Ah. Brushless technology motor for greater efficiency and grea ...

DDE DCG409T1-QW



18V 6.0AH CIRCULAR SAW

Speed 5,500 rpm. Maximum cutting depth 90/45 ° 67 / 51mm. Maximum cutting inclination up to 57 °. Electronic brake. LED light. Airlock compatibility. Equipment: 1 XR FLEXVOLT 18 / 54V

6.0Ah battery Battery charger TCT 24 teeth blade ...

CODE DCS573T1-QW

www.ftpdistribution.lu 🔇 +352 26 39 33 73





info@ftpdistribution.lu



18V 6.0AH XR UNIVERSAL SAW

Strokes / min: 0-3.000 Stroke length 28.6mm Max cutting capacity: Wood 300mm - Metal 130mm - PVC 160mm Quick and easy blade change without tools LED light Supplied with: 1 XR Flexvolt 18 / 54V 6.0Ah battery, charger, case. Note: This produc ...

CODE DCS386T1-QW



18V 6.0AH XRP XR FLEXVOLT IMPACT DRILL DRIVER

Take advantage of more power by using 18V XR tools with Flexvolt technology. A unique electronic module that recognizes battery technology and allows the tool to deliver even more

power when an XR Flexvolt battery is connected. The DCD999 provides ...

ODE DCD999T1-QW



18V BRUSHLESS BLOWER LOADED

Information: Latest range extension to the XR system – professional performance with the added convenience of being battery powered Quiet Design - under 65dB for use in noise restricted areas Lightweight and Compact Design – at just 3.2kg, the ...

CODE

DCM562P1-QW





info@ftpdistribution.lu



18V 9.0AH XRP XR FLEXVOLT IMPACT DRILL DRIVER

Take advantage of more power by using 18V XR tools with Flexvolt technology. A unique electronic module that recognizes battery technology and allows the tool to deliver even more power when an XR Flexvolt battery is connected. The DCD999 provides ...

CODE DCD999X1-QW

18V BRUSHLESS BLOWER LOADED (BARE TOOL)



Information: Latest range extension to the XR system – professional performance with the added convenience of being battery powered Quiet Design - under 65dB for use in noise

restricted areas Lightweight and Compact Design – at just 3.2kg, the ...





<u>18V AIR COMPRESSOR WITH 18V XR, 240V AND 12V</u> CONNECTIONS

18V air compressor with 18V XR, 240V and 12V connections supplied with 240V and 12V connection, useful for any situation of rescue, work and leisure. Power 18V, maximum pressure 11bar, digital dial, weight 2.7Kg. Triple power supply: 18V XR, 24 ...

CODE DCC018N-XJ





info@ftpdistribution.lu





<u>18V BRUSHLESS DRYWALL SANDER SKIN (NO BATTERY NO</u> <u>CHARGER)</u>

18V Brushless Drywall Sander Skin (no battery no charger) Removes More Drywall Dust & Debris Than Traditional Paper & Backing Pad The 225mm High Dust Efficiency Backing Pad Combined with Mesh Paper removes more drywall dust & debris tha ...

CODE DCE800N-XJ



<u>18V CAULK GUN 600ML (BARE TOOL)</u>

Information: The Dewalt DCE580N caulk gun comes with a variable speed dial and variable speed trigger for precise control of material flow. Description: Variable speed dial and variable speed trigger for precise control of material flow Durable p ...

CODE DCE580N-XJ



18V CIRCULAR SAW (WITHOUT BATTERIES AND CHARGER)

Speed 5,500 rpm. Maximum cutting depth 90/45 ° 67 / 51mm. Maximum cutting inclination up to 57 °. Electronic brake. LED light. Airlock compatibility. Note: This product is equipped with Euro Plug and operates at 220-230V

CODE DCS573NT-XJ





info@ftpdistribution.lu



18V COMPACT CHAINSAW (BARE TOOL)

Information: 30cm Oregon Bar and Chain High Efficiency Brushless Motor - Delivers up to (70) 4x4" cuts per charge (18V, 5Ah) Automatic Oiling - Reduced Maintenance Description: 30cm Oregon Bar and Chain High Efficiency Brushless Motor - Deliv ...

DE DCM565N-XJ

18V COMPACT CHAINSAW LOADED

DEWALT _----

Information: 30cm Oregon Bar and Chain High Efficiency Brushless Motor - Delivers up to (70) 4x4" cuts per charge (18V, 5Ah) Automatic Oiling - Reduced Maintenance Description: 30cm

Oregon Bar and Chain High Efficiency Brushless Motor - Deliv ...

DCM565P1-QW



<u>18V CORDLESS PERCUSSION DRILL IN CASE WITHOUT BATTERY</u> <u>OR CHARGER</u>

The Dewalt Brushless Compact Hammer Drill is our latest and most powerful brushless 2-speed impact driver delivering up to 90Nm of torque in a compact 177mm body. Designed to deliver maximum performance on the toughest construction sites. 2 speeds ...

CODE DCD805NT-XJ





info@ftpdistribution.lu



18V CORDLESS ROTARY HAMMER DUST EXTRACTION SYSTEM

IN BRIEF Dust extraction system with independent motor and highest quality washable HEPA filter. Quick release and low weight for great comfort. Ideal for dust free drilling up to 16 mm in diameter Powered by an independent motor maintaining max ...

CODE D25303DH-XJ



<u>18V DRILL DRIVER AND SCREWDRIVER KIT, 2 BATTERIES AND</u> <u>TSTACK CASE</u>

The Dewalt DCK2062M2T-QW Kit is designed to be light and easy to handle. The kit consists of: The DCD709 Impact Drill Driver measures only 175 mm, with brushless motor, offers high

performance and long life. Equipped with LEDs to provide optimal ligh ...



18V DRYWALL SANDER KIT



18V Drywall Sander Kit Removes More Drywall Dust & Debris Than Traditional Paper & Backing Pad The 225mm High Dust Efficiency Backing Pad Combined with Mesh Paper removes more drywall dust & debris than traditional paper & backing ...

CODE DCE800T2-QW





info@ftpdistribution.lu



18V DUAL ACTION POLISHER KIT

18V Dual Action Polisher Kit 18V XR Brushless Motor delivers improved performance in demanding applications Variable speed dial allows for easy speed changes to suit specific applications Variable speed trigger allows for additional speed control ...

DCM848P2-QW



<u>18V DUAL ACTION POLISHER NAKED (NO BATTERIES NO</u> CHARGER)

18V Dual Action Polisher Naked (no batteries no charger) 18V XR Brushless Motor delivers improved performance in demanding applications Variable speed dial allows for easy speed

changes to suit specific applications Variable speed trigger allows $f \dots$

CODE DCM848N-XJ



18V ROTARY LASER GREEN WITH BLUETOOTH

Features: • Full Automatic Horizontal and Vertical Self Leveling • Features Bluetooth connection to connect with the DEWALT Tools Connect mobile app and control the laser with a smartphone • Plumb dot Up and Down • Single Slope Mode allows ...



www.ftpdistribution.lu 🔇 +352 26 39 33 73





info@ftpdistribution.lu



18V ROTARY LASER RED WITH BLUETOOTH

Features: • Full Automatic Horizontal and Vertical Self Leveling • Features Bluetooth connection to connect with the DEWALT Tools Connect mobile app and control the laser with a smartphone • Plumb dot Up and Down • Single Slope Mode allows ...





18V ROTARY POLISHER KIT

CODE

18V Rotary Polisher Kit 18V Brushless Motor delivers improved performance in demanding applications Variable speed dial allows for easy speed changes to suit specific applications

Variable speed trigger allows for additional speed control by adjus ...

DCM849P2-QW

18V ROTARY POLISHER NAKED (NO BATTERIES NO CHARGER)



18V Rotary Polisher Naked (no batteries no charger) 18V Brushless Motor delivers improved performance in demanding applications Variable speed dial allows for easy speed changes to suit specific applications Variable speed trigger allows for addit ...

CODE DCM849N-XJ





info@ftpdistribution.lu

18V SCREWDRIVER AND GRINDER KIT WITH TSTACK CASES



Dewalt DCK2153P2T-IT screwdriver and grinder kit. Cordless drill with percussion 18V XR Lithium with 5.0Ah battery. Two speeds guaranteed by a completely metal gear system. 15 torque adjustment points for a correct setting in each application possibi ...





<u>18V TAB MILLING MACHINE IN CASE WITHOUT BATTERIES OR</u> <u>CHARGER</u>

The DEWALT DCW682 XR Brushless Tab Router has a brushless motor that provides consistent, powerful cutting performance. Its paddle switch design accommodates both left and

right handed users. The router allows you to achieve exceptional results, wi ...





18V USB CHARGER ADAPTER

Connected to the battery, it powers electronic devices via USB cable. Connected to the supplied power supply, it functions as a battery charger (charges an 18V 5Ah battery in 65 minutes). Double USB port (1 type A and 1 type C). EQUIPMENT: USB t ...

CODE DCB094K-QW

www.ftpdistribution.lu 🔇 +352 26 39 33 73





info@ftpdistribution.lu





<u>18V XR 1/2" HOG RING BRUSHLESS COMPACT IMPACT DRIVER</u> <u>- WITH 2 XR LITIO POWER STACK BATTERIES AND CHARGER</u>

The 18V XR DCF921 impact wrench delivers a sustained torque of 406Nm of peak torque of 610Nm in just 125mm of length, which ensures easy handling without sacrificing power. 4 working modes (scaffolding, precision wrench, high speed based speed). LE ...

CODE DCF921E2T-QW



<u>18V XR 1/2" HOG RING COMPACT HIGH TORQUE IMPACT</u> <u>DRIVER - WITH 2 XR LITIO 5AH "G SERIES" BATTERIES AND</u> <u>CHARGER</u>

Sustained torque 812Nm. Peak torque 1084Nm. Compactness only 175mm in length. Brushless motor. 4 Modes. 1/2 " Hog Ring connection. EQUIPMENT: 2 XR Lithium 5Ah Series "G" batteries, charger, belt hook, machine body overbody in rubber, pre-for ...





<u>18V XR 1/2" HOG RING COMPACT HIGH TORQUE IMPACT</u> DRIVER - WITH 2 XR LITIO 5AH BATTERIES AND CHARGER

Sustained torque 812Nm. Peak torque 1084Nm. Compactness only 175mm in length. Brushless motor. 4 Modes. 1/2 " Hog Ring connection. SUPPLIED WITH: 2 XR Lithium 5Ah batteries, charger, belt clip, TSTAK case. Note: This product is equipped wi ...

ODE DCF891P2T-QW

FTP LUX DISTRIBUTION



www.ftpdistribution.lu 🔇 +352 26 39 33 73



🕐 info@ftpdistribution.lu





<u>18V XR 1/2'' HOG RING COMPACT HIGH TORQUE IMPACT</u> <u>DRIVER - WITHOUT BATTERY</u>

Sustained torque 812Nm. Peak torque 1084Nm. Compactness only 175mm in length. Brushless motor. 4 Modes. 1/2 " Hog Ring connection. In TSTAK case without batteries and charger. Note: This product is equipped with Euro Plug and operates at 2 ...

CODE DCF891NT-XJ



18V XR 1/4" 205NM BRUSHLESS COMPACT IMPACT DRIVER -WITH 2 XR LITHIUM POWERSTACK BATTERIES AND CHARGER

The smallest and most powerful 18V XR impact wrench offers greater comfort and speed of application. It offers 206Nm in a compact body of 100mm in length perfect for all those applications in confined spaces. 3 modes of use for greater control, inc ...



F850E2T-

18V XR 125MM ANGLE GRINDER WITH BATTERY AND CHARGES



The DeWalt DCG412N is a next generation premium angle grinder featuring new XR Lithium-Ion Technology, making it specially designed for efficiency and making applications faster. Versatile it is perfect for both professionals and hobbyists. DEWDCG41 ...







info@ftpdistribution.lu



18V XR 125MM BRUSHLESS ANGLE GRINDER

125mm angle grinder. BRUSHLESS engine. Power output 800W, 9,000 rpm, max disc diameter 125mm, M14 spindle thread, 1.75Kg. Please : The item Dewalt DCG405NT-XJ is sold in a case

without batteries, charger. The item Dewalt DCG405P2-QW is sold with ...

CODE DCG405NT-XJ DCG405P2-QW



18V XR 165MM CIRCULAR SAW WITH 2 5AH BATTERIES

DEWALT Brushless Motor for extended run-time, reliability & durability. Extremely durable tool design, including a cast aluminum base for repetitive, accurate cuts. Variable adjustment of the bevel angle to 50 degrees. Ultra thin kerf 165 mm, ...

DDE DCS565P2-QW



18V XR 165MM CIRCULAR SAW WITHOUT BATTERIES

DEWALT Brushless Motor for extended run-time, reliability & durability. Extremely durable tool design, including a cast aluminum base for repetitive, accurate cuts. Variable adjustment of the bevel angle to 50 degrees. Ultra thin kerf 165 mm, ...

CODE DCS565NT-XJ









18V XR 550W BRUSHLESS DRYWALL TRIMMER WITHOUT BATTERIES OR CHARGER

Powerful and compact OR30 XR 18 V Brushless motor. High efficiency offers levels of power and autonomy at the top of the category. Autonomy = 54 meters of 12.5 mm plasterboard with an XR 18V 5Ah battery. Compatibility with XR 18V batte ...

CODE DCE555N-XJ



18V XR BODY ONLY HEDGE TRIMMER 25MM GAP

18V XR Body Only Hedge Trimmer 25mm Gap Next Generation Products for 18V XR System user - more outdoor tools to get the job done Delivers up to 75 mins runtime 55CM Blade and 25mm blade gap for afficient cutting performance Wall belanced decign a

25mm blade gap for efficient cutting performance Well balanced design a ...

DCMHT563P1-QW



<u>18V XR BODY ONLY HEDGE TRIMMER 25MM GAP (NO</u> <u>BATTERIES NO CHARGER)</u>

18V XR Body Only Hedge Trimmer 25mm Gap (no batteries no charger) Next Generation Products for 18V XR System user - more outdoor tools to get the job done Delivers up to 75 mins runtime 55CM Blade and 25mm blade gap for efficient cutting performan ...

info@ftpdistribution.lu











<u>18V XR BRUSHLESS 1/2'' DETENT PIN COMPACT IMPACT</u> <u>DRIVER - WITH 2 XR LITIO 5AH BATTERIES AND CHARGER</u>

The 18V XR DCF922 impact wrench delivers a sustained torque of 406Nm of peak torque of 610Nm in just 125mm of length, which ensures easy handling without sacrificing power. 4 working modes (screws / anchor bolts, precision wrench, high speed based s ...

CODE DCF922P2T-QW



<u>18V XR BRUSHLESS 1/2" DETENT PIN COMPACT IMPACT</u> <u>DRIVER - WITHOUT BATTERY</u>

The 18V XR DCF922 impact wrench delivers a sustained torque of 406Nm of peak torque of 610Nm in just 125mm of length, which ensures easy handling without sacrificing power. 4

working modes (screws / anchor bolts, precision wrench, high speed based s ...





<u>18V XR BRUSHLESS 1/2" HIGH POWER 4-MODE IMPACT</u> WRENCH WITH 2 5 AH BATTERIES AND CHARGER

The DeWALT DCF900P2G-QW cordless impact wrench represents the latest generation of 4-stage cordless impact wrenches with very high tightening and loosening torque. All 4 levels can be set electronically quickly and safely via a switch. This means t ...

info@ftpdistribution.lu











18V XR BRUSHLESS 1/2" HIGH POWER 4-MODE IMPACT WRENCH WITH 2 5 AH BATTERIES, CHARGER AND CASE

The DeWALT DCF900P2G-QW cordless impact wrench represents the latest generation of 4-stage cordless impact wrenches with very high tightening and loosening torque. All 4 levels can be set electronically quickly and safely via a switch. This means t ...

CODE DCF900P2T-QW



<u>18V XR BRUSHLESS 16GA FIX STRAIGHT NAILER WITH 2 2AH</u> BATTERIES

Sequential mode allows for precision placement and the bump operating mode provides the user with production speed of up to 4 nails per second. Depth of drive can be easily adjusted using

the thumb wheel depth adjuster. Compact, lightweight and erg ...





<u>18V XR BRUSHLESS 16GA FIX STRAIGHT NAILER WITHOUT</u> <u>BATTERIES</u>

Sequential mode allows for precision placement and the bump operating mode provides the user with production speed of up to 4 nails per second. Depth of drive can be easily adjusted using the thumb wheel depth adjuster. Compact, lightweight and erg ...

info@ftpdistribution.lu

CODE DCN662NT-XJ

www.ftpdistribution.lu (📎 +352 26 39 33 73





info@ftpdistribution.lu





<u>18V XR BRUSHLESS 16MM SDS-PLUS HAMMER DRILL WITH 2</u> <u>5AH BATTERIES</u>

8V Brushless motor for extreme runtime and reduced maintenance. 1.4J of impact energy, 0-4980 bpm with a no load speed of 0-1060 rpm, ideal for drilling anchors and fixing holes into concrete, brick and masonry from 4mm to 16mm. Lanyard ready attac ...

CODE DCH172P2-QW



18V XR BRUSHLESS 184MM CIRCULAR SAW WITH 2X 5.0AH

OVERVIEW Scale for precise cutting depth setting to 65 mm General purpose ripping, crosscutting and bevelling circular saw for wood and other construction materials High torque

Brushless motor for durability and power for cutting job site and joi ...

DCS570P2-QW

CODE



18V XR BRUSHLESS 184MM CIRCULAR SAW, IN TSTAK CASE

Information: Scale for precise cutting depth setting to 65 mm General purpose ripping, crosscutting and bevelling circular saw for wood and other construction materials High torque Brushless motor for durability and power for cutting job site a ...

CODE DCS570NT-XJ







18V XR BRUSHLESS AXIAL BLOWER - 1 X 18V 5.0AH BATTERY

The Dewalt DCMBL562 18V XR brushless axial blower is ideal for construction workers, general builders and gardeners / landscapers. Great for cleaning gardens, parks, workshops or on the construction site. With its axial fan design it is able to pro ...

DCMBL562P1-QW

18V XR BRUSHLESS CORDLESS POLE CHAIN SAW

DeWalt's DCMPS567 is a cordless pole saw which is powered by a DeWalt XR 18v (or 54v) lithium ion battery, meaning it has all the mobility of a petrol powered machine but with much

greater convenience - battery powered landscaping tools are light, qu ...

DCMPS567P1-OW

CODE



18V XR BRUSHLESS BLOWER - UNIT WITHOUT BATTERIES AND **CHARGER**

The Dewalt DCMBL562 18V XR brushless axial blower is ideal for construction workers, general builders and gardeners / landscapers. Great for cleaning gardens, parks, workshops or on the construction site. With its axial fan design it is able to pr ...

DCMBL562N-XJ

FTP LUX DISTRIBUTION



www.ftpdistribution.lu 🔇 📎 +352 26 39 33 73











18V XR BRUSHLESS HAMMER DRILL DRIVER (WITHOUT BATTERIES AND CHARGER)

This 18V XR cordless hammer drill driver is compact and lightweight for working in tight spaces for extended periods of time. Equipped with a high-speed transmission and two speed settings, this tool allows you to match the speed to application. ...

CODE DCD796NT-XJ



<u>18V XR BRUSHLESS HAMMER DRILL DRIVER - WITH 2</u> <u>BATTERIES AND CHARGER</u>

With 90Nm of torque the DCD805 is the most powerful 2-speed brushless impact drill driver, all in just 177mm in length, designed for maximum performance in confined environments. 2 speeds and 15 friction points for maximum control in all drilling an ...





<u>18V XR BRUSHLESS HAMMER DRILL DRIVER - WITH 2</u> <u>BATTERIES AND CHARGER</u>

With 90Nm of torque the DCD800 is the most powerful 2-speed brushless drill driver, all in just 164mm length, designed for maximum performance in confined environments. 2 speeds and 15 friction points for maximum control in all drilling and fastenin ...

info@ftpdistribution.lu









18V XR BRUSHLESS JIGSAW BARE UNIT

Features: - BRUSHLESS engine - No-load speed 0-3200 strokes/min - Cutting depth: 135mm wood, 25mm aluminium, 10mm steel - Base tilt adjustment without key 0 - 45° - TSTAK case NOT INCLUDED TWO XR LITHIO 5.0Ah BATTERIES AND THE CHARGER IN A TS ...

CODE DCS334NT-XJ

18V XR BRUSHLESS RECIPROCATING SAW



Dewalt Brushless Motor for extended run-time, reliability & durability. Twist action keyless blade clamp for quick and easy blade change. Two position blade clamp allows for flush cutting and increased versatility. Pivoting shoe allows for mor ...

CODE DCS382N-XJ

CODE

18V XR COMPACT RECIPROCATING SAW 5.0AH



No Load Stroke Rate 0-2900spm Max. Cutting Capacity (Steel Section & Pipes) 100mm Stroke Length 28.6mm Note: This product is equipped with Euro Plug and operates at 220-230V

DCS367NT-XJ DCS367P2-QW



<u>18V XR CONSTRUCTION TORCH WITHOUT BATTERIES</u>

3 brightness settings with a maximum output of 2000 lumens. Multi-position handle with threads for tripod mounting. Rated to IP54 for protection against dust and water ingress. Note: This product is equipped with Euro Plug and operates at 220-230V

info@ftpdistribution.lu

CODE DCL077-XJ

FTP LUX DISTRIBUTION



www.ftpdistribution.lu 🔇 +352 26 39 33 73



18V XR CORDLESS BRUSHLESS 1/4" ROUTER KIT



The first router available on the XR cordless platform, DeWalt's DCW604 can be used with interchangeable fixed or plunge bases and has quick release tabs to enable them to be swapped over quickly and easily. Additional benefits include a soft start ...

CODE DCW604NT-XJ



<u>18V XR CORDLESS BRUSHLESS 1/4'' ROUTER KIT WITH</u> <u>BATTERY AND CHARGER</u>

The first router available on the XR cordless platform, DeWalt's DCW604 can be used with interchangeable fixed or plunge bases and has quick release tabs to enable them to be swapped over quickly and easily. Additional benefits include a soft start

over quickly and easily. Additional benefits include a soft start \ldots

DCW604P2-QW



<u>18V XR CORDLESS BRUSHLESS RANDOM ORBITAL DISC</u> <u>SANDER 125MM IN T-STACK CASE</u>

The DCW210 enables DeWalt XR 18v power tool users to tackle random orbital sanding applications without having to rely on power leads or trailing extensions. Equipped with a 125mm hook & loop sanding pad and a dust skirt for improved dust collec ...

info@ftpdistribution.lu

CODE DCW210NT-XJ





info@ftpdistribution.lu





<u>18V XR CORDLESS BRUSHLESS RANDOM ORBITAL DISC</u> <u>SANDER 125MM WITH BATTERY</u>

The DCW210 enables DeWalt XR 18v power tool users to tackle random orbital sanding applications without having to rely on power leads or trailing extensions. Equipped with a 125mm hook & loop sanding pad and a dust skirt for improved dust collect ...

CODE DCW210P2-QW

18V XR CORDLESS HANDHELD VACCUUM



The DCV517 is a cordless handheld wet & dry vacuum that runs on the DeWalt 18v XR lithium ion battery platform. Ideal for mobile tradespeople and vacuuming tasks around the job site, this compact machine is built to withstand the demands of const ...

CODE DCV517N-XJ

18V XR DRYWALL CUTOUT TOOL (NO BATTERIES NO CHARGER)



18V XR Drywall CutOut Tool DeWalt XR Drywall Cut-Out Tool offers tool-free bit change for fast and easy bit changing and an adjustable depth stop for improved control when plunge cutting sheet material. Perfect for cutting holes in a variety of mate ...

CODE DCS551N-XJ

www.ftpdistribution.lu 🔇 +352 26 39 33 73





info@ftpdistribution.lu



18V XR FAN WITHOUT BATTERIES

Durable cordless fan, providing high airflow, extended runtime and versatile positioning. Compatible with 18V XR and XR FLEXVOLT battery range. Runtime of 4 Hours on Max. setting with 5Ah battery. 180° pivoting fan head with hang hooks. Air flow ...

CODE DCE512N-XJ



<u>18V XR HAND PRUNER WITH XR 18V 5AH BATTERY AND</u> <u>CHARGER</u>

The DeWalt DCMPP568P1 18V XR Pruning Shears are the perfect tool for gardeners, landscapers, and discerning do-it-yourselfers. Powered by an 18V motor, this tool has a cutting

capacity of 38mm, and is ideal for shrubbery and small branches. The bla ...



18V XR HAND PRUNER WITHOUT BATTERIES OR CHARGER



The DeWalt DCMPP568N 18V XR Pruning Shears are the perfect tool for gardeners, landscapers, and discerning DIY enthusiasts. Powered by an 18V motor, this tool has a cutting capacity of 38mm, and is ideal for shrubbery and small branches. The blades ...







info@ftpdistribution.lu



18V XR HANDHELD LED WORKLIGHT

IN BRIEF Flashlight with variable brightness settings (250 to 500lm). Up to 10 hours autonomy, 144° pivoting head, 9 adjustable positions and clamp. Variable light settings for maximum brightness or extended runtime 250-500 lumen output with bro ...

CODE DCL050-XJ



<u>18V XR HEAT GUN - BARE UNIT</u>

18V XR Heat Gun - Bare Unit DCE530 XR Heat Gun reaches a temperature of 530°C on a high setting and 290°C on a low setting Select a high or low temperature setting with the 2-set

temperature selector, optimising temperature for specific applicati ...

DDE DCE530N-XJ



18V XR LED TRIPOD LIGHT BODY ONLY, YELLOW/BLACK

Dewalt DCL079-XJ 18V XR LED Tripod Light-Body Only, Yellow/Black 3500k Warmer light colour to reduce glare Chip on board LED housing multiple LEDs bonded directly to a substrate

resulting in increased lumen output per square inch Adjustable angle ...

CODE DCL079-XJ





info@ftpdistribution.lu





<u>18V XR LI ION BRUSHLESS 18 GAUGE NARROW CROWN</u> <u>STAPLER 2.0AH KIT</u>

Information: Latest generation 18V XR Li-Ion Brushless 18Ga narrow crown stapler offers the cutting edge in nailing technology BRUSHLESS motor offers runtime that cannot be beaten in a compact package Compact, lightweight and ergonomic design make ...

CODE DCN681D2-QW



<u>18V XR LI ION BRUSHLESS 18 GAUGE NARROW CROWN</u> <u>STAPLER 2.0AH NAKED</u>

Information: Latest generation 18V XR Li-Ion Brushless 18Ga narrow crown stapler offers the cutting edge in nailing technology BRUSHLESS motor offers runtime that cannot be beaten in a compact package Compact, lightweight and ergonomic design make ...

DCN681N-XJ

CODE

CODE



<u>18V XR LI-ION BRUSHLESS 2 SPEED FRAMING NAILER - BARE</u> UNIT

IN BRIEF 4.0Ah cordless nailer with brushless motor. Great fastening speed, depth control and reduced vibrations. 18V XR Li-Ion Two Speed Framing Nailer featuring BRUSHLESS motor

technology Two speeds - or power levels - to optimise the nailer for ...

DCN692N-XJ

www.ftpdistribution.lu 🔇 +352 26 39 33 73







18V XR LI-ION BRUSHLESS STRING TRIMMER

18V XR LI-ION BRUSHLESS STRING TRIMMER Next Generation Products for 18V XR System user - more outdoor tools to get the job done High efficiency brushless motor - Delivers up to 40mins no load runtime (with a 5Ah battery) 36cm swath and 2mm twisted ...





<u>18V XR LI-ION BRUSHLESS STRING TRIMMER (NO BATTERIES</u> <u>NO CHARGER)</u>

18V XR LI-ION BRUSHLESS STRING TRIMMER (no batteries no charger) Next Generation Products for 18V XR System user - more outdoor tools to get the job done High efficiency

brushless motor - Delivers up to 40mins no load runtime (with a 5Ah battery) ...





<u>18V XR LI-ION CORDLESS 310MM CARTRIDGE CAULK GUN SKIN</u> <u>ONLY</u>

Information: Variable speed dial & trigger, durable plunger with auto-retract Description: 51-533mm / Minute 2500N (254kg) Push force 310ml Carrier size LED light for visibility Sausage Carrier Specifications: Voltage: 18 V Pressing pre ...

info@ftpdistribution.lu

CODE DCE560N-XJ

www.ftpdistribution.lu 🔇 +352 26 39 33 73









<u>18V XR LI-ION CORDLESS COMPACT HAMMER DRILL DRIVER -</u> <u>BRUSHLESS 2 SPEED</u>

IN BRIEF 2-speed drill driver with a metal gears. 15 torque adjustments and "intelligent" electronics. 18V XR Li-Ion compact hammer drill driver featuring 2.0Ah XR Li-Ion battery technology Brushless Motor Technology for excellent efficiency ...

CODE DCD796D2-QW



<u>18V XR LI-ION CORDLESS CONCRETE VIBRATING POKER SKIN</u> ONLY

Information: Suitable for removing air from freshly poured concrete and improves the consistency of the mix Description: Compact portable solution High speed 15,000VPM 1.2m Shaft for ease of use Sealed motor & driveshaft improve durability ...

CODE DCE531N-XJ



<u>18V XR LI-ION CORDLESS COMPACT HAMMER DRILL DRIVER -</u> <u>BRUSHLESS 2 SPEED</u>

IN BRIEF Cordless dril driver with 5.0Ah. lithium b atteries, 2 speed, 15 possible torque adjustments and intelligent electronic system. 18V XR Li-Ion compact hammer drill driver featuring 2.0Ah XR Li-Ion battery technology Brushless Motor T ...

DCD796P2-QW

CODE





info@ftpdistribution.lu



18V XR LI-ION LED PIVOT LIGHT

IN BRIEF Lightweight and compact torch 18V, impact-resistant housing, 110lm brightness and 90° vertically pivoting head. 21 hours autonomy. Compact, lightweight design with impact resistant housing LED Bulb producing 110 Lumen output (10,000Hr Li ...

CODE DCL040-XJ



18V XR LI-ION LED SPOTLIGHT - BARE VERSION

IN BRIEF Spotlight up to 1000lm with 90° adjustable head, in 5 positions. Up to 400m distance rating and 10 hours autonomy with 5.0Ah battery. High power LED Spotlight provides focused high intensity beam Delivers 1000 lumen max. output 400m dis...

DCL043-XJ



18V XR LI-ION RECIPROCATING SAW

IN BRIEF Reciprocating saw: up to 2950 strokes/min and 4-positions adjustable blade as well as keyless shoe adjustment. 560W Power output. Lever-action keyless blade clamp for quick and easy blade changes Four-position blade clamp allows for flush ...

CODE DCS380M2-QW





🕥 info@ftpdistribution.lu

18V XR LI-ION RECIPROCATING SAW (BARE UNIT)



IN BRIEF Reciprocating saw, variable speed with electronic brake and keyless clamp. 3-way pivoting shoe. 560W Output. Intelligent variable speed trigger, lock-off switch and electronic motor brake for quick controlled cuts and enhanced work safety ...

CODE DCS380N-XJ



18V XR LI-ION RIGHT ANGLE DRILL DRIVER

IN BRIEF 2 speed drill driver with keyless chuck and ergonomic grip. Metal gear box and LED light. 360W power output. 18V XR Li-Ion compact right angle drill driver featuring XR 1.5Ah Li-Ion

battery technology Two speed settings with reverse switc ...

CODE DCD740NT-XJ



18V XR LI-IONBATTERY PACK

DCB183-XJ

IN BRIEF 4.0Ah Lithium battery with LED indicator for monitoring the charging progress. Excellent technical features and no memory effect. DEWALT XR 4.0Ah Li-Ion Battery Technology offers extended runtime and optimised power to complete application ...

CODE

www.ftpdistribution.lu 🔇 +352 26 39 33 73

DCB184-XJ





info@ftpdistribution.lu

18V XR LIION COMPACT IMPACT WRENCH



IN BRIEF Ultra compact screwdriver. Intelligent switch, metal case gears and ergonomic grip. BATTERIES AND CHARGER SOLD SEPARATELY. Latest generation 18V XR Li-Ion compact impact wrench Ultra compact, light weight design allows for use in confine ...

CODE DCF880NT-XJ



IN BRIEF Screwdriver with powerful brushless motor 4400 RpM, with standard trigger lock. Ergonomic and highly balanced design. 18V XR Li-Ion BRUSHLESS Drywall Screwdriver for efficient fitting of drywall. Powerful 4400rpm BRUSHLESS motor drives sc ...

18V XR LIION DRYWALL SCREWDRIVER, IN TSTAK CASE

DCF620NT-XJ



18V XR METAL CUTTING CIRCULAR SAW, IN TSTAK CASE

IN BRIEF Circular Saw with LED, transparent portion of the blade guard and stainless steel shoe. 140mm 30 teeth tungsten carbide blade. Comes in a TSTAK case. Batteries and charger sold separately. Powerful & highly efficient PM58 DeWALT fan- ...

CODE DCS373NT-XJ





info@ftpdistribution.lu





<u>18V XR OSCILLATING MULTI-TOOL 3SP BARE IN T-STAK (NO</u> <u>BATTERIES NO CHARGER)</u>

18v XR Oscillating Multi-Tool 3sp Bare in T-STAK (no batteries no charger) Operates on 18V XR battery system and delivers up to 20,000 RPM. The oscillating multi-tool is ideal for various cutting and sanding applications. With 3 speeds, the multi ...

CODE DCS356NT-XJ



18V XR OSCILLATING MULTI-TOOL 3SP KITTED

18v XR Oscillating Multi-Tool 3sp Kitted Operates on 18V XR battery system and delivers up to 20,000 RPM. The oscillating multi-tool is ideal for various cutting and sanding applications. With 3 speeds, the multi-tool offers the ultimate speed and ...

DCS356P2-QW

CODE



<u>18V XR POLE HEDGE TR. 5.0AH</u>

18V XR Pole Hedge Tr. 5.0Ah Features and Benefits: Dual-action blades 3.35m maximum reach 7 Positions 180° articulating head Technical Specification: Voltage - 18V Maximum Reach -3.35m Positions - 7 Blade cut gap - 25mm Blade lengt ...

CODE DCMPH566P1-QW





info@ftpdistribution.lu



18V XR POLE HEDGE TR. 5.0AH (NO BATTERIES NO CHARGER)

18V XR Pole Hedge Tr. 5.0Ah (no batteries no charger) The Dewalt 18V XR Pole Saw Bare Unit DCMPH566N-XJ is an ideal pole saw for professional trades such as gardeners and landscapers as well as DIYers wanting to get their garden 'summer ready'. Wit ...

DCMPH566N-XI

18V XR POLE SAW (NO BATTERIES NO CHARGER)

18V XR Pole Saw (no batteries no charger) The DCMPS567 Brushless Pole Saw from DeWALT is a welcome addition to their specialised gardening range and is the perfect solution for anyone

trimming branches or hedges at height. Its chainsaw head has an ...

DCMPS567N-

CODE

18V XR POWERSTACK COMPACT BATTERY



With the compact 18V XR POWERSTACK $^{\text{M}}$ battery we present THE NEXT DIMENSION IN POWER $^{\text{M}}$. This battery provides 50% more power for faster application speed and higher productivity with a 25% smaller footprint; works with all power tools in the XR 1 ...

CODE DCBP034-XJ









<u>18V XR SDS+ PLUS BRUSHLESS ROTARY HAMMER DRILL INC 2X</u> <u>5.0AH BATTS</u>

The DCH273 offers up 1200 rpm no load speed producing an impressive 4500bpm - ideal for drilling anchors and fixing holes into concrete, brick and masonry from 4mm to 20mm. It has a rotation stop mode for light chiseling in plaster, tiles and render ...

CODE DCH273P2T-QW

<u>18V XR SERIES "G" 2.0AH BATTERY RESISTANT TO CHEMICAL</u> <u>AGENTS</u>



Designed to withstand the chemical agents present in industrial and automotive environments and have greater resistance to shocks and falls. Glass-filled nylon outer cover guarantees

resistance to oils and chemicals. External rubber coating to prot ...





<u>18V XR SERIES ''G'' 5.0AH BATTERY RESISTANT TO CHEMICAL</u> <u>AGENTS</u>

Designed to withstand the chemical agents present in industrial and automotive environments and have greater resistance to shocks and falls. Glass-filled nylon outer cover guarantees resistance to oils and chemicals. External rubber coating to prot ...

DCB184G-XJ

CODE





info@ftpdistribution.lu





<u>18V XR TOOL CONNECT BRUSHLESS COMPACT HIGH TORQUE</u> <u>WRENCH BARE UNIT</u>

Features: • All-new 18V BRUSHLESS XR Compact High-Torque Wrench featuring ToolConnect™ • Tool Connect technology built in allows inventory management via the Tool Connect app, enabling user to see whether tool is within proximity and providi ...

CODE DCF896NT-XJ



18V XR TOOL CONNECT LED AREA LIGHT

Features: • 360° beam pattern - Precision-engineered lens with 150 flutes for a bright even beam pattern to illuminate entire working space • Up to 5000 lumen light output with three brightness settings • Tripod mount and hang hook allow f...

DCL074-XJ

CODE

18V XR UNIVERSAL CORDLESS DUST EXTRACTOR



Part of DeWalt's Perform & Protect product group which is designed to reduce occupational hazards, the DWH161 is a compact cordless dust extractor which is powered by a DeWalt XR power tool battery (18v or 54v). Ideal for use with tools like cor ...

CODE DWH161N-XJ









18V XR UNIVERSAL CORDLESS DUST EXTRACTOR WITH BATTERY AND CHARGES

Part of DeWalt's Perform & Protect product group which is designed to reduce occupational hazards, the DWH161 is a compact cordless dust extractor which is powered by a DeWalt XR power tool battery (18v or 54v). Ideal for use with tools like cor ...













OTHER TOOLS

BLOWER



18V XR FAN WITHOUT BATTERIES

Durable cordless fan, providing high airflow, extended runtime and versatile positioning. Compatible with 18V XR and XR FLEXVOLT battery range. Runtime of 4 Hours on Max. setting

with 5Ah battery. 180° pivoting fan head with hang hooks. Air flow ...

CODE DCE512N-XJ



LEAF BLOWER 18V XR

IN BRIEF Leaf blower with 265W power output and 2.8 m3/min air throughput. 80 m/s air speed and 1.3kg weight. Supplied in a cardboard box. Compact and lightweight blower for jobsite clean-up Variable speed slider switch with variable speed trigg ...

DCV100-XJ CODE

FTP LUX DISTRIBUTION



www.ftpdistribution.lu 🔇 +352 26 39 33 73



info@ftpdistribution.lu



DUST EXTRACTORS

info@ftpdistribution.lu



18V XR CORDLESS HANDHELD VACCUUM

The DCV517 is a cordless handheld wet & dry vacuum that runs on the DeWalt 18v XR lithium ion battery platform. Ideal for mobile tradespeople and vacuuming tasks around the job site, this compact machine is built to withstand the demands of const ...

DE DCV517N-XJ

18V XR UNIVERSAL CORDLESS DUST EXTRACTOR



Part of DeWalt's Perform & Protect product group which is designed to reduce occupational hazards, the DWH161 is a compact cordless dust extractor which is powered by a DeWalt XR power tool battery (18v or 54v). Ideal for use with tools like cor ...

CODE DWH161N-XJ



<u>18V XR UNIVERSAL CORDLESS DUST EXTRACTOR WITH</u> <u>BATTERY AND CHARGES</u>

Part of DeWalt's Perform & Protect product group which is designed to reduce occupational hazards, the DWH161 is a compact cordless dust extractor which is powered by a DeWalt XR power tool battery (18v or 54v). Ideal for use with tools like cor ...

DDE DWH161D1-QW

FTP LUX DISTRIBUTION



www.ftpdistribution.lu 🕥 +352 26 39 33 73





DUST EXTRACTORS



<u>38LT CONSTRUCTION DUST EXTRACTOR L CLASS 1400W</u>

IN BRIEF 35 It Dust extractor, L class classification for extraction of fine particles, with innovative dual-filter for constant air flow. L Classified to meet EU legislation Innovative dual filter cleaning system maintains performance during t ...

CODE DWV902L-QS



<u>38LT CONSTRUCTION DUST EXTRACTOR M CLASS 1400W</u>

IN BRIEF 35 It Dust extractor, M class classification for extraction of fine particles, with innovative dual-filter for constant air flow. M Classified to meet EU legislation Innovative dual

filter cleaning system maintains performance during to ...

DWV902M-QS

CODE



54V XR FLEXVOLT MCLASS EXTRACTOR

Available with 2 batteries and a charger (DCV586MT2-QW) or without both (DCV586MN-XI). Features: • 2000W Brushless Motor provides powerful and market leading overload protection for increased performance • Wireless vac activation by a remote ...





CONSTRUCTION DUST EXTRACTOR - 1400W L CLASS TSTAK

IN BRIEF 30 It Dust extractor, L class classification for extraction of fine particles, with innovative dual-filter for constant air flow. L Classified to meet EU legislation Innovative dual filter

cleaning system maintains performance during to ...

CODE DWV901LT-QS

FTP LUX DISTRIBUTION

www.ftpdistribution.lu 🔇 +352 26 39 33 73 🔄 🖂 info@ftpdistribution.lu







DUST EXTRACTORS

info@ftpdistribution.lu



DUST BOX EVACUATOR, FOR MODELS D25303DH AND D25304DH

Features: • Compatible with D25303DH and D25304DH on-board SDS extractors • AIRLOCK Compatable for quick, locking attachment to vac hose • Eliminates airborne dust when emptying on-board dust box Note: This product is equipped with Euro ...

CODE DWH079D-XJ



SDS PLUS DUST EXTRACTOR

Features: • Quick-fit system for easy tool free assembly and release • For use with DEWALT corded and cordless SDS-Plus hammers • Ideal for dust free drilling up to any diameter • Tough

and versatile to meet the needs of the most demandi ...

DWH201D-XJ

CODE



<u>SOLIDS VACUUM CLEANER - CLASS L - WITHOUT BATTERIES OR</u> <u>CHARGER</u>

Powerful 18V motor for greater efficiency and power, delivers an incredible 1,260 L/min airflow. "L" class, the only cordless vacuum cleaner certified for use on construction sites in the EU. HEPA filter captures 99.97% of particles larger than 0.3 ...

DCV501LN-XJ







DUST EXTRACTORS



SUCTION SYSTEM FOR DEMOLITION HAMMERS FROM 5 TO 12 <u>KG</u>

Suction system for demolition hammers from 5 to 12 kg (SDS max and hexagonal 19mm connection). Equipped with 3 different gaskets for the attachment of different models of hammers electropneumatic, 2 adapters for different accessories. From connec ...

DWH051-XJ



XR 18 V DUST AND FLUID EXTRACTOR - CLASS L

Description: L Class Vacuum High efficiency filtration Compatible with Flexvolt batteries Runs at 18v to maximise run time Air-lock connection Direct attachment to the power tool Blower

Function Cord management improved ease of use Part of ...

COD DCV584L-QW









DUST EXTRACTORS ACCESSORIES

<u>2 REPLACEMENT FILTERS FOR DWV900-1</u>



IN BRIEF 2 replacement filters for DWV900 / 1. 2 Replacement Filters for DWV900/1



ADAPTER FOR NON-STANDARD HOSES 29,30 AND 25MM



IN BRIEF Adapter for non standard hoses to be employed with extraction systems of saws and angle grinders. Tapered rubber adapter fits tools with 29, 30 and 35mm ID ports. Swivels 360 to prevent hose becoming twisted during use.

CODE DWV9110-XJ

ANGLED ADAPTER (35MM HOSES)



IN BRIEF Angle adapter for extraction systems. Compatible with jigsaws and other tools. Angled Adapter (35mm hoses)

CODE DWV9150-XJ

ANTI-STATIC HOSE 4MM FOR DWV902



IN BRIEF Flexible antistatic hose with a diameter of 35mm and 4m length. For dust extractor DWV920M. Anti-static Hose 4mm for DWV902

info@ftpdistribution.lu

CODE DWV9316-XJ





DUST EXTRACTORS ACCESSORIES

CONNECTOR (35MM HOSES)

IN BRIEF Connection system compatible with cordless and corded dust extractors. To be employed with demolition hammers and drills. Screws directly to 35mm hose, Compatable with DEWALT and Competition Extraction Units. Direct locking to compatable ...

CODE DWV9000-XJ

DRILLING DUST EXTRACTION SYSTEM AND HOLE CLEANING

Ideal for dust free drilling up to 52mm in diameter and unlimited depth and compatible with all professional dust extractors. Includes hole cleaning nozzles to expose the full drilled depth and to ensure maximum adhesion of anchor fixings. Airlock ...

DWH050-XJ CODE

FILTER BAGS FOR D27900 (5PCS)

IN BRIEF Set of 5 dust bags. (D27900) 5 filter bags for D27900

D279001-XJ

CODE

FILTER BAGS FOR DW790 (5 PCS)

IN BRIEF Set of 5 dust bags. (DW790) 5 filter bags for DW790

CODE DE7902-XJ

FTP LUX DISTRIBUTION



www.ftpdistribution.lu 🔇 📎 +352 26 39 33 73



info@ftpdistribution.lu



DUST EXTRACTORS ACCESSORIES

FLAT PLEATED FILTER FOR D27901



Flat pleated filter for D27901



DUST CONNECTION SYSTEM WOODWORKING KIT



IN BRIEF 7-piece kit consisting of: 1x DWV9000-XJ, 3x DWV9130-xJ, 1x DWV9150-XJ, XJ-DWV9120 1x and 1x D279058CL-XJ. Direct locking to compatable DeWALT tools. Twist lock action enables user to quickly move hose from tool to tool whilst retainin ...

DE DWV9220-XJ



DUST EXTRACTION KIT 35MM DIA. CONNECTION

IN BRIEF 3-way dust extraction kit with 35mm connection. Dust Extraction Kit 35mm Dia. connection

DE7779-XJ

CODE



DUST EXTRACTION KIT 35MM DIA. CONNECTION

IN BRIEF 3-way dust etraction kit with 35mm connection. Dust extraction kit 35 mm connection port

DE7778-XJ





DUST EXTRACTORS ACCESSORIES

DWV9350 XJ FLOOR CLEANING SET FOR EXTRACTION SYSTEMS



For exhaust systems. Floor cleaning complete kit. A floor cleaning kit for use with Dewalt wet and dry vacuum. Includes: 2 x Aluminium Suction Pipes 1 Combination nozzle with Interchangeable Inserts 1 Crevice Nozzle 1 Suction Brush 1 Elbow ...

CODE DWV9350-XJ



DWV9390 XJ DUST BAG ATTACHMENT FOR DCP580 PLANER

Information: This dust bag attachment is the perfect accessory for the brushless DCP580 planer from DeWalt. It can be mounted to either the left or right side of the planer and is spring loaded which allows for easy emptying of the bag. Thanks to it ...

DWV9390-XJ

CODE



PAPER FILTER BAGS FOR DWV920M (5PCS)

IN BRIEF Set of 5 paper bags to collect dust and dirt. (DWV920M) 5 filter bags for DWV920M

DWV9401-XJ

PLASTIC FILTER BAGS FOR DWV920M (5PCS)

IN BRIEF Set of 5 plastic bags to collect dust and dirt. (DWV920M) 5 filter bags for DWV920M









DUST EXTRACTORS ACCESSORIES



FILTER BAGS FOR D27901-D27902-D27902M (5PCS)



IN BRIEF Set of 5 dust bags. (D27901 / D27902 / D27902M) 5 filter bags for D27901/D27902/D27902M

DE D279017-XJ



TEXTILE FILTER BAG FOR DWV920M (5PCS)

IN BRIEF Set of 5 fabric bags to collect dust and dirt. (DWV920M) 5 filter bags for DWV920M



CODE

CODE



UNIVERSAL CONNECTOR (35MM HOSES)

IN BRIEF Universal connector for 35mm hoses DW624 / 5E / 6, DW621, D26204K, DW744 / 5, D26441, D26420 / 1/2/3, D26453, D26410 and D25301D. Universal connector (35mm hoses)

DWV9130-XJ

FTP LUX DISTRIBUTION




www.ftpdistribution.lu 🔇 +352 26 39 33 73 🏼 🔄 info@ftpdistribution.lu



DUST EXTRACTORS ACCESSORIES

Y-SHAPED SUCTION CONNECTION





DWV9470-XJ



FTP LUX DISTRIBUTION



www.ftpdistribution.lu 🔇 +352 26 39 33 73



🔁 info@ftpdistribution.lu



GREASE GUNS



18V CAULK GUN 600ML (BARE TOOL)

Information: The Dewalt DCE580N caulk gun comes with a variable speed dial and variable speed trigger for precise control of material flow. Description: Variable speed dial and variable speed trigger for precise control of material flow Durable p ...

DCE580N-XJ



<u>18V XR LI-ION CORDLESS 310MM CARTRIDGE CAULK GUN SKIN</u> ONLY

Information: Variable speed dial & trigger, durable plunger with auto-retract Description: 51-533mm / Minute 2500N (254kg) Push force 310ml Carrier size LED light for visibility Sausage

Carrier Specifications: Voltage: 18 V Pressing pre ...

CODE DCE560N-XJ



<u>18V XR LI-ION CORDLESS CONCRETE VIBRATING POKER SKIN</u> ONLY

Information: Suitable for removing air from freshly poured concrete and improves the consistency of the mix Description: Compact portable solution High speed 15,000VPM 1.2m Shaft for ease of use Sealed motor & driveshaft improve durability ...

info@ftpdistribution.lu

CODE DCE531N-XJ





GREASE GUNS

CLEAR TUBE FOR C GUN



Information: DeWalt Clear Tube for Chaulking Gun Suitable for application of sealants and adhesives and applying material in difficult situations Description: 600ml Tube holder for DCE560 Accepts 400ml and 600ml sausage packs Accepts 300ml and 310ml ...

CODE DCE5801-XJ

DFC1610150 HEAVY DUTY MANUAL DISPENSER



Information: Dispening Tools for the full range of DEWALT adhesive anchors Description: Dispening Tools for the full range of DEWALT adhesive anchors Note: This product is equipped with Euro Plug and operates at 220-230V

DFC1610150

CODE

CODE

DISPENSING TOOL: MANUAL ADHESIVE (MULTI-PACK)



Informations: The Dewalt Manual Dispenser for the full range of DEWALT adhesive anchors. Description: Dispening Tools for the full range of DEWALT adhesive anchors Note: This product is equipped with Euro Plug and operates at 220-230V

DFC1610100

DFC1610050

🕥 info@ftpdistribution.lu





GREASE GUNS



<u>GREASE NIPPLE 18 V 690 BAR FOR 400G CARTRIDGE -</u> <u>WITHOUT BATTERY</u>

Grease gun. Power 690 bar, cartridge capacity 400g, hose length 1m, weight 3.6kg. In case without battery and charger. Note: This product is equipped with Euro Plug and operates at 220-230V

DCGG571NK-XJ



SILICONE GUN XR 18V, PUSH STRENGHT 2500N (254KG), BASKET DIMENSION 300-310ML.

IN BRIEF Silicone gun XR 18V, push strenght 2500N (254Kg), push speed 51-533 mm/min, cartridge system, basket dimension 300-310ml. EQUIPMENT 18V XR Lithium 2Ah battery, multi-

voltage battery charger, small suitcase. Batteria XR Litio Voltagg ...

DCE560D1-QW



<u>SILICONE GUN XR 18V, PUSH STRENGHT 2500N (254KG),</u> <u>BASKET DIMENSION 300-600ML.</u>

IN BRIEF Silicone gun XR 18V, push strenght 2500N (254Kg), push speed 51-533 mm/min, cartridge or sachet system, basket dimension 300-600ml. EQUIPMENT 18V XR Lithium 2Ah

info@ftpdistribution.lu

battery, multi-voltage battery charger, small suitcase. Batteria XR Litio ...

CODE DCE580D1-QW

www.ftpdistribution.lu 🔇 +352 26 39 33 73





info@ftpdistribution.lu

HEAT GUNS



<u> 18V XR HEAT GUN - BARE UNIT</u>

18V XR Heat Gun - Bare Unit DCE530 XR Heat Gun reaches a temperature of 530°C on a high setting and 290°C on a low setting Select a high or low temperature setting with the 2-set

temperature selector, optimising temperature for specific applicati ...

DCE530N-XJ



DIGITAL LED HEATGUN 2000W

IN BRIEF Heatgun designed for professional and prolonged use, with 2000W motor. Digital display to check and store temperature. Durable hot air gun for Professional applications Excellent temperature control and memory setting for consistent tem ...

CODE D26414-QS



STANDARD HEATGUN 1800W

IN BRIEF Hatgun with 2 air flows to maximize user control. Compact and lightweight design, equipped with two nozzles for more versatility. Durable design with added protection for the heating element Light weight ergonomics and compact design for ...

D26411-QS

www.ftpdistribution.lu 🔇 +352 26 39 33 73

CODE







CODE

CODE

OTHER TOOLS

info@ftpdistribution.lu

<u>NAILERS</u>



<u>18V XR BRUSHLESS 16GA FIX STRAIGHT NAILER WITH 2 2AH</u> <u>BATTERIES</u>

Sequential mode allows for precision placement and the bump operating mode provides the user with production speed of up to 4 nails per second. Depth of drive can be easily adjusted using the thumb wheel depth adjuster. Compact, lightweight and erg ...

DCN662D2-QW



<u>18V XR LI-ION BRUSHLESS 2 SPEED FRAMING NAILER - BARE</u> UNIT

IN BRIEF 4.0Ah cordless nailer with brushless motor. Great fastening speed, depth control and reduced vibrations. 18V XR Li-Ion Two Speed Framing Nailer featuring BRUSHLESS motor


technology Two speeds - or power levels - to optimise the nailer for ...

DCN692N-XJ



ACCESSORIES PRE STAPLER FOR CAMBRETTE

Length 40mm. 990 pieces per pack. Compatible with tool DCFS950







<u>NAILERS</u>







18V-5.0AH 2 SPEED FRAMINGNAILER IN DS400

IN BRIEF Nailer with brushless motor suitable for nails of all lengths. Fastening depth and speed guaranteed. 18V XR Li-Ion Two Speed Framing Nailer featuring BRUSHLESS motor technology and XR 5.0Ah battery packs Two speeds - or power levels - to ...

🕐 info@ftpdistribution.lu



FTP LUX DISTRIBUTION



www.ftpdistribution.lu 🔇 +352 26 39 33 73



info@ftpdistribution.lu

<u>NAILERS</u>

C3/C5/C4/W3 220V ADAPTER CORD

C3/C5/C4/W3 220V Adapter Cord

CODE DDF5610510



C5 TRAK IT GAS NAILER SHORT TRACK KIT

DDF5120550

Information: The C5 Trak-It is a powerful gas nailer designed for driving nails and clips into a wide range of substrates including steel concrete brick and hollow brick The lightest and smallest tool in its class Less operator fatigue with a bett ...

CODE



COIL FRAMING NAILER

IN BRIEF Coil framing nailer with aluminum body, depth adjustment settings and threaded tip. Up to 300 nails magazine capacity. Note: This product is equipped with Euro Plug and operates at 220-230V

CODE DPN75C-XJ

DRYWALL CONTACT TRIP FOR DCN890



Drywall Contact Trip for DCN890

DCN8904-XJ

CODE

FTP LUX DISTRIBUTION



www.ftpdistribution.lu 🔇 +352 26 39 33 73



<u>NAILERS</u>

EXTENSION POLE FOR DCN890



Extension Pole for DCN890





DEWALT DCN890N XJ 18V XR CONCRETE NAILER (BARE TOOL)

Information: 18V XR Li-Ion Concrete Nailer featuring brushless motor technology offering improved runtime and the power to drive longer nails Using 20mm standard (2.6mm diameter) nails, a fully charged single battery will drive up to 600 shots or ...

CODE DCN890N-XJ



Ideal for fastenings on wood: roofing, fences, wooden planks in general Compatible with DeWalt DNR series nails Min / Max length nails: 19-45 mm Capacity: 120 nails Speed: 3 nails / sec Supplied with 2 18V 2.0 Ah batteries and charger Note: ...

NAILER FOR ROOFS AND GENERAL MAINTENANCE 18V

DCN45RND2-Q

CODE



ROOF NAILER AND GENERAL MAINTENANCE 18V (MACHINE BODY ONLY)

Ideal for fastenings on wood: roofing, fences, wooden planks in general Compatible with DeWalt DNR series nails Min / Max length nails: 19-45 mm Capacity: 120 nails Speed: 3 nails / sec NO 18V 2.0 Ah batteries NO charger Note: This product ...

CODE DCN45RNN-XJ

FTP LUX DISTRIBUTION



www.ftpdistribution.lu 🔇 +352 26 39 33 73 🔄 info@ftpdistribution.lu





NAILERS



STICK FRAMING NAILER

IN BRIEF Coil nailer with a sequential firing mode, magnesium structure and depth adjustment setting. Magazine capacity: up to 300 nails. Note: This product is equipped with Euro Plug and operates at 220-230V



DEWALT DCN890P2 QW 18V XR CONCRETE NAILER



Information: 18V XR Li-Ion Concrete Nailer featuring brushless motor technology and XR 5.0Ah battery packs offering improved runtime and the power to drive longer nails Using 20mm standard (2.6mm diameter) nails, a fully charged single battery wil ...

DCN890P2-QW

CODE

CODE

CODE

MAGNETIC CONTACT TRIP FOR DCN890



Magnetic Contact Trip for DCN890

DCN8902-XJ

NON-MAG CONTACT TRIP FOR DCN890



Non-Mag Contact Trip for DCN890

DCN8903-XJ

FTP LUX DISTRIBUTION



www.ftpdistribution.lu 🔇 +352 26 39 33 73



info@ftpdistribution.lu



<u>NAILERS</u>



DEWALT DDF5110500 C5 TRAK IT GAS NAILER LONG TRACK KIT

Information: DEWALT C5 TRAK-IT TOOL Lighter, faster and more reliable than other tools on the market, the gas powered C5 Trak-It nailer can drive up to 800 nails per fuel cell and has been specifically designed for fast installation of drywall trac ...

CODE DDF5110500



STAPLER FOR METAL CAMBRETTE FOR 18V BRUSHLESS FENCES

Stapler for metal cambrette for 18V fences BRUSHLESS motor. Sequential & Rapid mode selector, Speed selector for High/Medium/Low depth 15,000/14,000/13,000 RPM, fine

mechanical depth adjustment, quick uncoupling without tools, LED light, Weight 4 ...

DCFS950N-XJ

CODE

DCFS950P2-QW



STICK FRAMING NAILER

IN BRIEF Nailer with 33° angle magazine, magnesium structure, depth adjustment settings and threaded anti-corruption tip. 33° Stick Framing Nailer designed to drive 90mm ring shank nails in the toughest timber with a smaller magazine to help ge ...

info@ftpdistribution.lu

ODE DPN9033SM-XJ





NAILERS (FOR BRADS/PINS)



<u>16 GAUGE NAILER WITH PRECISION POINT. FOR 25-64MM</u> BRADS.

IN BRIEF Pneumatic nailer with magazine capacity of 110 nails and double firing mode. Operating pressure of 4.8-8.3bar. The DPN1664PP is a pnuematic, lightweigth and oil free nailer that achieves an impressive performance with absolute minimal ma ...

DPN1664PP-XJ



<u>18 GAUGE NAILER WITH PRECISION POINT. FOR 15-55MM</u>

<u>BRADS.</u>

CODE

CODE

IN BRIEF Pneumatic nailer with a magazine capacity of 100 nails. Sequential firing mode and 4.9-8.4bar operating pressure. Dewalt DPN1850PP-XJ 18G Positive Placement Brad Nailer 50mm

Max Features: Advanced design Precision Point nose with u ...

E DPN1850PP-XJ



<u>18V XR BRUSHLESS 16GA FIX STRAIGHT NAILER WITHOUT</u> <u>BATTERIES</u>

Sequential mode allows for precision placement and the bump operating mode provides the user with production speed of up to 4 nails per second. Depth of drive can be easily adjusted using the thumb wheel depth adjuster. Compact, lightweight and erg ...

DCN662NT-XJ

FTP LUX DISTRIBUTION

www.ftpdistribution.lu 🔇 +352 26 39 33 73 🔄 info@ftpdistribution.lu





NAILERS (FOR BRADS/PINS)



23 GAUGE NAILER. FOR 10-30 MM BRADS.

IN BRIEF Nailer with side magazine and aluminum body, ergonomic handle and power adjustment. Operating pressure: 4.9 to 8.4bar. Lightweight and compact Tacker for professionals Perfect for use on fine, intricate surface without leaving marks Ea ...





COMBO STAPLE AND NAIL GUN. 15-40MM STAPLES, 15-40MM NAILS

IN BRIEF Nailer and staplegun, side load magazine, aluminum body and ergonomic handle. Operating pressure of 4.9 to 8.4 bar. Note: This product is equipped with Euro Plug and operates at 220-230V

COD

DPSB2IN1-XJ









<u>RATCHETS</u>



<u>1/2" BRUSHLESS 95 NM RATCHET WITH 2 AH BATTERY AND</u> <u>CHARGER</u>

DeWALT's DCF512D1G cordless ratchet is part of the new generation of powerful 18-volt cordless ratchets with high torque and compact size. The robust 1/2" external square drive with ball guard allows for quick change and ensures a secure fit of the ...

CODE DCF512D1G-QW



<u>1/2" BRUSHLESS 95 NM RATCHET WITH BAG, 2 AH BATTERY</u> AND CHARGER

This versatile cordless 18V brushless motor 1/2-inch ratchet is designed to help you complete a wide variety of demanding jobs. Providing 75Nm of maximum torque, the ratchet is suitable for

a variety of fastening projects with a variable speed trigg ...



-512D1-QW



1/2" BRUSHLESS RATCHET 95 NM WITHOUT BATTERIES OR CHARGER

The powerful brushless motor delivers up to 95Nm of torque. Narrow design for a comfortable grip and easy work in small spaces. Variable speed for optimum control in every application. Integrated LED lighting. Note: This product is equipped wi ...



FTP LUX DISTRIBUTION

www.ftpdistribution.lu 🔇 +352 26 39 33 73 🔄 info@ftpdistribution.lu







<u>RATCHETS</u>



<u>1/4" BRUSHLESS 54 NM RATCHET WITH 2 AH BATTERY AND</u> CHARGER

The powerful brushless motor delivers up to 54Nm of torque. Narrow design for a comfortable grip and easy work in small spaces. Variable speed for optimum control in every application. Integrated LED lighting. Equipment: 1 x 18V 2Ah battery B ...

CODE DCF504D1-QW



1/4" BRUSHLESS 54 NM RATCHET WITH 3 AH BATTERY AND CHARGER

DeWALT's DCF504L1G cordless ratchet is part of the new generation of powerful cordless ratchets with high torque and compact dimensions. The robust external 1/4" square drive with

ball guard allows for quick change and ensures a secure fit of the pl ...





1/4" BRUSHLESS RATCHET 54 NM WITHOUT BATTERIES OR CHARGER

The DeWALT DCF504N cordless ratchet is part of the new generation of powerful cordless ratchets with high torque and compact size. The robust external 1/4" square drive with ball guard allows for quick change and ensures a secure fit of the plug-in ...

info@ftpdistribution.lu

CODE DCF504N-XJ





<u>RATCHETS</u>



<u>3/8" BRUSHLESS 95 NM RATCHET WITH 2 AH BATTERY AND</u> CHARGER

DeWALT's DCF513D1G cordless ratchet is part of the new generation of powerful 18-volt cordless ratchets with high torque and compact size. The robust external 3/8" square drive with ball guard allows for quick change and ensures secure attachment of ...

DCF513D1G-QW



3/8" BRUSHLESS RATCHET 81 NM WITH 3 AH BATTERY AND CHARGER

The DeWALT DCF503L1G cordless ratchet is part of the new generation of powerful cordless ratchets with high torque and compact dimensions. The robust external 3/8" square drive with ball guard allows for quick change and ensures secure attachment of ...





<u>3/8" BRUSHLESS RATCHET 81 NM WITH BAG, 2 AH BATTERY</u> <u>AND CHARGER</u>

The powerful brushless motor delivers up to 81Nm of torque. Narrow design for a comfortable grip and easy work in small spaces. Variable speed for optimum control in every application. Integrated LED lighting. Equipment: 1 x 18V 2Ah battery B ...

🕥 info@ftpdistribution.lu



www.ftpdistribution.lu (📎) +352 26 39 33 73






<u>RATCHETS</u>



<u>3/8" BRUSHLESS RATCHET 81 NM WITHOUT BATTERIES OR</u> <u>CHARGER</u>

The powerful brushless motor delivers up to 81Nm of torque. Narrow design for a comfortable grip and easy work in small spaces. Variable speed for optimum control in every application. Integrated LED lighting. Note: This product is equipped wi ...

DE DCF503N-XJ





The DeWALT DCF513N cordless ratchet belongs to the new generation of powerful 18-volt cordless ratchets with high torque and compact dimensions. The robust 3/8" external square

drive with ball guard allows for quick change and ensures secure attachm ...

DCF513N-XJ

3/8" LONG HEAD BRUSHLESS RATCHET 81 NM WITHOUT BATTERIES OR CHARGER

Dewalt DCF503EN is the new long head ratchet from DeWALT built around a superb brushless motor that delivers optimum torque up to 80Nm, enabling this DeWALT 12V ratchet to tackle a variety of fastening applications on the construction site and in the ...

info@ftpdistribution.lu

CODE DCF503EN-XJ

www.ftpdistribution.lu 🔇 +352 26 39 33 73





STAPLE GUNS



<u>18V XR LI ION BRUSHLESS 18 GAUGE NARROW CROWN</u> <u>STAPLER 2.0AH KIT</u>

Information: Latest generation 18V XR Li-Ion Brushless 18Ga narrow crown stapler offers the cutting edge in nailing technology BRUSHLESS motor offers runtime that cannot be beaten in a compact package Compact, lightweight and ergonomic design make ...

CODE DCN681D2-QW



<u>18V XR LI ION BRUSHLESS 18 GAUGE NARROW CROWN</u> <u>STAPLER 2.0AH NAKED</u>

Information: Latest generation 18V XR Li-Ion Brushless 18Ga narrow crown stapler offers the cutting edge in nailing technology BRUSHLESS motor offers runtime that cannot be beaten in a compact package Compact, lightweight and ergonomic design make ...

DE DCN681N-XJ



STAPLE GUN - 12-38MM LENGTH, 1.27MM DIA. STAPLES

IN BRIEF Combination of staple gun and nailer, with sequential firing mode. Magnesium body and anti corruption tip. DEWALT DPSSX38-XJ SX Stapler Specifications: Length: 235mm Height: 240mm Width: 70mm Weight: 1.26kg Air consumpti

info@ftpdistribution.lu

240mm Width: 70mm Weight: 1.36kg Air consumpti ...

DE DPSSX38-XJ





STAPLE GUNS

STAPLE GUN 80 SERIE. 4-16 MM STAPLES, 0.6-0.9MM DIA.



IN BRIEF Staple gun with bottom load magazine, aluminum body and ergonomic handle. Operating pressure of 4.9 to 8.4 bar. Note: This product is equipped with Euro Plug and operates at 220-230V

CODE DPS8016-XJ











<u>GRINDERS</u>

ACCESSORIES FOR GRINDERS

CUTTING GUARD 180MM



IN BRIEF 180mm Security Guard fit for DW840-QS - D28495-QS cutting and grinding discs.



CUTTING GUARD 180MM



IN BRIEF 230mm safety guard suitable for D28401 / 411/492/498/423/750/432-QS cutting and grinding discs (not fit for D28415-QS).

D284921-XJ

CODE



GRINDING SHROUD 115-125 MM

IN BRIEF Grinding shroud for suction of dust and fine particles. To be employed with DEWALT 115mm and 125mm grinders. Quick release. Allows collection of harmfull dust during suface grinding applications Attachs directly to 115, 125mm DeWALT Gr ...

CODE DWE46150-XJ

QUICK FASTENING NUT



Information: Quick fastening nut for M14 grinder Description: Quick fastening nut for M14 grinder

CODE DT3559-QZ







GRINDERS

ACCESSORIES FOR GRINDERS



SUCTION HOOD

CODE

Suction hood Features: - Suction hood for 125/115 mm angle grinders - max cutting depth 30mm - suction system compatible with Air Lock - depth adjustment.

DWE46225-XJ



SUCTION HOOD

Suction hood Features: - Suction hood for angle grinders 230/180 mm - max cutting depth 60mm - suction system compatible with Air Lock - depth adjustment.

DWE46229-XJ









ANGLE GRINDERS

115MM AND 230MM ANGLE GRINDERS SET



Pair of angle grinders: DWE4156-QS 115MM 900W + DWE492-QS 230MM 2200W Note: This product is equipped with Euro Plug and operates at 220-230V



125 MM ANGLE GRINDER WITH ACCESSORIES IN CASE



125mm 1500w electronic grinder with cap and cups for concrete. Note: This product is equipped with Euro Plug and operates at 220-230V

DWE4257KT-QS

125MM ANGLE GRINDER 1500W, 2800-10500RPM



125mm Angle Grinder, 1500W, 2800-10500rpm, slow start. M14 spindle thread, electromechanical clutch for no kick back, dust extraction system, No-Volt card, 2.6 Kg. Equipment: quick hooking protection, anti-vibrations directable side grip, flange a ...

CODE DWE4257-QS

125MM ANGLE GRINDER WITH REAR HANDLE, 1500W



DeWALT Angle Grinders: DWE4277-QS De WALT 125mm Angle Grinder with rear handle, 1500W, 10500rpm, slow start. M14 spindle thread, electro-mechanical clutch for no kick back, dust extraction system, No-Volt card, 2.6 Kg. Equipment: Quick hooking pr ...

DWE4277-QS

FTP LUX DISTRIBUTION



www.ftpdistribution.lu 🔇 +352 26 39 33 73 🔄 info@ftpdistribution.lu



<u>GRINDERS</u>

ANGLE GRINDERS



125MM FLAT HEAD ANGLE GRINDER

Angle grinder with flat head 125mm 900W - 11800 rpm, M14 spindle thread, No-Volt switch. EQUIPMENT: Disk protection, side handle, flange and counter flange, service key. Note: This product is equipped with Euro Plug and operates at 220-230V

CODE DWE4157F-QS

150MM ANGLE GRINDER, 1400W, 9000RPM



150mm Angle Grinder, 1400W, 9000rpm. M14 spindle thread, dust extraction system, No-Volt card, 2.6 Kg. Equipment: quick hooking protection, anti-vibrations directable side grip, flange and counterflange, operation wrench. Note: This product is ...

DWE4238-QS

ANGLE GRINDER 900W 115MM



IN BRIEF Compact angle grinder with No Volt switch and ball bearings. Adjustable side handle. Note: This product is equipped with Euro Plug and operates at 220-230V

CODE DWE4157-QS



<u>180MM 54V XR FLEXVOLT BRUSHLESS ANGLE GRINDER -</u> <u>WITHOUT BATTERY</u>

180mm 54V XR FLEXVOLT Brushless angle grinder, variable speed 6500 rpm, spindle thread M14, weight 2.6 kg. EQUIPMENT: protection for cutting, protection for grinding, side handle. Without battery and charger, cardboard box. Note: This product is ...

DCG440N-XJ

FTP LUX DISTRIBUTION



www.ftpdistribution.lu 🔇 +352 26 39 33 73 🔄 info@ftpdistribution.lu



ANGLE GRINDERS

18V XR 125MM ANGLE GRINDER WITH BATTERY AND CHARGES



The DeWalt DCG412N is a next generation premium angle grinder featuring new XR Lithium-Ion Technology, making it specially designed for efficiency and making applications faster. Versatile it is perfect for both professionals and hobbyists. DEWDCG41 ...

CODE DCG412M2-QW



18V XR 125MM BRUSHLESS ANGLE GRINDER

125mm angle grinder. BRUSHLESS engine. Power output 800W, 9,000 rpm, max disc diameter 125mm, M14 spindle thread, 1.75Kg. Please : The item Dewalt DCG405NT-XJ is sold in a case without batteries, charger. The item Dewalt DCG405P2-QW is sold with ...

DCG405NT-XJ DCG405P2-QW



230V GRINDER KIT WITH SUCTION HOOD

230v grinder kit + suction hood DWE492-QS 2200W motor protected from dust abrasion for extreme durability. Side handle adjustable in two positions for greater comfort of use. Shaft locking device for quick disc change. Door for easy and quick re ...

CODE DWE492GK-QS

ANGLE GRINDER 1010W 115MM WITH NO-VOLT SECURITY



IN BRIEF Angle grinder with high power motor, dust extraction system and compact, ergonomic design- Equipped with practical side handle. Dust ejection system removes majority of debris from the air which passes over the motor, preventing abrasion a ...

DWE4207-QS

FTP LUX DISTRIBUTION



www.ftpdistribution.lu 🔇 +352 26 39 33 73 🔄 info@ftpdistribution.lu

CODE





ANGLE GRINDERS

ANGLE GRINDER 115MM 1000W - NO-VOLT SECURITY



IN BRIEF Angle grinder with No Volt switch and continuous mode. Compact and ergonomic design, anti-vibration handle. "No-volt release switch prevents the unit from starting unitentionally when locked on. Switch must be consciously reset before pow ...

CODE DWE4206-QS

ANGLE GRINDER 1400W 125MM



IN BRIEF Angle grinder with No Volt switch and continuous operation mode. Compact and ergonomic design, with dust extraction system. Length x Height 528 x 268 mm Note: This product is equipped with Euro Plug and operates at 220-230V

CODE DWE4237-QS



ANGLE GRINDER 1200W 125MM - NO-VOLT SECURITY

IN BRIEF Small angle grinder 11000 rpm with dust extraction system and compact design. Comfortable anti-vibration side handle. Dust ejection system removes majority of debris from the air which passes over the motor, preventing abrasion and ...

CODE DWE4217-QS



ANGLE GRINDER 2200W 230MM

IN BRIEF Angle grinder 6600 rpm with adjustable side handle, spindle locking device and door for quick replacement of motor brushes. FEATURES Abrasion protected motor for increased durability Two Position side handle allows the user to optimise ...

CODE DWE492-QS

FTP LUX DISTRIBUTION



www.ftpdistribution.lu 🔇 +352 26 39 33 73 🔄 info@ftpdistribution.lu



<u>GRINDERS</u>

ANGLE GRINDERS

ANGLE GRINDER 230MM 2600W



Angle grinder 230mm 2600w, 6500 rpm EQUIPMENT: Disk protection with quick connection, Side handle, Flange and counter flange, Service key. Note: This product is equipped with Euro Plug and operates at 220-230V

CODE DWE496-QS

ANGLE GRINDER 2400W 230MM



IN BRIEF Large angle grinder, up to 6500 rpm. Motor with replaceable brushes, anti-vibration side handle and quick release disc guard. Dust Ejection System protects from abrasion damage increasing the life of the tool Anti vibration side handle ...

DWE4559-QS

ANGLE GRINDER 2600W 230MM



IN BRIEF Angle grinder with 6500 rpm, electronic clutch and No volt switch. Ergonomic handles for maximum comfort. Dust Ejection System protects from abrasion damage increasing the life of the tool Overload protection will prevent the motor over ...

CODE DWE4579-QS



ANGLE GRINDER 800W 115MM

IN BRIEF Angle grinder with 11800 revolutions per minute, very compact, with No Volt switch, innovative brush system and ball bearings. Note: This product is equipped with Euro Plug and operates at 220-230V

CODE DWE4056-QS

FTP LUX DISTRIBUTION



www.ftpdistribution.lu 🔇 +352 26 39 33 73 🔄 info@ftpdistribution.lu



<u>GRINDERS</u>

ANGLE GRINDERS



ANGLE GRINDER 800W 125MM

IN BRIEF Ultra compact angle grinder with No Volt switch and innovative brush motor. Designed with ball bearings for outstanding resistance. Note: This product is equipped with Euro Plug and operates at 220-230V

CODE DWE4057-QS

ANGLE GRINDER 900W 115MM



IN BRIEF Compact angle grinder 11500 rpm, with No Volt switch. Equipped with ball bearings and adjustable side handle. Note: This product is equipped with Euro Plug and operates at 220-230V

CODE DWE4156-QS



ANGLE GRINDER, BRUSHLESS, 125MM, 1700W

Feature: - Power input: 1700W - Max. disc diameter: 125 mm - Spindle thread: M14 - Weight: 2.3 kg • Brushless AC Motor improves performance and efficiency in demanding applications • Electronic soft start to limit start-up current and re ...

DWE4357-QS

www.ftpdistribution.lu 🔇 +352 26 39 33 73

CODE

DWE4369-QS

🕐 info@ftpdistribution.lu





<u>GRINDERS</u>

CORDLESS ANGLE GRINDERS

info@ftpdistribution.lu



125 MM ANGLE GRINDER 54V XR FLEXVOLT 2 BATTERIES 6 AH

Information: The 54V brushless motor allows for improved performance in demanding applications The electronic brake quickly stops the wheel when the trigger is released The electronic clutch reduces the kickback reaction in the event of a pinch or ...

DCG418T2-QW

125 MM ANGLE GRINDER 54V XR FLEXVOLT 2 BATTERIES 9 AH



Information: The 54V brushless motor allows for improved performance in demanding applications The electronic brake quickly stops the wheel when the trigger is released The electronic clutch reduces the kickback reaction in the event of a pinch or ...

CODE DCG418X2-QW



<u>18V 125MM ANGLE GRINDER (WITHOUT BATTERIES AND</u> <u>CHARGER)</u>

Features: Flexvolt technology using DCB547 XR Flexvolt 9Ah battery compared to DCB184 18V XR 5Ah. 42% more power using the DCB546 XR Flexvolt 6Ah battery compared to the DCB184 18V XR 5Ah. Brushless technology motor for greater efficiency and grea ...

CODE DCG409NT-XJ

FTP LUX DISTRIBUTION



www.ftpdistribution.lu 🔇 +352 26 39 33 73





CORDLESS ANGLE GRINDERS

🕥 info@ftpdistribution.lu

<u>18V 125MM FLATHEAD SAG NAKED IN T-STAK</u>



18V 125mm Flathead SAG Naked in T-Stak nnovative, brushless motor technology - higher performance, more compact dimensions, longer battery life and longer battery life. Ultra flat gear head for working at sharp angles down to 40°. Epoxy resin armou ...

CODE DCG405FNT-XJ



18V 6.0AH 125MM ANGLE GRINDER

Features: Flexvolt technology using DCB547 XR Flexvolt 9Ah battery compared to DCB184 18V XR 5Ah. 42% more power using the DCB546 XR Flexvolt 6Ah battery compared to the DCB184 18V XR 5Ah. Brushless technology motor for greater efficiency and grea ...

DCG409T1-QW

18V-4.0AH XR LI-ION CUTOFF WHEEL - GRINDER



IN BRIEF Angle grinder with spindle lock, blade guard and quick blade change. Practical side handle, adjustable in two positions. Steel cut spiral bevel gears provide highest level of durability and low vibration, increasing user productivity Low ...

CODE DCG412NT-XJ

CODE







CORDLESS ANGLE GRINDERS



54V XR FLEXVOLT 125MM ANGLE GRINDER (MACHINE BODY ONLY)

Information: The 54V brushless motor allows for improved performance in demanding applications The electronic brake quickly stops the wheel when the trigger is released The electronic clutch reduces the kickback reaction in the event of a pinch or ...

CODE

DCG418NT-XJ











POLISHERS



18V DUAL ACTION POLISHER KIT

18V Dual Action Polisher Kit 18V XR Brushless Motor delivers improved performance in demanding applications Variable speed dial allows for easy speed changes to suit specific applications Variable speed trigger allows for additional speed control ...

DCM848P2-QW



18V DUAL ACTION POLISHER NAKED (NO BATTERIES NO

<u>CHARGER)</u>

CODE

CODE

18V Dual Action Polisher Naked (no batteries no charger) 18V XR Brushless Motor delivers improved performance in demanding applications Variable speed dial allows for easy speed changes to suit specific applications Variable speed trigger allows f ...

DCM848N-XJ



18V ROTARY POLISHER KIT

18V Rotary Polisher Kit 18V Brushless Motor delivers improved performance in demanding applications Variable speed dial allows for easy speed changes to suit specific applications Variable speed trigger allows for additional speed control by adjus ...

info@ftpdistribution.lu









POLISHERS

<u>18V ROTARY POLISHER NAKED (NO BATTERIES NO CHARGER)</u>



18V Rotary Polisher Naked (no batteries no charger) 18V Brushless Motor delivers improved performance in demanding applications Variable speed dial allows for easy speed changes to suit specific applications Variable speed trigger allows for addit ...

CODE DCM849N-XJ

POLISHER 1250W 150-180 MM



IN BRIEF Polisher with adjustable rotation speed from 0 to 3500rpm and No volt switch. Rear rubber coated grip and replacealble brushes. Rubber overmoulded gearcase allows the user to grip the gearcase for greater comfort Variable speed trigger al ...

DWP849X-QS CODE

FTP LUX DISTRIBUTION



www.ftpdistribution.lu 🔇 +352 26 39 33 73









STRAIGHT ANGLE GRINDERS

info@ftpdistribution.lu



STRAIGHT GRINDER

Straight grinder Features: - Straight grinder - BRUSHLESS engine - 6200/25000 rpm - gripper with anti-lock system - clamp size 6mm. EQUIPMENT: - 6mm pliers - service key. Note: This product is equipped with Euro Plug and operates at 220- ...

DE DWE4997-QS

STRAIGHT GRINDER 450W 6MM

IN BRIEF Die grinder 25000 rpm with long comfortable handle and clamp with anti-lock system. Ergonomic design and replaceable brushes. Long nose with rubber grip improves access, comfort and control Anti-lock collet ensures that all attachements a ...

CODE DWE4884-QS

XR BRUSHLESS DIE GRINDER, 18 V, YELLOW/BLACK, 125MM



DEWALT DCG426N-XJ XR Brushless Die Grinder, 18 V, Yellow/Black, 125mm 18V Brushless motor improved performance in demanding applications 3-Step speed dial Improved application control LED nose ring Improved work piece visibility Mesh guard reduce ...

CODE DCG426N-XJ





12V. DRILLS/DRIVERS



<u>12V XR BRUSHLESS COMPACT DRILL D</u>RIVER - 2 BATTERIES 2 AH

Information: The new 12V machines and batteries are 100% compatible with existing 10.8V products 29mm shorter than the previous model LED light at the base of the drill to allow you to work in situations of poor visibility Battery charge indicato ...

DCD706D2-QW

CODE



12V XR BRUSHLESS COMPACT DRILL DRIVER - 2 BATTERIES 2 AH

Information: The new 12V machines and batteries are 100% compatible with existing 10.8V products 38.5mm shorter than the previous model LED light at the base of the drill to allow you to work in situations of poor visibility Battery charge indica ...

DCD701D2-QW











18V. DRILLS/DRIVERS

info@ftpdistribution.lu



12V XR MULTI-HEAD DRILL DRIVER - WITH 2 XR LITHIUM 3AH BATTERIES AND CHARGER

XR 12V Multihead Drill / Screwdriver. Compact and ergonomic design. Compact and lightweight design for added comfort. Weight 0.7 Kg (machine body only), maximum comfort of use. Different heads for maximum versatility. Eccentric spindle for screw ...

CODE DCD703L2T-QW

DCD703NT-XJ

CODE



12V XR MULTI-HEAD DRILL DRIVER - WITHOUT BATTERY

XR 12V Multihead Drill / Screwdriver. Compact and ergonomic design. Compact and lightweight design for added comfort. Weight 0.7 Kg (machine body only), maximum comfort of use. Different heads for maximum versatility. Eccentric spindle for screw ...

T

18V 1/2" IMPACT WRENCH AND DRILL WITH PERCUSSION SET WITH 2 18V 5AH BATTERIES, CHARGER AND CASES

DCK922HDP2-IT kit formed by DCF922P2T + DCD805NT. DCF922P2T: Impact wrench 4 modes 18V XR BRUSHLESS connection 1/2 " DETENT PIN. Tightening torque 406Nm, Peak torque 609Nm, 0-2500RPM, 0-3600 pulses / min, max recommended bolt diameter M20.4 mode (1 ...

CODE DCK922HDP2-IT

FTP LUX DISTRIBUTION



www.ftpdistribution.lu 🔇 +352 26 39 33 73



18V. DRILLS/DRIVERS

info@ftpdistribution.lu



18V 5.0AH XR BRUSHLESS DRILL DRIVER

Powerful 18 Volt combined tool for drilling, including percussion, and heavy screwing. Application speed increased to 38,250 percussions / minute. 3-position LED light with torch function on the base of the product for effective lighting. New elec ...

CODE DCD791P3-IT



18V 5.0AH XR BRUSHLESS HAMMER DRILL DRIVER

DCD796P3-IT cordless drill with percussion 18V XR Lithium with 5.0Ah battery is the new generation of impact wrenches equipped with 5.0Ah lithium batteries. It has the possibility of using the percussion for masonry drilling. The DCD796P3-IT drill ...

CODE DCD796P3-IT



18V 6.0AH XRP XR FLEXVOLT IMPACT DRILL DRIVER

Take advantage of more power by using 18V XR tools with Flexvolt technology. A unique electronic module that recognizes battery technology and allows the tool to deliver even more power when an XR Flexvolt battery is connected. The DCD999 provides ...

CODE DCD999T1-QW





18V. DRILLS/DRIVERS

info@ftpdistribution.lu



<u>18V CORDLESS PERCUSSION DRILL IN CASE WITHOUT BATTERY</u> <u>OR CHARGER</u>

The Dewalt Brushless Compact Hammer Drill is our latest and most powerful brushless 2-speed impact driver delivering up to 90Nm of torque in a compact 177mm body. Designed to deliver maximum performance on the toughest construction sites. 2 speeds ...

DCD805NT-XJ

CODE

CODE



18V 9.0AH XRP XR FLEXVOLT IMPACT DRILL DRIVER

Take advantage of more power by using 18V XR tools with Flexvolt technology. A unique electronic module that recognizes battery technology and allows the tool to deliver even more

power when an XR Flexvolt battery is connected. The DCD999 provides ...

DCD999X1-QW



<u>18V XR BRUSHLESS 16MM SDS-PLUS HAMMER DRILL WITH 2</u> <u>5AH BATTERIES</u>

8V Brushless motor for extreme runtime and reduced maintenance. 1.4J of impact energy, 0-4980 bpm with a no load speed of 0-1060 rpm, ideal for drilling anchors and fixing holes into concrete, brick and masonry from 4mm to 16mm. Lanyard ready attac ...

CODE DCH172P2-QW





18V. DRILLS/DRIVERS

🕥 info@ftpdistribution.lu



18V XR BRUSHLESS HAMMER DRILL DRIVER (WITHOUT BATTERIES AND CHARGER)

This 18V XR cordless hammer drill driver is compact and lightweight for working in tight spaces for extended periods of time. Equipped with a high-speed transmission and two speed settings, this tool allows you to match the speed to application. ...

CODE DCD796NT-XJ



<u>18V XR BRUSHLESS HAMMER DRILL DRIVER - WITH 2</u> <u>BATTERIES AND CHARGER</u>

With 90Nm of torque the DCD805 is the most powerful 2-speed brushless impact drill driver, all in just 177mm in length, designed for maximum performance in confined environments. 2 speeds and 15 friction points for maximum control in all drilling an ...





<u>18V XR BRUSHLESS HAMMER DRILL DRIVER - WITH 2</u> <u>BATTERIES AND CHARGER</u>

With 90Nm of torque the DCD800 is the most powerful 2-speed brushless drill driver, all in just 164mm length, designed for maximum performance in confined environments. 2 speeds and 15 friction points for maximum control in all drilling and fastenin ...

CODE	DCD800E2T-
	QW

www.ftpdistribution.lu 🔇 +352 26 39 33 73





18V. DRILLS/DRIVERS

info@ftpdistribution.lu



<u>18V XR LI-ION CORDLESS COMPACT HAMMER DRILL DRIVER -</u> <u>BRUSHLESS 2 SPEED</u>

IN BRIEF 2-speed drill driver with a metal gears. 15 torque adjustments and "intelligent" electronics. 18V XR Li-Ion compact hammer drill driver featuring 2.0Ah XR Li-Ion battery technology Brushless Motor Technology for excellent efficiency ...

DCD796D2-QW

CODE



<u>18V XR LI-ION CORDLESS COMPACT HAMMER DRILL DRIVER -</u> <u>BRUSHLESS 2 SPEED</u>

IN BRIEF Cordless dril driver with 5.0Ah. lithium b atteries, 2 speed, 15 possible torque adjustments and intelligent electronic system. 18V XR Li-Ion compact hammer drill driver

featuring 2.0Ah XR Li-Ion battery technology Brushless Motor T ...

DCD796P2-QW



<u>18V XRP XR FLEXVOLT IMPACT DRILL DRIVER (WITHOUT</u> <u>BATTERIES AND CHARGER)</u>

Take advantage of more power by using 18V XR tools with Flexvolt technology. A unique electronic module that recognizes battery technology and allows the tool to deliver even more power when an XR Flexvolt battery is connected. The DCD999 provides ...

CODE DCD999NT-XJ





18V. DRILLS/DRIVERS

info@ftpdistribution.lu



CORDLESS DRILL DRIVER 18V - 2 SPEED BRUSHLESS

IN BRIEF Cordless drill driver with 2.0Ah lithium batteries, 2 speed, 15 torque adjustments and keyless chuck. Ultra compact, lightweight design Two speed all metal transmission for increased runtime and longer tool life 15 position adjustable ...





CORDLESS DRILL DRIVER 18V - 2 SPEED BRUSHLESS

IN BRIEF Cordless drill driver with 5.0Ah lithium batteries and brushless motor. 2 speed, keyless chuck and 15 torque adjustments. 18V XR Li-lon compact combi drill featuring 5.0Ah XR Lilon battery technology 30% faster application Speeds (...

DCD791P2-QW



<u>CORDLESS DRILL WITH PERCUSSION XRP 18V XR FLEXVOLT</u> <u>WITH 3 XR FLEXVOLT 6.0AH BATTERIES</u>

Brushless motor Max torque 112 Nm Speed 0-450 / 1300/2000 rpm Percussion / min 0-8600 / 25500/38250 1.5-13mm metal keyless chuck Max. Drilling capacity: Wood 55 mm -Metal 15 mm - Masonry 16 mm Battery charger 2 TSTAK cases Note: Thi ...

CODE DCD999T3-IT

www.ftpdistribution.lu (🔌 +352 26 39 33 73

CODE





18V. DRILLS/DRIVERS

info@ftpdistribution.lu



DCD797P2B CORDLESS HAMMER DRILL BRUSHLESS, TC,18V / 5,0AH

Tool Connect technology built in allows inventory management via the Tool Connect app, enabling user to see whether tool is within proximity and providing a last-seen location Allows user to enable and disable tool using Tool Connect app or automati ...

DE DCD797P2B-QW



DRILL PERCUSSION SCREWDRIVER 18V 2X3.0 AH

DRILL PERCUSSION SCREWDRIVER 18V 2x3.0 AH Description: Powered by the 18V XR battery and the DEWALT Brushless motor. Up to 65Nm of torque with improved autonomy. 2 mechanical speeds and 15 torque adjustments to adapt to each application Th ...

DCD708L2T-QW

CODE



DRILL PERCUSSION SCREWDRIVER 18V 2X3.0 AH METAL MANDREL

DRILL PERCUSSION SCREWDRIVER 18V 2x3.0 AH Metal mandrel Description: Metal spindle Powered by the 18V XR battery and the DEWALT Brushless motor. Up to 65Nm of torque with improved autonomy. 2 mechanical speeds and 15 torque adjustments to ...







18V. DRILLS/DRIVERS

info@ftpdistribution.lu



KIT 18V POWERSTACK CORDLESS DRILL AND SCREWDRIVER WITH BATTERIES, CHARGER AND CASE

Composition: DCD805 Cordless Drill with compact percussion 2 Speed XR 18V BRUSHLESS. 1.5-13mm metal keyless chuck. 0-650 / 2000 rpm, 34000 percussion / min, tightening torque 90Nm, Weight (machine body only) 1.5Kg. DCF850 Compact impact ...

DE DCK2050E2T-QW



PERCUSSION DRILL/DRIVER + IMPACT WRENCH 1/2"

SUPPLIED with DCK2151P2T-IT Kit DCD796 Cordless Drill Driver DCF880 1/2" Impact Wrench 2 18V 5.0Ah Li-Ion Batteries Double TSTAK Box DCD796 Drill Driver Brushless motor 1.5-13 mm keyless chuck 0-550/2.000 Rev/min 70Nm Torque 1/2" DCF880 I ...

DCK2151P2T-

CODE



PREMIUM DRILL DRIVER BRUSHLESS

Information: DeWalt DCD991T2-QW Drill Driver BRUSHLESS 3-speed with metal gears, chuck up to 13mm capacity. Power output 920W. Description: Latest generation 18V XR Li-Ion Brushless XRP drill driver featuring XR 6.0Ah Li-Ion battery technology To ...

DDE DCD991T2-QW

www.ftpdistribution.lu 🔇 +352 26 39 33 73





18V. DRILLS/DRIVERS

🕐 info@ftpdistribution.lu

TOOL CONNECT™ 20V MAX* CONNECTOR



TOOL CONNECT[™] 20V MAX* CONNECTOR Connect your existing DEWALT 20V MAX* tools** Easily and quickly assign tools to jobsites and users on the Tool Connect[™] Inventory Manager web portal increasing accountability and reducing lost tools Internal r ...

CODE DCE040-XJ



XR 18V BRUSHLESS 2-SPEED COMPACT SCREWDRIVER WITH 2 5 AH BATTERIES, CHARGER AND CASE

Lighter, more compact and much more powerful. Optimally adjusted all-metal two-speed transmission for perfect power transfer. Carbon Free Engine - Higher performance, efficiency and

durability. Heavy duty 13mm metal chuck with capacity to match th ...





XR 18V BRUSHLESS COMPACT 2-SPEED IMPACT SCREWDRIVER WITH 2 5 AH BATTERIES, CHARGER AND CASE

Powerful and compact 18V XR hammer drill driver. Brushless motor excellent efficiency. Ultra compact and lightweight for applications in confined spaces and for maximum comfort of use. 2 speeds, metal gears for long life. 15 friction points for s ...

CODE DCD805P2T-QW

FTP LUX DISTRIBUTION



www.ftpdistribution.lu 🔇 +352 26 39 33 73



18V. DRILLS/DRIVERS

info@ftpdistribution.lu



XR 18V BRUSHLESS PERMANENT MAGNET DRILL WITH 2 X 9 AH BATTERIES, CHARGER AND CASE

XR 18V BRUSHLESS permanent magnet drill. 2 gears 5 speeds 130-420/250-810 rpm Double direction of rotation Weldon 19mm cutter attachment Permanent magnets 3 levels 0%-15%-100% Max Ø drilling 50mm Max drilling depth 50mm Anti-rotation s ...

DCD1623X2G-QW



XR BRUSHLESS TOOL CONNECT PREMIUM HAMMER DRILL DRIVER IN TSTAK BOX, 18 V, MULTI COLOUR

Dewalt DCD997P2B-GB XR Brushless Tool Connect Premium Hammer Drill Driver in Tstak Box, 18 V, Multi-Colour DEWALT's most powerful 18V XR Li-Ion Brushless XRP hammer drill driver

featuring Tool Connect technology 18V Tool Connect Bluetooth Batteries ...



XRP 18V XR FLEXVOLT PERCUSSION DRILL WITH 4 XR 5.0AH BATTERIES

Brushless motor Max torque 95 Nm Speed 0-450 / 1300/2000 rpm Percussion / min 0-8600 / 25500/38250 1.5-13mm metal keyless chuck Max. Drilling capacity: Wood 55 mm - Metal 15 mm - Masonry 16 mm Battery charger 2 TSTAK cases Note: This ...

CODE DCD999P4-IT

www.ftpdistribution.lu 🔇 +352 26 39 33 73





18V. DRILLS/DRIVERS



XRP DRILL DRIVER- 18V 3 SPEED

STANDARD 2 x 5.0Ah Li-Ion Batteries* 1 x Multi-Voltage XR Charger. 1 x Belt Hook. 1 x Magnetic Bit Holder. 1 x Multi Position Side Handle. 1 x TSTAK Heavy-Duty Kit Box. SPECIFICATIONS Chuck: 13mm Keyless. No Load Speed: 0-450/0-1,300/0-2, ...





XRP COMPACT DRILL DRIVER - 18V 3 SPEED

Tough three speed metal transmission for increased runtime. It features an improved automatic high speed for increasing the users masonry drilling speed. The electronic clutch has an 11 position adjustable torque control for optimised precision wh ...

DCD996P2-QW CODE











IMPACT DRIVERS

1/2 "12V XR IMPACT WRENCH WITH 2 5AH BATTERIES



Technical data: Tightening torque 340 Nm Lightweight for added comfort Optimized impact mechanism Note: This product is equipped with Euro Plug and operates at 220-230V

DCF901P2-QW

1/2" 12V XR IMPACT WRENCH WITH 5AH "G" BATTERY



External rubber coating to protect the surfaces on which you work. Glass-filled nylon outer cover ensures durability. Supplied with: 1 12V XR ''G'' 5Ah battery, battery charger, pre-formed foam for chest of drawers, rubber overbody. Note: This ...





<u>12V XR BRUSHLESS COMPACT IMPACT WRENCH - 2 BATTERIES</u> 2 AH

Information: the 3 electronic speeds allow you to work with great precision in any application. 33mm shorter than the previous model, allows you to work in confined spaces The precision drive mode allows you to tighten even the smallest screws wit ...

🕥 info@ftpdistribution.lu

CODE DCF801D2-QW





IMPACT DRIVERS

info@ftpdistribution.lu



<u>12V XR BRUSHLESS IMPACT WRENCH - 2 BATTERIES 2 AH</u>

Information: 36mm shorter than the previous model, it allows you to work in confined spaces Only 0.9kg weight (body without battery) 30% more autonomy than the previous model 16 torque adjustment points for maximum precision in every operation ...





<u>12V XR BRUSHLESS IMPACT WRENCH 3/8 "CONNECTION - 2</u> <u>BATTERIES 2 AH</u>

Information: the 3 electronic speeds allow you to work with great precision in any application. The "precision wrench " mode allows you to have the best control even in the most delicate

applications 33mm shorter than the previous model, allows y ...

DCF902D2-QW

COD



PULSE WRENCH 1/2", IN TSTAK CASE

Pulse screwdriver 1/2" 18V with BRUSHLESS motor in TSTAK case Note: This product is equipped with Euro Plug and operates at 220-230V

CODE DCF894NT-XJ





IMPACT DRIVERS



<u>18V 1/2'' XR BRUSHLESS HIGH TORQUE IMPACT WRENCH</u> (WITHOUT BATTERIES AND CHARGER)

XR Lithium 18V, 5.0 Ah, 1/2" connection. Power output 610W. Tightening torque 135-400-950 Nm. Speed 0-400-1200-1900 Rpm, Pulse / min 0-2400. Max bolt diameter M20. Application

control is via 3 motor speeds and torque settings. The 1/2 $^{\prime\prime}\ldots$

CODE DCF899NT-XJ



<u>18V 1/4" 192NM XR BRUSHLESS IMPACT DRIVER - WITH 2 X</u> <u>2AH BATTERIES AND CHARGER</u>

3 LED ring lights for uniform illumination without shadows. Brushless motor guarantees a copy of 192Nm. 1/4 '' (6.35mm) drive allows quick bit mounting. Lightweight and compact impact

wrench, comfortable for prolonged use and for working in confin ...





<u>18V 1/4" 192NM XR BRUSHLESS IMPACT DRIVER - WITHOUT</u> <u>BATTERY</u>

3 LED ring lights for uniform illumination without shadows. Brushless motor guarantees a copy of 192Nm. 1/4 " (6.35mm) drive allows quick bit mounting. Lightweight and compact impact wrench, comfortable for prolonged use and for working in confin ...

🕥 info@ftpdistribution.lu

CODE DCF840NT-XJ





IMPACT DRIVERS



<u>18V 1/4" 205NM XR BRUSHLESS COMPACT IMPACT DRIVER -</u> <u>WITH 2 X 2AH BATTERIES AND CHARGER</u>

Compact 3-speed impact wrench 18V XR BRUSHLESS 1/4" connection. Tightening torque 205Nm, 0-1000-2800-3250 rpm, 0-3800 pulses / min, max recommended bolt diameter M16, Weight (machine body only) 0.9Kg. EQUIPMENT: 2 XR Lithium 2Ah batteries, charger ...

DE DCF850D2T-QW



18V 1/4" 205NM XR BRUSHLESS COMPACT IMPACT DRIVER -WITH 2 X 5AH BATTERIES AND CHARGER

3x LED "Halo" light ring offers excellent workpiece lighting. Application control is achieved through 3 motor speeds and torque settings including Precision Drive. New compact brushless motor allows you to fit into tight spaces. Compatible with ...





<u>18V 1/4″ 205NM XR BRUSHLESS COMPACT IMPACT DRIVER -</u> <u>WITHOUT BATTERY</u>

Compact 3-speed impact wrench 18V XR BRUSHLESS 1/4" connection. Tightening torque 205Nm, 0-1000-2800-3250 rpm, 0-3800 pulses / min, max recommended bolt diameter M16, Weight (machine body only) 0.9Kg. In TSTAK case without batteries and charger. ...

🕐 info@ftpdistribution.lu

CODE DCF850NT-XJ

FTP LUX DISTRIBUTION



www.ftpdistribution.lu 🔇 +352 26 39 33 73



IMPACT DRIVERS



18V 3.0AH XR BRUSHLESS COMPACT IMPACT DRIVER

Extremely compact screwdriver that allows you to work in confined spaces with minimum effort. Brushless motor that does not require maintenance. High-precision speed control switch that allows for greater control of application speed. Metal gears ...





18V XR 1/2" HOG RING BRUSHLESS COMPACT IMPACT DRIVER - WITH 2 XR LITIO POWER STACK BATTERIES AND CHARGER

The 18V XR DCF921 impact wrench delivers a sustained torque of 406Nm of peak torque of 610Nm in just 125mm of length, which ensures easy handling without sacrificing power. 4 working modes (scaffolding, precision wrench, high speed based speed). LE ...





18V XR 1/2" HOG RING COMPACT HIGH TORQUE IMPACT DRIVER - WITH 2 XR LITIO 5AH "G SERIES" BATTERIES AND **CHARGER**

Sustained torque 812Nm. Peak torque 1084Nm. Compactness only 175mm in length. Brushless motor. 4 Modes. 1/2 "Hog Ring connection. EQUIPMENT: 2 XR Lithium 5Ah Series "G" batteries, charger, belt hook, machine body overbody in rubber, pre-for ...

🕐 info@ftpdistribution.lu











IMPACT DRIVERS



<u>18V XR 1/2" HOG RING COMPACT HIGH TORQUE IMPACT</u> DRIVER - WITH 2 XR LITIO 5AH BATTERIES AND CHARGER

Sustained torque 812Nm. Peak torque 1084Nm. Compactness only 175mm in length. Brushless motor. 4 Modes. 1/2 " Hog Ring connection. SUPPLIED WITH: 2 XR Lithium 5Ah batteries, charger, belt clip, TSTAK case. Note: This product is equipped wi ...

DCF891P2T-QW



18V XR 1/2" HOG RING COMPACT HIGH TORQUE IMPACT DRIVER - WITHOUT BATTERY

Sustained torque 812Nm. Peak torque 1084Nm. Compactness only 175mm in length. Brushless motor. 4 Modes. 1/2 " Hog Ring connection. In TSTAK case without batteries and charger. Note: This product is equipped with Euro Plug and operates at 2 ...

ODE DCF891NT-XJ



<u>18V XR 1/4" 205NM BRUSHLESS COMPACT IMPACT DRIVER -</u> <u>WITH 2 XR LITHIUM POWERSTACK BATTERIES AND CHARGER</u>

The smallest and most powerful 18V XR impact wrench offers greater comfort and speed of application. It offers 206Nm in a compact body of 100mm in length perfect for all those applications in confined spaces. 3 modes of use for greater control, inc ...

🕐 info@ftpdistribution.lu

DCF850E2T-



www.ftpdistribution.lu 🔇 +352 26 39 33 73





IMPACT DRIVERS



18V XR BRUSHLESS 1/2" DETENT PIN COMPACT IMPACT DRIVER - WITH 2 XR LITIO 5AH BATTERIES AND CHARGER

The 18V XR DCF922 impact wrench delivers a sustained torque of 406Nm of peak torque of 610Nm in just 125mm of length, which ensures easy handling without sacrificing power. 4 working modes (screws / anchor bolts, precision wrench, high speed based s ...

DCF922P2T-QW



18V XR BRUSHLESS 1/2" DETENT PIN COMPACT IMPACT DRIVER - WITHOUT BATTERY

The 18V XR DCF922 impact wrench delivers a sustained torque of 406Nm of peak torque of 610Nm in just 125mm of length, which ensures easy handling without sacrificing power. 4 working modes (screws / anchor bolts, precision wrench, high speed based s ...

ODE DCF922NT-XJ



<u>18V XR BRUSHLESS 1/2" HIGH POWER 4-MODE IMPACT</u> <u>WRENCH WITH 2 5 AH BATTERIES AND CHARGER</u>

The DeWALT DCF900P2G-QW cordless impact wrench represents the latest generation of 4-stage cordless impact wrenches with very high tightening and loosening torque. All 4 levels can be set electronically quickly and safely via a switch. This means t ...

info@ftpdistribution.lu

DCF900P2G-







IMPACT DRIVERS

🕥 info@ftpdistribution.lu



18V XR BRUSHLESS 1/2" HIGH POWER 4-MODE IMPACT WRENCH WITH 2 5 AH BATTERIES, CHARGER AND CASE

The DeWALT DCF900P2G-QW cordless impact wrench represents the latest generation of 4-stage cordless impact wrenches with very high tightening and loosening torque. All 4 levels can be set electronically quickly and safely via a switch. This means t ...

DCF900P2T-QW

18V XR LIION COMPACT IMPACT WRENCH



IN BRIEF Ultra compact screwdriver. Intelligent switch, metal case gears and ergonomic grip. BATTERIES AND CHARGER SOLD SEPARATELY. Latest generation 18V XR Li-Ion compact impact wrench Ultra compact, light weight design allows for use in confine ...

DCF880NT-XJ

<u>18V XR LIION DRYWALL SCREWDRIVER, IN TSTAK CASE</u>

IN BRIEF Screwdriver with powerful brushless motor 4400 RpM, with standard trigger lock. Ergonomic and highly balanced design. 18V XR Li-Ion BRUSHLESS Drywall Screwdriver for efficient fitting of drywall. Powerful 4400rpm BRUSHLESS motor drives sc ...

CODE DCF620NT-XJ





IMPACT DRIVERS

info@ftpdistribution.lu



<u>18V XR TOOL CONNECT BRUSHLESS COMPACT HIGH TORQUE</u> <u>WRENCH BARE UNIT</u>

Features: • All-new 18V BRUSHLESS XR Compact High-Torque Wrench featuring ToolConnect[™] • Tool Connect technology built in allows inventory management via the Tool Connect app, enabling user to see whether tool is within proximity and providi ...

DCF896NT-XJ

CODE

CODE



18V-4.0 AH XR LI-ION COMPACT IMPACT WRENCH

IN BRIEF Impact wrench with 2 lithium batteries. intelligent switch, ergonomic handle and gears with metal box. Latest generation 18V XR Li-Ion Compact Impact Wrench featuring XR

4.0Ah Li-Ion battery technology Ultra compact, light weight design a ...

DCF880M2-QW



18V-2.0AH XR LI-ION COLLATED DRYWALL DRIVER

IN BRIEF Screwdriver with powerful brushless engine up to 4400 rpm. Lightweight and compact, great maneuverability. Power output 435W. 18V XR Li-Ion BRUSHLESS Drywall Screwdriver for efficient fitting of drywall Powerful 4400rpm BRUSHLESS motor dr ...

CODE DCF620D2-QW

www.ftpdistribution.lu 🔇 +352 26 39 33 73





IMPACT DRIVERS



3/4 "IMPACT WRENCH IN TSTAK CASE

3/4 attack" Sustained torque 950Nm Speed (rpm) 0-400 / 1200/1950 Max Ø bolt M20 Equipment: 2 batteries 18V XR 9.0Ah Universal charger Case T-STAK II Note: This product is equipped with Euro Plug and operates at 220-230V





3/8 "12V XR IMPACT WRENCH WITH 2 5AH BATTERIES

Technical data:168 Nm Lightweight for added comfort Optimized impact mechanism Note: This product is equipped with Euro Plug and operates at 220-230V

DCF903P2-QW

CODE



18V-2.0AH XR LI-ION COLLATED DRYWALL DRIVER KIT

IN BRIEF Screwdriver with powerful brushless motor up to 4400 rpm. Simple depth adjustment and LED light. Power output 435W. 18V XR Li-Ion BRUSHLESS Drywall Screwdriver for efficient fitting of drywall Powerful 4400rpm BRUSHLESS motor drives scr ...

DCF620D2K-QW



<u>3/8″ 12V XR IMPACT WRENCH WITH 5AH ''G'' BATTERY</u>

External rubber coating to protect the surfaces on which you work. Glass-filled nylon outer cover ensures durability. Supplied with: 1 12V XR "G" 5Ah battery, battery charger, pre-formed foam for chest of drawers, rubber overbody. Note: This ...

info@ftpdistribution.lu

DCF903P1G-QW

FTP LUX DISTRIBUTION



www.ftpdistribution.lu 🔇 +352 26 39 33 73

COD



IMPACT DRIVERS



7.2V MOTION ACTIVATED SD WITH LED LIGHT

IN BRIEF Screwdriver with innovative gyroscopic technology - 2 x 7.2V Li-Ion battery packs. In heavy duty kitbox. Gyroscopic operation coupled with variable speed up to 430rpm allows for the greatest levels of control Powerful 7.2V Screwdriver for ...

CODE DCF680G2-QW



8V BRUSHLESS IMPACT DRILL 1/4", IN TSTAK CASE

DESCRIPTION High power Brushless motor ensures heavy applications are compelted quickly Application control is achieved through 3 motor speeds and torque settings including

PrecisionDrive PrecisionDrive mode offers additional controlin screwdrivin ...

CODE DCF887NT-XJ



ALL-PURPOSE BRUSHLESS XR 18V DRILL, IN TSTAK CASE

The DEWALT DCF622NT-XJ is a 18V XR li-ion brushless Self-Drilling screwdriver which is ideal for quick fitting of metal roofing and other sheet metal applications. The powerful high-torque brushless motor enhances the performance and durability of t ...

DCF622NT-XJ



COLLATED DRYWALL SCREW GUN ATTACHMENT

The collated drywall screw gun attachment connects to the DCF620 screw gun to enable tool usage with flexible-strip collated drywall screws. The attachment features tool-free screw length,

fine-depth adjustments, and tool-free spring removal for eas ...

DCF6202-XJ

FTP LUX DISTRIBUTION



www.ftpdistribution.lu 🔇 +352 26 39 33 73 🕋 info@ftpdistribution.lu



IMPACT DRIVERS

info@ftpdistribution.lu



CORDLESS BRUSHLESS IMPACT WRENCH 18V 1-4"

IN BRIEF Screwdriver with brushless motor, 3-speed, compact and lightweight, perfect for use in confined spaces. 400W power output. DeWALT DCF887P2 Impact Driver 18v built round an industrial brushless motor giving the trade a superb torque range ...



CORDLESS BRUSHLESS IMPACT WRENCH 18V 1-4"



IN BRIEF Compact and lightweight screwdriver, perfect for use in tight spaces. Brushless motor with 3 speeds. 400W output power. DEWALT built brushless motor and XR Lith-Ion batteries

deliver more run time and capacity over standard units 3-spee ...

CODE DCF887D2-QW



CORDLESS DRILL DRIVER 18V LI ION, 5.2AH

DeWalt DCD792P2B 18 V Drill Driver DeWalt DCD792P2B cordless drill driver. Ultra-compact lightweight design that makes it perfect for use in tight areas. Three customisable ToolConnect modes allow the user to switch between different application set ...

DCD792P2B-QW

CODE





IMPACT DRIVERS



CORDLESS IMPACT DRIVER 18 V LI-ION

Technical data Voltage 18 V Technology Li-ion No. of power packs included 2 Weight 1.3 kg Weight, information incl. rechargeable battery Power supply (LOV) rechargeable Product type Cordless impact driver Note: This product is equipped wit ...





DeWALT 18V XR Brushless Impact Driver DeWALT DCF888P2B Cordless Impact Driver. Offers Integrated Bluetooth[®] technology connects to the Tool Connect[™] free mobile app and Inventory Manager web portal so you can track, manage and customise the tool. ...

DCF888P''B QW CORDLESS IMPACT DRILL, 18V, 400W





DCF894P2 QW 18V XR[®] 1/2 IN. MID RANGE CORDLESS IMPACT WRENCH WITH DETENT PIN ANVIL KIT

DeWalt DCF894P2-QW 20V MAX* XR[®] 1/2 IN. MID-RANGE CORDLESS IMPACT WRENCH WITH DETENT PIN ANVIL KIT Up to 330 ft-lbs max of fastening torque at only 3.48lbs INCLUDESs the new Precision Wrench[™] Control feature, which helps add more control when us ...

info@ftpdistribution.lu

DCF894P2-QW





IMPACT DRIVERS



DEWALT DCF897N XJ 3/4 IMPACT WRENCH

DeWalt DCF897N-XJ 3/4 IMPACT WRENCH Designed for extremely intensive clamping applications, the new DCF897 Impact Wrench offers up to 1,625 Nm of torque. The 3/4 "connection guarantees maximum resistance in screwing and unscrewing on steel, metal ...





HIGH POWER IMPACT WRENCH 4 MODES 18V XR BRUSHLESS 1/2" IN CASE WITHOUT BATTERIES OR CHARGER

Maximum tightening torque 1356 Nm. Power and compactness only 223 mm in length. In TSTAK case. Note: This product is equipped with Euro Plug and operates at 220-230V

CODE DCF900NT-XJ



XR 18V-5.0AH XR LI-ION 3SPEED HIGH TORQUE WRENCH

IN BRIEF Screwdriver with a powerful engine that delivers up to 2400 pulses/min. 3 speed. Power output 610W. Latest generation 18V BRUSHLESS XR Li-Ion High Torque Wrench featuring XR 5.0Ah Li-Ion battery technology Powerful fan cooled motor delive ...

info@ftpdistribution.lu

CODE DCF899P2-QW

www.ftpdistribution.lu 🔇 +352 26 39 33 73





RIGHT ANGLE DRILLS



18V XR LI-ION RIGHT ANGLE DRILL DRIVER

IN BRIEF 2 speed drill driver with keyless chuck and ergonomic grip. Metal gear box and LED light. 360W power output. 18V XR Li-Ion compact right angle drill driver featuring XR 1.5Ah Li-Ion battery technology Two speed settings with reverse switc ...

CODE DCD740NT-XJ

54V XR FLEXVOLT RIGHT ANGLE DRILL BARE UNIT



Features: • IT - 54V Brushless Motor for increased power and runtime • IT - Adjustable bail handle and 2-position side handle for safety, leverage and control • IT - E-Clutch is a Perform and Protect[™] feature that detects reactionary torqu ...

DCD470N-XJ CODE

FTP LUX DISTRIBUTION



www.ftpdistribution.lu 🔇 +352 26 39 33 73







BLADES AND KNIVES

ALLIGATOR SAW BLADES

🕐 info@ftpdistribution.lu

ALLIGATOR[®] SAW BLADE - 24 HSS-TOOTH BLADE

IN BRIEF Alligator saw blade ideal for cuts in hard wood, soft wood and plywood. 275mm length. Compatible with DW390/391/393/394. Application: Hardwood, Softwood, Plywood

APPLICATIONS Ideal for fast and easy cutting in building blocks, wood ...

CODE DT2961-QZ

ALLIGATOR[®] SAW BLADE - 32 TCT-TOOTH BLADE

IN BRIEF Alligator saw blade ideal for cuts in plywood, particleboard and MDF. 275mm length. Compatible with DW390 / 391/393/394. Application: Plywood, Chipboard and MDF

APPLICATIONS Ideal for fast and easy cutting in building blocks, wood, p ...

CODE DT2962-QZ

ALLIGATOR[®] SAW BLADE - 32 TCT-TOOTH BLADE - POROTON

IN BRIEF Alligator saw blade for cutting in building blocks of Poroton Class 12. 275mm length. Compatible with DW390 / 391/393/394. Application: Building Block, Class 12 Poroton APPLICATIONS Ideal for fast and easy cutting in building blocks, ...

CODE

www.ftpdistribution.lu 🔇 +352 26 39 33 73

DT2963-QZ





BLADES AND KNIVES

ALLIGATOR SAW BLADES

info@ftpdistribution.lu

<u>ALLIGATOR® SAW BLADE - 48 TCT TOOTH BLADE -</u> <u>PORENBETON</u>

IN BRIEF Alligator saw blade especially suited for cutting in autoclaved concrete. 425mm length. Compatible with DW390 / 391/393/394. Application: Building block, gas beton APPLICATIONS Ideal for fast and easy cutting in building blocks, wood ...

CODE DT2965-QZ

ALLIGATOR[®] SAW BLADE - 48 TCT-TOOTH BLADE

IN BRIEF Alligator saw blade for cutting in building blocks of Poroton Class 12. 425mm length. Compatible with DW390 / 391/393/394. Application: Building Block, Class 12 Poroton

APPLICATIONS Ideal for fast and easy cutting in building blocks, ...

CODE DT2964-QZ



ALLIGATOR[®] SAW BLADE - 56 HSS-TOOTH BLADE

IN BRIEF Alligator saw blade ideal for drywall and boards. 275mm length. Compatible with DW390 / 391/393/394. Application: Drywall, Board APPLICATIONS Ideal for fast and easy cutting

in building blocks, wood, plywood, chipboard and drywall. ...

CODE DT2960-QZ

www.ftpdistribution.lu 🔇 +352 26 39 33 73





BLADES AND KNIVES

ALLIGATOR SAW BLADES

info@ftpdistribution.lu

ALLIGATOR[®] SAW BLADE - 78 TCT TOOTH BLADE

IN BRIEF Alligator saw blade for cutting in building blocks of Poroton Class 20. 425mm length. Compatible with DW390 / 391/393/394. 17" Class 12 Poroton Alligator Tct APPLICATIONS Ideal for fast and easy cutting in building blocks, wood, plyw ...

CODE DT2966-QZ

CODE



ALLIGATOR[®] SAW BLADE FOR DW876 - NON-FERROUS MATERIALS CUTTING

IN BRIEF Band saw blade with hardened edge for extra long sharpening. 6mm width, 2215mm length and 0.6mm thickness. Metal - Non-ferrous - thin steel blade for use with DW876.

APPLICATIONS Range for most wood and some steel applications. FEAT ...

DT8475-QZ



ALLIGATOR[®] SAW BLADE FOR DW876 - THICK STEEL CUTTING

IN BRIEF Band saw blade made of high quality Swedish steel with tempered blade edge. 12mm width, 2215mm length and 0.6mm thickness. Metal - Non-ferrous - thick steel blade for use with DW876. APPLICATIONS Range for most wood and some steel ap ...

CODE DT8476-QZ







ALLIGATOR SAW BLADES

info@ftpdistribution.lu



ALLIGATOR[®] SAW BLADE FOR DW876 - THICK WOOD CUTTING

IN BRIEF Band saw blade made of of high quality Swedish steel, with extremely sharp milled teeth. 2215mm length and 20mm width. Wood - Fast rip cut, thick wood blade for use with DW876. APPLICATIONS Range for most wood and some steel applicat ...

CODE DT8474-QZ



ALLIGATOR[®] SAW BLADE FOR DW876 - WOOD CONTOUR CUTTING

IN BRIEF Bandsaw blade with hardened rim for long lasting sharpening. Milled teethth to cut with outstanding finish. 2215mm length and 6mm width. Wood - contour / scroll blade for use

with DW876. APPLICATIONS Range for most wood and some stee ...

CODE DT8471-QZ



ALLIGATOR[®] SAW BLADE FOR DW876 - WOOD CUTTING

IN BRIEF Bandsaw blade made of high quality Swedish steel. Milled extremely sharp teeth, for cutting woods with excellent finish. 2215mm length. Wood - Fretsaw blade for use with DW876. APPLICATIONS Range for most wood and some steel applicat ...

CODE DT8470-QZ





ALLIGATOR SAW BLADES

info@ftpdistribution.lu



<u>ALLIGATOR[®] SAW BLADE FOR DW876 - WOOD CUTTING ALONG</u> GRAIN

IN BRIEF Band saw blade made of high quality Swedish steel. Hardened milled rim for outstanding and lon lasting sharpening. 4.2mm pitch. Wood - Rip & Cross cut blade for use with DW876. APPLICATIONS Range for most wood and some steel appl ...

CODE DT8472-QZ



ALLIGATOR® SAW BLADE FOR DW876 - WOOD QUICK CUTTING

IN BRIEF Band saw blade made of of high quality Swedish steel, with extremely sharp milled teeth. 2215mm length and 16mm width. Wood - Fast rip cut, medium composites blade for use

with DW876. APPLICATIONS Range for most wood and some steel a ...

CODE DT8473-QZ

<u>ALLIGATOR® SAW BLADE FOR DWE397-8 - 20 HSS TOOTH</u> <u>BLADE</u>

IN BRIEF Alligator saw blade specific for cuts in insulating materials. 20 teeth HSS. 430mm length. Compatible with DW396 / 397/398/399. 17" Insulation Alligator Hss 1 Tpi APPLICATIONS

Ideal for fast and easy cutting in building blocks, wood, ...

DE DT2979-QZ

www.ftpdistribution.lu 🔇 +352 26 39 33 73





ALLIGATOR SAW BLADES

info@ftpdistribution.lu



<u>ALLIGATOR[®] SAW BLADE FOR DWE397-8 - 32 HSS TOOTH</u> BLADE

IN BRIEF Alligator saw blade designed for cuts on hard wood, soft wood and plywood. 32 HSS teeth. 430mm length. Compatible with DW396 / 397/398/399. 17" Rough Wood Alligator Hss APPLICATIONS Ideal for fast and easy cutting in building blocks, ...

CODE DT2978-QZ

<u>ALLIGATOR® SAW BLADE FOR DWE397-8 - 48 TCT TOOTH</u> <u>BLADE</u>

IN BRIEF Alligator blade with peculiar design for cuts in building blocks of Poroton Class 12. 430mm length. Compatible with DW396 / 397/398/399. 17" Class 12 Poroton Alligator Tct

APPLICATIONS Ideal for fast and easy cutting in building bloc ...

E DT2974-QZ

ALLIGATOR[®] SAW BLADE FOR DWE397-8 - 48 TCT TOOTH <u>BLADE</u>

IN BRIEF Alligator saw blade designed for cuts in autoclaved concrete. 430mm length. Compatible with DW396 / 397/398/399. 17" Gas Beton White Alligator Tct APPLICATIONS Ideal

for fast and easy cutting in building blocks, wood, plywood, chipbo ...

CODE DT2975-QZ

www.ftpdistribution.lu (📎) +352 26 39 33 73





ALLIGATOR SAW BLADES

<u>ALLIGATOR[®] SAW BLADE FOR DWE397-8 - 78 TCT TOOTH</u> **BLADE**

IN BRIEF Alligator saw blade for cutting in building blocks of Poroton Class 20. 430mm length. Compatible with DW396 / 397/398/399. 17" Class 20 Poroton Alligator Tct APPLICATIONS Ideal

for fast and easy cutting in building blocks, wood, ply ...

DT2976-QZ



ALLIGATOR® SAW BLADE XR FLEXVOLT - POROTON

XR EXTREME RUNTIME blades in combination with the XR FLEXVOLT Alligator Saw grant up to 97 cuts per charge.

CODE DT99593-QZ









BANDSAW BLADES

BAND SAW BLADES FOR DW738-9 - FRETWORK ON WOOD

IN BRIEF Band saw blade made of high quality steel with milled and extremely sharpened teeth. 3mm width, 0.6mm thickness and 2095mm length. DeWalt DT8480 2095mm x 3mm x 14 TPI Bandsaw Blade For all Dewalt DW738/739 Bandsaws and other manufacturers similar machines.

CODE DT8480-QZ

BAND SAW METAL BLADE (3 PCS.)

Dimensions 690 x 0.5 x 1.4mm

DT8468-QZ



CORDLESS BAND SAW BLADES

IN BRIEF Bandsaw blade for cordless bandsaw DCS371N. Perfectly suited for quick cuts of metals. 1.4-1.8mm variable pitch for greater resistance. DeWALT's Bi-Metal Bandsaw Blade for general purpose cutting in all metal applications. The specially ...

CODE DT8460-QZ

DT8462-QZ

info@ftpdistribution.lu





info@ftpdistribution.lu

BANDSAW BLADES



<u>STATIONARY BAND SAW BLADES FOR DW738-9 - CONTOUR</u> CUTS

IN BRIEF Stationary band saw blade, made of high quality steel with milled blade teeth. 6mm width, 0.6mm thickness, 3.2mm pitch and 2095mm length. Wood - contour blade for use with DW738 and DW739. APPLICATIONS Range for most wood and some ste ...

DE DT8483-QZ



STATIONARY BAND SAW BLADES FOR DW738-9 - GENERAL PURPOSE CUTTING

IN BRIEF Band saw blade made of made of high quality steel, with milled blade teeth. 4.2mm pitch, 2095mm length and 16mm width. General Purpose blade for use with DW738 and DW739.

APPLICATIONS Range for most wood and some steel applications. ...

CODE DT8481-QZ



<u>STATIONARY BAND SAW BLADES FOR DW738-9 - NON-</u> <u>FERROUS MATERIALS CUTTING</u>

IN BRIEF Stationary band saw blade made of high quality steel with milled teeth. 0.6mm thick, 12mm wide, with 3.2mm pitch and 2095mm length. Non -ferrous Metal - Thick cuts blade for use with DW738 and DW739. APPLICATIONS Range for most wood a ...

CODE DT8485-QZ





🕥 info@ftpdistribution.lu

BANDSAW BLADES



<u>STATIONARY BAND SAW BLADES FOR DW738-9 - NON-</u> <u>FERROUS MATERIALS CUTTING</u>

IN BRIEF Stationary band saw blade of high quality steel, with extremely sharp teeth. 2095mm length, 10mm width, 0.6mm thickness and 3.2mm pitch. Wood, Formica and Laminates blade for use with DW738 and DW739. APPLICATIONS Range for most wood ...

CODE DT8486-QZ



STATIONARY BAND SAW BLADES FOR DW738-9 - THICK CUTS

IN BRIEF Stationary band saw blade ma de of high quality steel, for thick cuts of wood. 16mm width, 0.6mm thickness, 6.4mm pitch and 2095 mm length. Wood - thick cuts blade for use with

DW738 and DW739. APPLICATIONS Range for most wood and som ...

CODE DT8482-QZ

STATIONARY BAND SAW BLADES FOR DW738-9 - THIN CUTS

IN BRIEF Stationary band saw blade made of high quality steel with milled teeth. 6mm width, 0.6mm thickness, 1.8mm pitch and 2095mm. Non -ferrous Metal - Thin cuts blade for use with DW738 and DW739. APPLICATIONS Range for most wood and some s ...

CODE

www.ftpdistribution.lu 🔇 +352 26 39 33 73

DT8484-QZ





BENCH SAW BLADES



INSERT RING FOR CIRCULAR SAW BLADE (MULTI-PACK)

IN BRIEF Insert ring for circular saw blade. 30mm diameter, 16mm arbor hole and 1.8mm thickness. Ring adapter for saw blade. 10 pieces per pack.

CODE DT1094-QZ DT1095-QZ



STATIONARY CIRCULAR SAW BLADE

IN BRIEF Saw blade with 24 oversized anti-corrosion carbide teeth for increased durability even with challenging materials. 250mm blade diameter. Suitable for cutting wood, MDF and plywood. See individual blades for details. All blades have d ...

CODE DT4202-QZ

DT4305-QZ



STATIONARY CIRCULAR SAW BLADE - ALUMINIUM CUTTING

IN BRIEF Saw blade with new brazing technology to ensure precise placement of the tooth tip and superior quality carbide. Thin and accurate cuts. FEATURES Premium brazing technology for precise tip placement Optimised blade design for fast, c ...

recise lip placement Optimised blade design jor just,

CODE DT1915-QZ

DT1917-QZ






BENCH SAW BLADES



STATIONARY CIRCULAR SAW BLADE - CHIPBOARD, PLYWOOD, PLASTIC AND ALUMINIUM CUTTING

IN BRIEF Saw blade with 80 anti-corrosion oversized carbide teeth for a long lasting sharpening and outstanding service life. 260mm blade diameter. Teeth remain sharp for longer through use of extra-large sub micrograin carbide teeth. Exceptiona ...





STATIONARY CIRCULAR SAW BLADE - DIAGONAL AND FINISHING CUTTING

IN BRIEF Saw blade with 48 oversized anti-corrosion carbide teeth allowing to increase blade service life. 210mm blade diameter. Teeth remain sharp for longer through use of extra-large sub micrograin carbide teeth. Exceptional surface finish du ...





STATIONARY CIRCULAR SAW BLADE - GENERIC CUTTING

IN BRIEF Saw blade with laser-cut expansion slots to reduce noise and vibrations. 24 oversized anti-corrosion carbide teeth. Teeth remain sharp for longer through use of extra-large sub micrograin carbide teeth. Exceptional surface finish due to ...

 CODE
 DT4226-QZ
 DT4310-QZ
 DT4320-QZ
 DT4321-QZ
 DT4322-QZ

 CODE
 DT4330-QZ
 DT4330-QZ
 DT4320-QZ
 DT4322-QZ
 DT4322-QZ

FTP LUX DISTRIBUTION

www.ftpdistribution.lu 🔇 +352 26 39 33 73 🔄 info@ftpdistribution.lu





BENCH SAW BLADES



STATIONARY CIRCULAR SAW BLADE - INOX STEEL CUTTING

IN BRIEF Saw blade with expansion slots to reduce vibration and ensure outstanding results in all applications. Superior quality carbide. FEATURES Premium brazing technology for precise tip placement Optimised blade design for fast, clean cut ...





STATIONARY CIRCULAR SAW BLADE - LAMINATE AND MELAMIN RESIN CUTTING

IN BRIEF Saw blade for woodworking. 250x30x48 ATB -5 ° 2.6mm. Suitable for cutting melamine/laminate. See individual blades for details. Blades designed for extra fine cuts in

laminated and PVC coated panels. Hollow Ground Tooth for flawless finish.

DT4217-QZ

CODE



STATIONARY CIRCULAR SAW BLADE - QUICK CUTTING

DT4218-QZ

IN BRIEF Highly resistant saw blade with carbide tipped teeth. Exceptional finish ensured thanks to lower vibrations. Ideal for cuts in any material Teeth remain sharp for longer through

use of extra-large sub micrograin carbide teeth. Exception ...

CODE DT4311-QZ





BENCH SAW BLADES



STATIONARY CIRCULAR SAW BLADE - STEEL CUTTING

IN BRIEF Stationary circular saw blade with brazed tips ensuring precise placemet of tips and fine, precise cuts. 355mm blade diameter. FEATURES Premium brazing technology for precise tip placement Optimised blade design for fast, clean cuts ...

CODE DT1926-QZ



XR FLEXVOLT STATIONARY CIRCULAR SAW BLADE

XR FLEXVOLT Stationary Circular Saw Blade. New XR EXTREME RUNTIME blades. More than 63% of cuts per charge, compared to DeWALT standard blades.

DT99565-QZ

DT99567-QZ









info@ftpdistribution.lu

BISCUIT JOINTER

13-18MM BOARD BISCUITS (1000 PCS)



IN BRIEF Pack of 1000 dowels for biscuit jointer. Size: 10. For thicknesses from 13 to 18mm. Pack of 1000 size 10 biscuts suitable for most woodworking/jointing applications.

CODE DT3931-QZ

19MM> BOARD BISCUITS (1000 PCS)



IN BRIEF Pack of 1000 dowels for biscuit jointer, size 20, for thicknesses over 19mm. Pack of 1000 size 20 biscuts suitable for most woodworking/jointing applications.

DT3932-QZ

CODE

CODE



BISCUIT JOINTER BLADE

IN BRIEF Blade for biscuit jointer. 102mm diameter, 22mm arbor hole, 4.0mm thickness and 12 teeth. Extreme Biscuit Jointer Blade 102mm x 22mm x 12 Teeth For use with biscuit jointers Blade fits the Dewalt DW682 Biscuit Jointer Tungsten carbide ...

DT1306-QZ





CIRCULAR SAW BLADES



CIRCULAR SAW BLADE FOR METAL/STEEL

Information: Metal triple chip ground with 5° negative rake Precise tip placement for long life and accurate cuts Stiff plate design minimises run-out and extends life Anti-Vibration slots blade thickness (mm): 1.95 cutting width (mm): 2.31 ...

CODE DT1927-QZ



CONSTRUCTION CIRCULAR BLADE BATTERY SAW

Information: DeWalt circular saw blades are designed for use with portable machines to cut softwoods and composite materials. Their fast, smooth cutting action and durable construction make them ideal for demanding jobsite operations. The wedge ...





CONSTRUCTION CIRCULAR BLADE PORTABLE SAW

Information: DeWalt circular saw blades are designed for use with portable machines to cut softwoods and composite materials. Their fast, smooth cutting action and durable construction make them ideal for demanding jobsite operations. The wedge ...

CODE	DT1931-QZ	DT1932-QZ	DT1933-QZ	DT1934-QZ	DT1935-QZ
CODE	DT1936-QZ	DT1937-QZ	DT1938-QZ	DT1939-QZ	DT1940-QZ
CODE	DT1941-QZ	DT1942-QZ	DT1943-QZ	DT1944-QZ	DT1945-QZ
CODE	DT1954-QZ	DT1955-QZ	DT1930-QZ	DT20420-QZ	

info@ftpdistribution.lu





CIRCULAR SAW BLADES



CONSTRUCTION CIRCULAR BLADE STATIONARY SAW

Information: DeWalt circular saw blades are designed for use with portable machines to cut softwoods and composite materials. Their fast, smooth cutting action and durable construction make them ideal for demanding jobsite operations. The wedge ...

CODE	DT1953-QZ	DT1956-QZ	DT1957-QZ	DT1958-QZ	DT1959-QZ
CODE	DT1960-QZ	DT1961-QZ	DT1952-QZ		



XR FLEXVOLT CIRCULAR SAW BLADE

XR FLEXVOLT Circular Saw Blade. 63% of cuts more per charge, compared to the standard DeWalt blade.

DT99562-QZ

CODE

CODE

CODE

DT99564-QZ



XR FLEXVOLT CIRCULAR SAW BLADE - FOR PLUNGE SAWS

XR FLEXVOLT Circular Saw Blade - for Plunge Saws

DT99560-QZ

DT99561-QZ

EXTREME FRAMING CIRCULAR SAW BLADE BATTERY

ETWALK 1944 - Lamon 2.44 2.

Information: The DeWalt Extreme Framing Circular Saw Blades have a thin kerf to ensure that less push force is required by the user and that they cut straighter with reduced binding. Ideal for ripping and cross cutting natural timbers and cutting ...

DT10640-QZ DT10624-QZ

FTP LUX DISTRIBUTION



www.ftpdistribution.lu 🔇 +352 26 39 33 73 🔄 info@ftpdistribution.lu





CIRCULAR SAW BLADES



EXTREME FRAMING CIRCULAR SAW BLADE PORTABLE

Information: The DeWalt Extreme Framing Circular Saw Blades have a thin kerf to ensure that less push force is required by the user and that they cut straighter with reduced binding. Ideal for ripping and cross cutting natural timbers and cutting ...

CODE	DT10301-QZ	DT10302-QZ	DT10303-QZ	DT10304-QZ	DT10300-QZ
CODE	DT20432-QZ	DT20433-QZ	DT4394-QZ	DT4395-QZ	



FIBER CEMENT CUTTING BLADE PORTABLE SAW

Information: Effortlessly cuts through fiber cement boards and other dense composite materials such as: Marley Eternit (fiber cement facade cladding), Trespa. Description: Very good

cutting results in further materials such as laminate and melami ...





FIBER CEMENT CUTTING BLADE STATIONARY SAW

Information: Effortlessly cuts through fiber cement boards and other dense composite materials such as: Marley Eternit (fiber cement facade cladding), Trespa. Description: Very good cutting results in further materials such as laminate and melami ...

CODE DT1474-QZ

DT1473-QZ

FTP LUX DISTRIBUTION

www.ftpdistribution.lu 🔇 +352 26 39 33 73 🔄 info@ftpdistribution.lu





CIRCULAR SAW BLADES



PORTABLE CIRCULAR SAW BLADE - DIAGONAL AND FINISHING CUTTING

IN BRIEF Saw blade with laser-cut expansion slots to reduce noise and vibration. 40 carbide oversized and anti-corrosion teeth. Excellent surface finish ensured by laser-cut expansion slots that reduce vibration and noise. Consistently precise ...

CODE DT4067-QZ DT4064-QZ



PORTABLE CIRCULAR SAW BLADE - FOR PLUNGE SAWS

IN BRIEF Sawblade with 48 carbide oversized anti-corrosion teeth for long sharpening. 165mm blade diameter and 20mm arbor hole. Blades designed specifically for use with plunge saws

DT1090-QZ

DT4026-QZ



PORTABLE CIRCULAR SAW BLADE - WOOD, GENERIC CUTTING

IN BRIEF Sawblade with 18 oversized anti-corrosion teeth for long lasting sharpening. Laser cut expansion slots. 152mm blade diameter. Excellent surface finish ensured by laser-cut expansion slots that reduce vibration and noise. Consistently pr ...

DT4031-QZ

DT4036-QZ

info@ftpdistribution.lu





CIRCULAR SAW BLADES



<u>PORTABLE CIRCULAR SAW BLADE - WOOD, PLYWOOD, PLASTIC</u> <u>AND FINISHING CUTTING</u>

IN BRIEF Saw blade with 48 oversized anti-corrosion carbide teeth for long lasting sharpening. 184mm blade diameter and 16mm arbor hole. Excellent surface finish ensured by laser-cut expansion slots that reduce vibration and noise. Consistently ...

CODE DT4092-QZ

DT4097-QZ



WOODWORKING BLADE

Information: High precision laser manufacture ensures a flat blade body. Engineered expansion slots prevent blade overheating and warping. Description: High precision laser manufacture

ensures a flat blade body Engineered expansion slots preven ...

CODE DT1088-QZ DT1086-QZ

WOODWORKING BLADE PORTABLE SAW WOOD

Information: Precision ground cutting angles for excellent blade sharpness and faster cutting. Extra robust carbide and unique wedge shoulder design for greater durability. Thick steel plate hard body for professional quality. Description: High ...

DT4063-QZ





CIRCULAR SAW BLADES



WOODWORKING BLADE STATIONARY SAW WOOD

Information: Precision ground cutting angles for excellent blade sharpness and faster cutting. Extra robust carbide and unique wedge shoulder design for greater durability. Thick steel plate hard body for professional quality. Description: High ...

CODE DT4340-QZ DT4323-QZ

WOODWORKING BLADE STATIONARY SAW WOOD, PLASTIC



Information: Precision ground cutting angles for excellent blade sharpness and faster cutting. Extra robust carbide and unique wedge shoulder design for greater durability. Thick steel plate hard body for professional quality. Description: High ...

DT4290-QZ CODE

FTP LUX DISTRIBUTION



www.ftpdistribution.lu 🔇 +352 26 39 33 73







CIRCULAR SAW BLADES (FOR BENCH SAWS)



BLADE FOR DCS365 CORDLESS MITRE SAW

IN BRIEF Blade with carbide tipped teeth to ensure outstanding service life. Provided with expansion slots for noise and vibration reduction. Smooth cross cutting blade Carbide teeth Thin Kerf 16mm Bore Max RPM: 7000 Exclusive Plate Techn ...

CODE DT1668-QZ

DT1670-QZ



XR FLEXVOLT 216MM BLADE FOR CORDLESS MITRE SAW

XR FLEXVOLT Blade for Cordless Mitre Saw New Xr EXTREME RUNTIME blades ensure maximum cutting precision and a longer service life thanks to the innovative design and the teeth carbide.



DT99568-QZ



XR FLEXVOLT 250 MM BLADE FOR CORDLESS MITRE SAW

XR FLEXVOLT Blade for Cordless Mitre Saw New Xr EXTREME RUNTIME blades ensure maximum cutting precision and a longer service life thanks to the innovative design and the teeth carbide.

DT99571-QZ

DT99573-QZ



XTREME RUNTIME SAW BLADE

Information: The DEWALT Xtreme Runtime FlexVolt Circular Saw Blade, developed as a high performance blade that delivers fast and accurate cuts in heavy-duty applications. Perfectly suited to the cutting of large and thick timbers and various other ...

DT99575-QZ

DT99576-QZ DT99574-QZ

FTP LUX DISTRIBUTION



CODE

CATALOG FTP **DEWALT**

BLADES AND KNIVES

CIRCULAR SAW BLADES (FOR BENCH SAWS)



BI-METAL DEEP CUT HOLESAW

IN BRIEF Holesaw with HSS extra strong teeth. Carbon steel body and 12.5 deeper cut of if compared to the other holesaws. 16mm diameter. APPLICATIONS Ideal for drilling larger holes into Wood, Plastic, Plaster and Metal Common applications in ...

CODE	DT8116L-QZ	DT8119L-QZ	DT8120L-QZ	DT8121L-QZ	DT8122L-QZ
CODE	DT8124L-QZ	DT8125L-QZ	DT8127L-QZ	DT8129L-QZ	DT8130L-QZ
CODE	DT8132L-QZ	DT8133L-QZ	DT8135L-QZ	DT8138L-QZ	DT8141L-QZ
CODE	DT8140L-QZ	DT814 <mark>3L-Q</mark> Z	DT8144L-QZ	DT8146L-QZ	DT8148L-QZ
CODE	DT8151L-QZ	DT8152L-QZ	DT8154L-QZ	DT8157L-QZ	DT8160L-QZ
CODE	DT8164L-QZ	DT8165L-QZ	DT8167L-QZ	DT8168L-QZ	DT8170L-QZ
CODE	DT8173L-QZ	DT8176L-QZ	DT8179L-QZ	DT8183L-QZ	DT8186L-QZ
CODE	DT8189L-QZ	DT8192L-QZ	DT8195L-QZ	DT8202L-QZ	DT8205L-QZ
CODE	DT8208L-QZ	DT8214L-QZ	DT8221L-QZ	DT8227L-QZ	DT8240L-QZ
CODE	DT8252L-QZ				

FTP LUX DISTRIBUTION



www.ftpdistribution.lu 🔇 +352 26 39 33 73



附 info@ftpdistribution.lu



HOLE SAWS



BI-METAL EXTREME HOLE SAW FOR DEEP CUT

MORE AGGRESSIVE TILT Faster cutting DOUBLE TEETH DESIGN More durability MORE TOOTH HEIGHT More durability. CHARACTERISTICS EXTREME bimetal hole saws, drilling faster thanks to the tooth design, can be used on various materials. Thanks t ...

CODE	DT90295-QZ	DT90296-QZ	DT90297-QZ	DT90298-QZ	DT90299-QZ
CODE	DT90300-QZ	DT90301-QZ	DT90302-QZ	DT90303-QZ	DT90304-QZ
CODE	DT90305-QZ	DT90306-QZ	DT90307-QZ	DT90308-QZ	DT90309-QZ
CODE	DT90310-QZ	DT90311-QZ	DT9 <mark>0312-QZ</mark>	DT90313-QZ	DT90314-QZ
CODE	DT90315-QZ	DT903 <mark>16-</mark> QZ	DT90317-QZ	DT90318-QZ	DT90319-QZ
CODE	DT90320-QZ	DT90321-QZ	DT90322-QZ	DT90323-QZ	DT90324-QZ
CODE	DT90325-QZ	DT90326-QZ	DT90327-QZ	DT90328-QZ	DT90329-QZ
CODE	DT90330-QZ	DT90331-QZ	DT90332-QZ	DT90333-QZ	DT90334-QZ
CODE	DT90335-QZ	DT90336-QZ	DT90337-QZ	DT90338-QZ	DT90339-QZ
CODE	DT90340-QZ	DT90341-QZ	DT90342-QZ	DT90343-QZ	DT90344-QZ
CODE	DT90372-QZ	DT90345-QZ	DT90346-QZ	DT8260-QZ	DT90373-QZ
CODE	DT8266-QZ	DT8267-QZ			

FTP LUX DISTRIBUTION



www.ftpdistribution.lu (🔇) +352 26 39 33 73



info@ftpdistribution.lu

HOLE SAWS

MULTI-MATERIAL PILOT TIP 95MM

MULTI-MATERIAL pilot tip 95mm



PILOT DRILL FOR SPINDLES FOR BI-METAL EXTREME HOLE



QUICK CHANGE CHUCK FOR HOLE SAWS Ø 32-152MM

Quick change chuck for hole saws Ø 32-152mm

CODE DT90429-QZ

FTP LUX DISTRIBUTION



www.ftpdistribution.lu (🔇) +352 26 39 33 73



<u>HOLE SAWS</u>



BIMETAL HOLE SAW SET (11 PCS.)

One-step drilling in thick materials - The longer bowl body allows you to drill into wood, wood with nails, metal and plastic and hard materials 2 times faster. Patented Tooth Shape - Optimizes debris removal Deeper design for drilling thick material ...





BIMETAL HOLE SAW SET (11 PCS.)

One-step drilling in thick materials - The longer bowl body allows you to drill into wood, wood with nails, metal and plastic and hard materials 2 times faster. Patented Tooth Shape - Optimizes debris removal Deeper design for drilling thick material ...

CODE DT90353-QZ



BIMETAL HOLE SAW SET (13 PCS.)

One-step drilling in thick materials - The longer bowl body allows you to drill into wood, wood with nails, metal and plastic and hard materials 2 times faster. Patented Tooth Shape - Optimizes debris removal Deeper design for drilling thick material ...

DT90350-QZ



BIMETAL HOLE SAW SET (13 PCS.)

One-step drilling in thick materials - The longer bowl body allows you to drill into wood, wood with nails, metal and plastic and hard materials 2 times faster. Patented Tooth Shape - Optimizes debris removal Deeper design for drilling thick material ...

DT90361-QZ

FTP LUX DISTRIBUTION



www.ftpdistribution.lu 🔇 +352 26 39 33 73 🔄 info@ftpdistribution.lu

CODE



<u>HOLE SAWS</u>

BIMETAL HOLE SAW SET FOR ELECTRICIANS (11 PCS.)



One-step drilling in thick materials - The longer bowl body allows you to drill into wood, wood with nails, metal and plastic and hard materials 2 times faster. Patented Tooth Shape - Optimizes debris removal Deeper design for drilling thick material ...

CODE DT90352-QZ

SPINDLES FOR BI-METAL EXTREME HOLE SAWS



Spindles for BI-METAL EXTREME hole saws



STANDARD SPINDLES FOR BI-METAL EXTREME HOLE SAWS

Standard spindles for BI-METAL EXTREME hole saws



DT90368-QZ

CODE

CODE

Z DT90369-QZ



BIMETAL HOLE SAW SET FOR ELECTRICIANS (11 PCS.)

One-step drilling in thick materials - The longer bowl body allows you to drill into wood, wood with nails, metal and plastic and hard materials 2 times faster. Patented Tooth Shape - Optimizes debris removal Deeper design for drilling thick material ...

DT90354-QZ

FTP LUX DISTRIBUTION



www.ftpdistribution.lu 🔇 +352 26 39 33 73 🕋 info@ftpdistribution.lu



info@ftpdistribution.lu

HOLE SAWS

BIMETAL HOLE SAW SET FOR PLUMBER (11 PCS.)



One-step drilling in thick materials - The longer bowl body allows you to drill into wood, wood with nails, metal and plastic and hard materials 2 times faster. Patented Tooth Shape - Optimizes debris removal Deeper design for drilling thick material ...





ELECTRICIAN'S SET: 11 HOLESAWS + 2 HEX SHANK MANDRELS + 2 PILOT DRILL BITS

IN BRIEF Electrician Set including 7 Bi-Metal holsaws, 2 spindles and 2 quick-release pilot bits. Diameters: 16, 20, 25, 32, 35, 51 and 64mm. The DeWalt 2 x Long Life Holesaws are built to last.

They are manufactured from premium quality high spee ...

CODE DT8273L-QZ



EXTREME IMPACT HOLESAW 1-4"

IN BRIEF Holesaw with optimized teeth for a faster drilling. Thin walled for outstanding results when drilling into thin plates. APPLICATIONS Ideal for cutting holes in thin metals, plastics and fibreglass board For use with all Impact driver ...



FTP LUX DISTRIBUTION

www.ftpdistribution.lu 🔇 +352 26 39 33 73





info@ftpdistribution.lu

<u>HOLE SAWS</u>



<u>GENERAL PURPOSE ASSORTMENT: 11 HOLESAWS + 2 HEX</u> <u>SHANK MANDRELS + 2 PILOT DRILL BITS</u>

IN BRIEF Generic Purpose Set including 7 2xEXTREME Bi-Metal holesaws 2 mandrels and 2 pilot bits. Diameters: 22, 29, 35, 44, 51, 64 and 68mm. The DeWalt 2 x Long Life Holesaws are built to last. They are manufactured from premium quality high spe ...

E DT8270L-QZ



MULTI-MATERIAL CARBIDE HOLE SAW

MORE AGGRESSIVE TILT Faster cutting DOUBLE TEETH DESIGN More durability MORE TOOTH HEIGHT More durability. CHARACTERISTICS Multi-material hole saws with carbide teeth, faster

drilling on various materials. Thanks to the depth they allow ...

CODE	DT90430-QZ	DT90401-QZ	DT90402-QZ	DT90403-QZ	DT90404-QZ
CODE	DT90405-QZ	DT90406-QZ	DT90407-QZ	DT90408-QZ	DT90409-QZ
CODE	DT90410-QZ	DT90411-QZ	DT90400-QZ	DT90412-QZ	DT90413-QZ
CODE	DT90414-QZ	DT90415-QZ	DT90416-QZ	DT90417-QZ	DT90418-QZ
CODE	DT90419-QZ	DT90420-QZ	DT90421-QZ	DT90422-QZ	DT90423-QZ
CODE	DT90424-QZ	DT90425-QZ	DT90426-QZ		





HOLE SAWS



PLUMBER'S ASSORTMENT: 11 HOLESAWS + 2 HEX SHANK MANDRELS + 2 PILOT DRILL BITS

IN BRIEF Plumber Set including 7 2xEXTREME Bi-metal Holesaws, 2 mandrels and 2 quickrelease pilot bits. Diameters: 19, 22, 29, 38, 44, 51 and 57mm The DeWalt Life Holesaws are built to last. They are manufactured from premium quality high speed s ...

DT8269L-QZ











JIGSAW BLADES



10-PIECE JIGSAW BLADE KIT - METAL CUTTING

IN BRIEF 10 pieces assortment of blades for cutting metals (DT2160, DT2161, DT2172, DT2163, DT2054). Suitable for use with Dewalt, AEG, Atlas, Copco, Bosch, Elu, Festo, Hitachi, Holzher, Makita, Metabo High Carbon Steel blades for wood cutting H ...

DT2292-QZ



10-PIECE JIGSAW BLADE KIT - WOOD AND METAL CUTTING

DeWALT Jigsaw Blades : DT2294-QZ 10 pieces assortment of blades for wood and metal, made of High Carbon Steel and High Strength Steel. The storage case is handy and re-usable and contains DT2165, DT2177, DT2050, DT2160 and DT2163 blades. Cont ...

CODE DT2294-QZ



10-PIECE JIGSAW BLADE KIT - WOOD CUTTING

IN BRIEF Assortment of 10 blades for wood (DT2165, DT2177, DT2050, DT2166, DT2168, DT2075). Suitable for use with Dewalt, AEG, Atlas, Copco, Bosch, Elu, Festo, Hitachi, Holzher, Makita, Metabo High Carbon Steel blades for wood cutting High Stren ...

CODE DT2290-QZ

JIGSAW BLADE FOR INOX STEEL CUTTING (1.5-3MM)



IN BRIEF Jigsaw blade for cutting stainless steel sheets from 1.5 to 3mm thick. 76mm total legth, 47mm effective length. 1mm tooth pitch. Tungsten Carbide Tipped blade (TCT) for stainless steel sheet metal (inox) from 1.5 - 3mm thick APPLICATIO ...

CODE DT2101-QZ

FTP LUX DISTRIBUTION



www.ftpdistribution.lu 🔇 +352 26 39 33 73 🔄 info@ftpdistribution.lu



🕥 info@ftpdistribution.lu

JIGSAW BLADES

JIGSAW BLADE FOR INOX STEEL CUTTING (2.5-5MM)



IN BRIEF Jigsaw blade for medium-thick stainless steel sheets (Inox) from 2 to 5mm. 82mm total length and 55mm effective length. 1.4mm tooth pitch. Tungsten Carbide Tipped blade (TCT) for stainless steel sheet metal (inox) from 2.5 - 5mm thick A ...

CODE DT2055-QZ

JIGSAW BLADE FOR SOFT MATERILAS - CARDBOARD,RUBBER FOAM AND POLYSTYRENE CUTTING

IN BRIEF Jigsaw blade with 152mm total length and 125mm effective length. 100mm max width. Ideal for cardboard, styropor, leather and rubber. Knife blade for soft materials, rubber,

foam & polystyrene up to 100mm thick APPLICATIONS S ...

CODE DT2201-QZ

METAL CUTTING JIGSAW BLADE

121-1 HSS SPEED METAL

IN BRIEF Jigsaw blade for straight cuts in ferrous and non-ferrous metals, available with different pitches and blade width. For fast, straight cuts in aluminium 4 - 15mm; metal & non-

ferrous metal 4-6mm & plastic up to 30mm thick. FEAT ...

CODE DT2163-QZ

www.ftpdistribution.lu 🔇 +352 26 39 33 73





🕥 info@ftpdistribution.lu

JIGSAW BLADES

METAL CUTTING JIGSAW BLADE - 0.2-1MM PLATES CUTTING



IN BRIEF Metal cutting jigsaw blade for straight cuts in very thin metal sheets, ferrous or not, from 0.2mm to 1.0mm thick. Different versions. For straight cuts in very thin metal, non-ferrous metal & aluminium from 0.8 - 2mm thick. FEATURE ...

CODE DT2162-QZ

METAL CUTTING JIGSAW BLADE - 1.5-10MM PLATES CUTTING

970-4 HSS PROGRESSOR METAL

IN BRIEF Metal cutting jigsaw blade with variable pitch. 100mm total length, 74mm effective length and 1.2-2.6mm teeth pitch. 10mm max width. For metal plate - thick & thin pipes & profiles, aluminium for thicknesses of 1.5 - 10mm. Progres ...

CODE DT2058-QZ



METAL CUTTING JIGSAW BLADE - 2.5-6MM PLATES CUTTING

IN BRIEF Jigsaw blade with a total length of 76mm, 2mm pitch and 6mm maximum width. Ideal for straight cuts in ferrous and non ferrous materials. For straight cuts in thick metal, non-ferrous metal & aluminium from 2.5 - 6mm thick. FEATURES ...

CODE DT2161-QZ





info@ftpdistribution.lu

JIGSAW BLADES

<u>METAL CUTTING JIGSAW BLADE - ALUMINIUM AND FERROUS</u> <u>METALS CUTTING</u>



IN BRIEF Metal cutting jigsaw blades perfect for outstanding results in ferrous and non ferrous materials. Available with different tooth pitches. For straight cuts in thin metal, non-ferrous metal, aluminium & sheet metal from 1.5 - 4mm thick ...

CODE DT2160-QZ

<u>METAL CUTTING JIGSAW BLADE - CURVED LINE CUTTING</u> (1.5-4MM)

IN BRIEF Metal cutting jigsaw blade with peculiar geometry for efficient disccharge of debris. Straight cuts in ferrous and non ferrous materials. Bi-Metal - scroller blade for mainly metalcurve cutting & thin shoet motal from 1.5. Amm thick

cutting & thin sheet metal from 1.5 - 4mm thick ...

DT2054-QZ

METAL CUTTING JIGSAW BLADE - METAL PLATES CUTTING (2.5-6MM)

BT2154 BIS EXTREME DIWALT METAL

IN BRIEF Metal cutting jigsaw blade. 50% more solid to reduce breakage. Outsatnding finish and durability, for medium thick metal sheets. For fast cuts in steel to 6mm thick. Also for aluminium, copper, brass and other soft metals from 3-5mm thick ...



www.ftpdistribution.lu 🔇 +352 26 39 33 73





🕥 info@ftpdistribution.lu

JIGSAW BLADES

<u>METAL CUTTING JIGSAW BLADE - THIN METAL PLATES CUTTING</u> (1-3MM)

IN BRIEF DEWALT EXTREME blade that guarantees a cut with excellent finish, great durability and superior accuracy. Bi-metal blade for metal sheets. For fast cuts in steel to 3mm thick. Also for aluminium, copper, brass and other soft metals to 3mm ...

CODE DT2150-QZ

<u>METAL CUTTING JIGSAW BLADE - UP TO 2MM THICKNESS</u> <u>CUTTING</u>

DT2156 BIM EXTREME DAWART METAL

EXTREME DIWALT METAL

IN BRIEF Jigsaw blade for fast cutting in metal plates up to 2mm thick. Superior accuracy, finish and greater durability. Total length: 76mm. For fast cuts in sheet metal to 2.5mm thick FEATURES

DeWALT HSS jigsaw blades are engineered to deli ...

E DT2156-QZ

METAL CUTTING JIGSAW BLADE - UP TO 4MM THICK FINE CUTS IN INOX STEEL

IN BRIEF Metal cutting jigsaw blade made of tungsten carbide. Ideal for stainless steel sheets or ceramic tiles, fiber glass and hard plastic. For medium Metal and inox cutting - new technology up to 4mm thick APPLICATIONS Specialist blades f ...

CODE DT2083-QZ

www.ftpdistribution.lu (📎) +352 26 39 33 73





BLADES AND KNIVES

🕥 info@ftpdistribution.lu

JIGSAW BLADES

<u>METAL CUTTING JIGSAW BLADE - UP TO 65MM THICK.</u> <u>STRAIGHT CUTTING</u>

IN BRIEF Metal cutting jigsaw blade for cuts of excellent quality in ferrous and non ferrous materials. Available with different tooth pitches. For straight cuts in thin metal, non-ferrous metal

(1.5 - 3mm) and aluminium up to 65mm thick. FEATUR ...

CODE DT2085-QZ

SET 3 XPC JIGSAW BLADE - ALUMINIUM CUTTING (5 PCS.)

IN BRIEF Jigsaw blade with optimized tooth geometry for greater accuracy and control. Special gullet angle allows lower material consumption. Bi-metal blade for extra long life. For fast

accurate cutting in aluminium up to 15mm and plastics up to ...



<u>SPECIAL MATERIALS JIGSAW BLADE - CERAMIC AND GLASS</u> <u>FIBER CUTTING</u>

IN BRIEF Jigsaw blade for special materials as soft ceramic tiles and fiber glass 5 to 15mm thick. 76mm total length and 50mm effective length. Tungsten carbide grit blade for ceramic tiles, fibreglass & reinforced plastic to 10mm thick. APP ...

DT2102-QZ

FTP LUX DISTRIBUTION



www.ftpdistribution.lu 🔇 +352 26 39 33 73



info@ftpdistribution.lu

JIGSAW BLADES

SPECIAL MATERIALS JIGSAW BLADE - COARSE CUTTING

IN BRIEF Bi-Metal jigsaw blade for laminates, stainless steel and sandwich panels. Ideal also for soft materials such as foam rubber and polystyrene For straight and curved cuts in Sandwich materials and medium thick sheet metal up to 120mm thick ...

CODE DT2084-QZ



SPECIAL MATERIALS JIGSAW BLADE - FIBRE CEMENT CUTTING

IN BRIEF Jigsaw blade for fiberglass materials 5 to 50mm thick, plasterboard and fiber-cement. Total length of 132mm and 100mm effective length. Tungsten Carbide Tipped blade (TCT) for fibreglass, plastics & corian up to 65mm thick. APPLICAT ...

CODE DT2056-QZ



<u>STANDARD WOODCUTTING JIGSAW BLADE (1.5-30MM) -</u> <u>CURVED LINE CUTTING</u>

IN BRIEF HCS jigsaw blade for cuts of excellent quality in various materials such as wood, plastic and laminates. Made of high quality carbon steel. For fine, curve cutting in wood, chipboard, plywood, laminated chipboard & plastic up to 30mm ...

CODE

DT2168-QZ





🕥 info@ftpdistribution.lu

JIGSAW BLADES

<u>STANDARD WOODCUTTING JIGSAW BLADE (10-45MM) -</u> <u>TENDER WOOD CUTTING</u>

105-2 HCS CLEAN WOOD

IN BRIEF HCS jigsaw blade guarantees cuts of outstanding qualitu in materials such as wood, plastic and laminates. 100mm total length, 4mm pitch. For straight, fine cuts in wood, chipboard, plywood, laminated chipboard & plastic up to 60mm thi ...

CODE DT2164-QZ

<u>STANDARD WOODCUTTING JIGSAW BLADE (10-60MM) -</u> <u>TENDER WOOD CUTTING</u>

IN BRIEF HCS jigsaw blade ideal for fast, clean cuts in wood, veneer, particle boards and fiber glass up to 85mm thickness. 116mm total length. Wood, chip & fibreboard fast/clean cutting up

to 60mm thick FEATURES DeWALT HCS jigsaw blades ...

E DT2052-QZ



143-1 HCS AVY VVVVVVV CLEAN WOOD

<u>STANDARD WOODCUTTING JIGSAW BLADE (2-15MM) - CURVED</u> LINE CUTTING

IN BRIEF HCS blade for cuts in soft wood, veneer, particle boards and fiberglass up to 15mm thickness. 76mm total length, 48mm effective length. Scroller blade - for softwoods, plywood & chipboard basic cutting up to 15mm thick. FEATURES ...

CODE DT2050-QZ

FTP LUX DISTRIBUTION



www.ftpdistribution.lu 🔇 +352 26 39 33 73



105-1 HCS

BLADES AND KNIVES

🕐 info@ftpdistribution.lu

JIGSAW BLADES

<u>STANDARD WOODCUTTING JIGSAW BLADE (2-20MM) - TENDER</u> <u>WOOD CUTTING</u>

IN BRIEF Jigsaw blade ideal for straight cuts with excellent finish in chipboard, plywood, laminates and plastic up to 30mm thickness. For straight, fine cuts in wood, chipboard, plywood, laminated chipboard & plastic up to 30mm thick. FEATU ...

CODE DT2165-QZ

<u>STANDARD WOODCUTTING JIGSAW BLADE (5-60MM) - CURVED</u> LINE CUTTING

IN BRIEF HCS jigsaw blade for fast and curved line cutting in wood and chipboard up to 60mm thickness. 100mm total length, 70mm effective length. Scroller blade - for wood & chipboard fast curve cutting up to 60mm thick FEATURES DeWALT HC ...

CODE DT2077-QZ

<u>STANDARD WOODCUTTING JIGSAW BLADE - DOWNCUTTER FOR</u> <u>SPLINTER FREE CUTTING</u>

132-1 HCS CLEAN WOOD

IN BRIEF HCS jigsaw blade for cuts of excellent quality in materials such as wood, plastic and laminates. Blade made of high quality carbon steel. For wood & laminates downcutter for splinter free cuts. FEATURES DeWALT HCS jigsaw blades a ...

CODE DT2053-QZ





105-1 HCS

BLADES AND KNIVES

🕥 info@ftpdistribution.lu

JIGSAW BLADES

<u>STANDARD WOODCUTTING JIGSAW BLADE - FINE PRECISION</u> <u>ANGLE CUTTING</u>

IN BRIEF HCS jigsaw blade of high quality carbon steel, for straight clean c uts in wood. 4mm tooth pitch, 100mm total length. For clean extra straight cutting in wood and chipboard up to 60mm thick. (Extra thick blade). FEATURES DeWALT HCS ji ...

CODE DT2049-QZ

<u>STANDARD WOODCUTTING JIGSAW BLADE - PROGRESSOR</u> <u>BLADE</u>

IN BRIEF HCS jigsaw blade with progressive variable tooth pitch. Blade made of high quality carbon steel. For wood, chipboard & fibreboards up to 65mm thick. Progressor blade for fast

cutting in different material thicknesses FEATURES DeWA ...

E DT2057-QZ

<u>STANDARD WOODCUTTING JIGSAW BLADE - QUINCK AND</u> <u>CLEAN CUTTING</u>

116-1 HCS SPEED WOOD

580-4 HCS PROGRESSON WOOD

IN BRIEF Jigsaw blade of high quality carbon steel ideal for a fast straight cuts in wood and chipboards up to 60mm thickness. 100mm total length. For fast, straight cuts in wood and chipboard up to 60mm thick FEATURES DeWALT HCS jigsaw blades ...

CODE DT2166-QZ

www.ftpdistribution.lu 🔇 +352 26 39 33 73





🕥 info@ftpdistribution.lu

JIGSAW BLADES

<u>STANDARD WOODCUTTING JIGSAW BLADE - TENDER WOOD</u> (5-60MM)

116-2 HCS PRECISION WOOD

IN BRIEF Woodcutting jigsaw blade for cuts of outstanding quality in wood and chipboard up to 60mm thickness. 100mm length, 68mm effective length. For fast extra straight cutting in wood and chipboard up to 60mm thick. (Extra thick blade). FEATU ...

CODE DT2075-QZ

<u>STANDARD WOODCUTTING JIGSAW BLADE - THICK WOOD</u> (5-100MM)

IN BRIEF HCS jigsaw blade for cuts of excellent quality in materials such as wood, plastic and laminates. Blade made of high quality carbon steel. For fast, straight cuts in wood & chipboard up

to 100mm thick. FEATURES DeWALT HCS jigsaw bl ...

DT2169-QZ

<u>STANDARD WOODCUTTING JIGSAW BLADE - UP TO 100MM</u> THICK STRAIGHT CUTTING

IN BRIEF HCS jigsaw blade for straight quick cuts in wood and chipboard up to 100mm thickness. Blade made of high quality carbon steel. For fast extra straight cutting in wood and chipboard up to 100mm thick. (Extra thick blade). FEATURES DeWA ...

CODE DT2076-QZ





ME DIWALT LAMINATE

521-0 BIM EXTREME DAWALE LAMINATE

BLADES AND KNIVES

🕐 info@ftpdistribution.lu

JIGSAW BLADES

<u>STANDARD WOODCUTTING JIGSAW BLADE - UP TO 120MM</u> <u>THICK. COARSE CUTTING</u>

IN BRIEF HCS jigsaw blade for aoutstanding quality of cut in materials such as wood, plastic and laminates. Blade made of high quality carbon steel. For fast, rough cuts in thick construction timber up to 120mm thick. FEATURES DeWALT HCS jigsa ...

CODE DT2167-QZ

<u>STANDARD WOODCUTTING JIGSAW BLADE - UP TO 15MM</u> THICK CURVED CUTS IN WOOD AND LAMINATE

IN BRIEF Bi-metal jigsaw blade for laminates, stainless steel and sandwich panels. Ideal also for soft materials as foam rubber and polystyrene. For fast, rough cuts in thick construction

timber up to 120mm thick. FEATURES DeWALT HCS jigsaw bl ...

DE DT2081-QZ

STANDARD WOODCUTTING JIGSAW BLADE - UP TO 15MM THICK STRAIGHT CUTTING IN WOOD AND LAMINATE

IN BRIEF Standard woodcutting jigsaw blade, perfectly suited for cutting in for stainless steel sheets, ceramic tiles, fiber glass and hard plastic. For clean and straight cuts in all laminates up to 15mm thick APPLICATIONS Specialist blades f ...



www.ftpdistribution.lu 🔇 +352 26 39 33 73





🕥 info@ftpdistribution.lu

JIGSAW BLADES



<u>STANDARD WOODCUTTING JIGSAW BLADE - UP TO 65MM</u> <u>THICK STRAIGHT FINE CUTTING</u>

IN BRIEF HCS jigsaw blade of high-quality carbon steel, ideal for fast, clean cuts in wood. 112mm total length and 74mm effective length. For straight fine cuts in wood - cuts flush to surface 180° FEATURES DeWALT HCS jigsaw blades are engi ...

CODE DT2074-QZ

<u>STANDARD WOODCUTTING JIGSAW BLADE - UP TO 85MM</u> <u>THICK ANGLE CUTTING</u>

IN BRIEF HCS jigsaw blade for clean precise cuts in wood, chipboard, veneers and laminates up to 65mm thickness. 116mm length, 87mm effective length For clean cuts in wood, chipboard,

plywood & laminates up to 65mm thick FEATURES DeWALT HC ...

ODE DT2048-QZ



43-2 HC3 PRECISION WOOD

<u>STANDARD WOODCUTTING JIGSAW BLADE - UP TO 85MM</u> <u>THICK CURVED CUTTING</u>

IN BRIEF Jigsaw blade for raw cuts in wood, veneer, chipboard and fiber glass up to 85mm thickness. 132mm total length and 100mm effective length. Wood & plywood, chip & fibreboard fast/rough cutting up to 85mm thick FEATURES DeWALT H ...







🕥 info@ftpdistribution.lu

JIGSAW BLADES

TUNGSTEN CARBIDE TIPPED JIGSAW BLADE- SPECIAL MATERIALS CUTTING

725-1 TCT EXTREME bewalt FIBRE/PLASTER

IN BRIEF Tungsten carbide jigsaw blade for styropor cardboards, leather and rubber. Total length of 100mm and useful length of 69mm. Tungsten carbide tipped blade for ceramic tiles, fibreglass & reinforced plastic to 20mm thick APPLICA ...

DDE DT2103-QZ

WOOD AND METAL CUTTING JIGSAW BLADE - PROGRESSOR BLADE

IN BRIEF Metal cutting jigsaw blade with progressive variable pitch. 132mm total length, 101mm effective length, and 2.4 to 5mm tooth pitch. BIM for wood up to 65mm thick & metals,

pipes and profiles 3 - 10mm thick. Progressor blade for fast ...

DT2059-QZ



968-4 BM PROGRESSOR METAL/WOOD

WOOD CUTTING - 10-PIECE JIGSAW XPC BLADES KIT

IN BRIEF 10 pieces set of blades for wood (DT2209, DT2205, DT2213, DT2216, DT2218, DT2217, DT2220). The jigsaw blades are designed to match XPC absolute precision long life The

Plunge Point is a patented DEWALT which allows the tip of the blade a ...

DDE DT2296-QZ





JIGSAW BLADES



WOOD CUTTING - 14-PIECE JIGSAW XPC BLADES KIT

IN BRIEF Set of 14 assorted blades for wood (DT2209, DT2205, DT2215, DT2207, DT2216, DT2218, DT2217, DT2220). The jigsaw blades are designed to match XPC absolute precision long life The Plunge Point is a patented DEWALT which allows the tip of th ...

CODE DT2298-QZ

XPC JIGSAW BLADE

DT2213 HCS DTWALT XCC SPEED WOOD

12207 HOS DEWALT XCC CLEAN WOOD

IN BRIEF Jigsaw blade with optimized teeth geometry for greater accuracy and control. Specific hook angle allows clean cuts and lower consumption. For fast accurate cutting in wood, chipboard, plywood, laminates and plastic up to 60mm thick. FEA ...

CODE DT2213-QZ

XPC JIGSAW BLADE - CLEAN FINISHING CUTTING

IN BRIEF Jigsaw blade with optimized tooth geometry for greater accuracy and control. Peculiar gullet angle for clean cuts and low consumption. Downcutter blade for clean, splinter free cutting in laminates and wood up to 40mm thick. FEATURES ...

DT2207-QZ

CODE

XPC JIGSAW BLADE - CLEAN SPLINTER-FREE CUTTING



IN BRIEF Bi-Metal Jigsaw blade ensuring a twice as many cuts than HCS standard blades. Optimized tooth geometry for greater control. Bi-metal blade for extra long life. For clean and fast accurate cutting in wood, chipboard, plywood, laminates and ...

DT2218-QZ

FTP LUX DISTRIBUTION



www.ftpdistribution.lu 🔇 +352 26 39 33 73 🔄 info@ftpdistribution.lu



JIGSAW BLADES

XPC JIGSAW BLADE - CURVED LINE WOOD CUTTING



IN BRIEF Jigsaw blade peculiarly designed to match cutting precision and long service life. Tooth geometry provides strength and cutting speed. For clean and fast accurate cutting in wood, chipboard, plywood, laminates and plastic up to 30mm thick ...

CODE DT2205-QZ

XPC JIGSAW BLADE - HARD WOOD CUTTING

(1227) MATC COMMAND WOOD (1227) MATC COMMAND WOOD fast accurate cutt

IN BRIEF Jigsaw blade, for increased strength and cutting speed thanks to peculiar tooth geometry. Specific gullet angle for a very clean cut. Bi-metal blade for extra long life. For clean and fast accurate cutting in wood, chipboard, plywood, lam ...

CODE DT2217-QZ

XPC JIGSAW BLADE - LAMINATE CUTTING

IN BRIEF Jigsaw blade with distinctive tooth geometry for higher speed and cutting strength. Much wider hook angles.. Bi-metal blade for extra long life. Downcutter blade for clean, splinter free cutting in laminates and wood up to 40mm thick. ...

DT2219-QZ

CODE

XPC JIGSAW BLADE - QUICK AND ACCURATE CUTTING



T2219 BIM DEWALT XPC CLEAN HARD WOOD

IN BRIEF Jigsaw blade with peculiar teeth geometry which ensures cutting speed in all wood qualities. Peculiar hook angle vor very fine cuts. For coarse accurate cutting in wood, chipboard, plywood, laminates and plastic up to 60mm thick. FEATUR ...





info@ftpdistribution.lu

JIGSAW BLADES

XPC JIGSAW BLADE - TENDER AND HARD WOOD CUTTING



IN BRIEF Jigsaw blade with patented DEWALT Plunge Point technology that allows a plunge cut without any counterstroke. Bi-metal blade for extra long life. For fast accurate cutting in wood, chipboard, plywood, laminates and plastic up to 60mm thic ...

CODE DT2220-QZ

XPC JIGSAW BLADE - TENDER WOOD CUTTING



DIWALT XPC WOOD

IN BRIEF Jigsaw blade with peculiar gullets to improve the removal of debris and increase the cutting pace. Total length 100mm. For coarse accurate cutting in wood, chipboard, plywood, laminates and plastic up to 30mm thick. FEATURES Unique ji ...

CODE DT2209-QZ

XPC JIGSAW BLADE - TENDER WOOD CUTTING 2-15MM

IN BRIEF Jigsaw blade with peculiar gullet angle allowing very clean cuts with less material consumption. Bi-Metal blade with a total length of 82mm Bi-metal blade for extra long life. For

clean and fast accurate cutting in wood, chipboard, plywoo ...

ODE

DT2216-QZ





METAL SAW BLADES



ALUMINIUM CUTTING CIRCULAR SAW BLADE

IN BRIEF Saw blade with brazing technology that ensures precise teeth placement. Fine and precise cuts. 140mm blade diameter. FEATURES Premium brazing technology for precise tip placement Optimised blade design for fast, clean cuts in ferrou ...

CODE DT1910-QZ DT1912-QZ



STEEL CUTTING CIRCULAR SAW BLADE

IN BRIEF Cicular sawblade with new technology for precise positioning of saw teeth for a fine and precise cut. 140mm blade diameter. FEATURES Premium brazing technology for precise tip

placement Optimised blade design for fast, clean cuts in ...

CODE DT1923-QZ











MULTITOOL SAW BLADES



CARBIDE RASP FOR MULTI TOOL

IN BRIEF Multitool rasp blade with "Tough Grit" carbide rim. Ideal for removing mortar or glue from tiles, floors and walls. Carbide Rasp 93mm FEATURES Premium quality bi-metal material

High speed steel teeth - the whole tooth is made from ...

DE DT20719-QZ



DIAMOND BLADE

Information: Diamond blade - diameter 100 cm for porous concrete, cement, plaster and construction materials Description: Diamond blade - diameter 100 cm for porous concrete,

cement, plaster and construction materials

CODE DT20745-QZ



DIAMOND BLADE

Information: Diamond blade for porous concrete, cement, plaster and construction materials Description: Diamond blade for porous concrete, cement, plaster and construction materials Width: 32 cm Length: 43 cm

CODE DT20746-QZ

DIAMOND BLADE FOR MULTI TOOL



IN BRIEF Diamond blade for multitool with optimized shape for precise, clean cuts on tiles. Maximum depth of cut: 2.2mm. This Multi-Tool Blade has an optimised blade design - with a unique angle design, making it easier to use in awkard applicatio ...

DT20739-QZ

FTP LUX DISTRIBUTION



www.ftpdistribution.lu 🔇 +352 26 39 33 73 🔄 info@ftpdistribution.lu

CODE



MULTITOOL SAW BLADES



FINGER RASP

40x40mm finger rasp in hard metal. Long lasting for stucco roughing, glue for tiles, cement, masonry and wood. Covered on both sides.

CODE DT20751-QZ



FLEXIBLE SCRAPER BLADE FOR MULTI TOOL 30X50MM

IN BRIEF Multi tool scraper blade for grout, silicone and glue removal, as well as profile sanding in hard to reach places. Blade width 35mm. Flexible Scraper Blade 35mm FEATURES Premium quality bi-metal material High speed steel teeth - th ...

CODE DT20716-QZ



KNIFE BLADE

Information: Blade for cutting silicone and plasters - detach insulated windows Description: Blade for cutting silicone and plasters - detach insulated windows

DT20749-QZ



KNIFE BLADE

CODE

Information: Blade for cutting silicone, plasters and remove mastic. Sharp edges Description: Blade for cutting silicone, plasters and remove mastic. Sharp edges Width 35 mm Length 70 mm

DT20750-QZ





MULTITOOL SAW BLADES



HEAVY METAL BLADE

Information: Multi-tool heavy metal blade for improved life when cutting sheet metal, wood with nails, plaster and drywall . Accessories fit all common oscillating tools Quick & easy blade change Description: Multi-tool heavy metal blade f ...





JAPAN BLADE

Information: Multi-tool JAPAN teeth blade for improved life when cutting wood, drywall, plastic material. Max 50mm thickness. Accessories fit all common oscillating tools. Quick & easy blade change. Description: Multi-tool JAPAN teeth bla ...

DT20740-QZ



JAPAN BLADE

CODE

Information: Multi-tool JAPAN teeth blade for improved life when cutting wood, drywall, plastic material. Max 50mm thickness. Accessories fit all common oscillating tools. Quick & easy blade change. Description: Multi-tool JAPAN teeth bla ...

CODE DT20741-QZ



MULTI TOOL BLADE - CARBIDE GROUT REMOVAL BLADE 3MM

IN BRIEF Carbide multitool blade for grout and mortar removal. Universal quick change system. Carbide Grout Removal Blade 3mm FEATURES Premium quality bi-metal material High speed

steel teeth - the whole tooth is made from high speed stee ...

DT20717-QZ

FTP LUX DISTRIBUTION



CODE



MULTITOOL SAW BLADES



MULTI TOOL BLADE - CARBIDE GROUT REMOVAL BLADE 5MM

IN BRIEF Multitool blade, perfect to remove grout between tiles. Equipped with "Tough Grit" carbide rim. Universal quick coupling system. Fastcut Carbide Grout Removal Blade 5mm FEATURES Premium quality bi-metal material High speed steel t ...

CODE DT20718-QZ



MULTI TOOL BLADE - FLUSH CUT BLADE 102MM

IN BRIEF Bi-metal blade for flush cuts with quick release system. Ideal for cutting various materials, including wood and plasterboard. Flush Cut Blade 100mm FEATURES Premium quality bi-metal material High speed steel teeth - the whole tooth ...

CODE DT20710-QZ



MULTI TOOL BLADE - MULTI MATERIAL BLADE 102MM DIA.

IN BRIEF Multi-material blade for multitool with quick release system. Ideal for cutting a variety of materials, including linoleum and rubber. Multi Material Blade 100mm FEATURES Premium

quality bi-metal material High speed steel teeth - ...

DT20712-QZ



MULTI TOOL BLADE - PLUNGE CUTS

IN BRIEF Multi tool blade for wood with long lasting sharpening. 18 teeth per inch, 43mm cutting depth. With universal quick release system. Wood with Nails Blade 30mm x 43mm FEATURES Premium quality bi-metal material High speed steel teet ...

DT20701-QZ

FTP LUX DISTRIBUTION



www.ftpdistribution.lu 🔇 +352 26 39 33 73 🛛 🔄 info@ftpdistribution.lu



MULTITOOL SAW BLADES



MULTI TOOL BLADE - SEMICIRCLE BLADE 102MM DIA.

IN BRIEF Semi-circular titanium blade for multitool. Ideal for cutting different materials, including wood and plasterboard. Semicircle Blade 100mm FEATURES Premium quality bi-metal material High speed steel teeth - the whole tooth is made ...



MULTI TOOL BLADE - SEMICIRCLE BLADE 102MM DIA. (5 PCS)



IN BRIEF Kit of 5 semi-circular blades with quick change system. 5 pk Semicircle Blade 100mm (DT20708-QZ x 5) FEATURES Premium quality bi-metal material High speed steel teeth - the whole tooth is made from high speed steel not just the tip ...

CODE DT20728-QZ



MULTI TOOL BLADE - SEMICIRCLE BLADE 102MM DIA. (5 PCS)

IN BRIEF Set of 5 blades, carbide coated ideal for precise, clean cuts on tiles. 5 pk Flush Cut Blade 100mm (DT20710-QZ x 5) FEATURES Premium quality bi-metal material High speed steel

teeth - the whole tooth is made from high speed steel ...

CODE DT20729-QZ



MULTI TOOL BLADE - SEMICIRCLE TITAN BLADE 102MM DIA.

IN BRIEF Semi-circular titanium blade for multitool, with quick universal connector. Ideal for cutting materials as wood, metal and plasterboard. Flush Cut Blade 100mm FEATURES Premium quality bi-metal material High speed steel teeth - the ...

DT20709-QZ

FTP LUX DISTRIBUTION



www.ftpdistribution.lu 🔇 +352 26 39 33 73 🔄 info@ftpdistribution.lu



MULTITOOL SAW BLADES



MULTI TOOL BLADE - TITANIUM FLUSH CUT BLADE 102MM

IN BRIEF Titanium multi tool blade for flush cuts with quick release system. Ideal for cutting materials as iron, hardwood and metal. Titanium Flush Cut Blade 100mm FEATURES Premium quality bi-metal material High speed steel teeth - the whol ...

CODE DT20711-QZ



MULTI TOOL BLADE 10X43MM - PLUNGE CUTS

IN BRIEF Multi tool blade, 16 teeth per inch, with universal quick release system. Ideal for fast and precise cutting in wood and plastics. Wood Detail Blade 10mm x 43mm FEATURES Premium quality bi-metal material High speed steel teeth - th ...

CODE DT20706-QZ



MULTI TOOL BLADE 31X43MM - PLUNGE CUTS

IN BRIEF Multi tool blade for fast cuts in wood. Universal quick release. Fastcut Wood Blade 30mm x 43mm FEATURES Premium quality bi-metal material High speed steel teeth - the whole tooth is made from high speed steel not just the tip ...

DT20704-QZ

CODE



MULTI TOOL BLADE 31X43MM - PLUNGE CUTS (5 PCS)

IN BRIEF Set of 5 blades ideal for wood with nails. Bi-metal design, 18 teeth per inch, universal quick release. 5 pk Wood with Nails Blade 30mm x 43mm (DT20701-QZ x 5) FEATURES Premium quality bi-metal material High speed steel teeth - the ...

DT20723-QZ

FTP LUX DISTRIBUTION



www.ftpdistribution.lu 🔇 +352 26 39 33 73 🕜 info@ftpdistribution.lu



MULTITOOL SAW BLADES



MULTI TOOL BLADE 31X43MM - PLUNGE CUTS (5 PCS)

IN BRIEF Set of 5 blades for fast cutting of wood, with universal quick release. 5 pk Fastcut Wood Blade 30mm x 43mm (DT20704-QZ x 5) FEATURES Premium quality bi-metal material High speed steel teeth - the whole tooth is made from high spe ...

CODE DT20725-QZ



MULTI TOOL BLADE 31X43MM - TITAN BLADE

IN BRIEF Titanium multi tool blade, 18 teeth per inch, with universal quick connector. Ideal for cutting ferrous and non ferrous metal sheets. Titanium Metal Blade 30mm x 43mm FEATURES Premium quality bi-metal material High speed steel teet ...

CODE DT20707-QZ



MULTI TOOL BLADE 31X67MM - PLUNGE CUTS

IN BRIEF Multitool saw blade for cutting hard woods. 14 teeth per inch, with 67mm cutting depth. Universal quick release system. Hardwood Blade 30mm x 67mm FEATURES Premium quality bi-metal material High speed steel teeth - the whole tooth ...

DT20703-QZ

CODE

CODE



MULTI TOOL BLADE 31X67MM - PLUNGE CUTS (5 PCS)

IN BRIEF Set of 5 blades for cutting of hardwood, 14 teeth per inch and universal quick release. 5 pk Hardwood Blade 30mm x 67mm (DT20703-QZ x 5) FEATURES Premium quality bi-metal

material High speed steel teeth - the whole tooth is made $f \dots$

DT20724-QZ

FTP LUX DISTRIBUTION



www.ftpdistribution.lu 🔇 +352 26 39 33 73 🔄 info@ftpdistribution.lu



MULTITOOL SAW BLADES

MULTI TOOL BLADE 31X67MM - PLUNGE CUTS (5 PCS)



IN BRIEF Set of 5 blades ideal for precision works, 16 teeth per inch and universal quick change system. 5 pk Wood Detail Blade 10mm x 43mm (DT20706-QZ x 5) FEATURES Premium quality bimetal material High speed steel teeth - the whole tooth ...

CODE DT20726-QZ



MULTI TOOL BLADE 42X55MM - TITAN BLADE

IN BRIEF Multi tool saw blade for cutting wood and metal. 18 teeth per inch, 55mm cutting depth. Universal quick release system. Titanium Wood/Metal Blade 44mm x 55mm FEATURES Premium quality bi-metal material High speed steel teeth - the ...

CODE DT20702-QZ



MULTI TOOL BLADE 66X43MM - PLUNGE CUTS

IN BRIEF Blade for quick cuts in wood, with universal quick connector. Wide Fastcut Wood Blade 66mm x 43mm FEATURES Premium quality bi-metal material High speed steel teeth - the

whole tooth is made from high speed steel not just the tip ...

DT20705-QZ

CODE





MULTITOOL SAW BLADES



RIGID SCRAPER BLADE FOR MULTI TOOL 52X26MM

IN BRIEF Rigid scraper blade for grout, silicone and glue removal, as well as profile sanding in hard to reach places. Dimensions: 52x26mm. Rigid Scraper Blade 52mm FEATURES Premium quality bi-metal material High speed steel teeth - the wh ...





TITANIUM BLADE

Information: Multi-tool Titanium blade for improved life when cutting wood, drywall, plastic material. Accessories fit all common oscillating tools. Quick & easy blade change. Description: Multi-tool Titanium blade for improved life when c ...

CODE DT20747-QZ



TITANIUM METAL BLADE

Information: Multi-tool Titanium blade for improved life when cutting metal. 18 tpi for cutting hard and soft metals Accessories fit all common oscillating tools Quick & easy blade change Description: Multi-tool Titanium blade for improve ...

CODE DT20727-QZ



TRIANGULAR SANDING PLATE FOR MULTI TOOL

IN BRIEF Sanding pad with velcro[®] and adapter for the connection to a dust extraction system. Sanding Plate 93mm x 93mm FEATURES Premium quality bi-metal material High speed steel teeth - the whole tooth is made from high speed steel not ...





PLANERS KNIVES



2 HSS PLANER KNIVES FOR DW733

IN BRIEF Pair HSS knives for planers (DW733).

DE7330-XJ

CODE

CODE

CODE

HSS REVERSIBLE PLANER BLADES - 82MM



IN BRIEF HSS reversible planer knives 82mm. 82mm HSS reversible planer blades for use with DW677, DW678K, DW678EK and DW680K

DT3905-QZ

TCT REVERSIBLE PLANER BLADES - 82MM



IN BRIEF TCT reversible planer knives 82mm. 82mm TCT reversible planer blades for use with DW677, DW678K, DW678EK and DW680K

DT3906-QZ

FTP LUX DISTRIBUTION



www.ftpdistribution.lu 🔇 +352 26 39 33 73



info@ftpdistribution.lu



RECIP SAW BLADES

235MM TCT RECIPROCATING SAW BLADE

235mm TCT reciprocating saw blade



DT2335-QZ

BI-METAL RECIPROCATING SAW BLADE - METAL CUTTING



IN BRIEF Special progressor blade 152x1.75-3mm. 5 pieces pack. Progressor blade for different material thicknesses. Thin to thick sheet metal (1 - 8mm), thin to thick metal profiles (5 - 100mm). APPLICATIONS Blades available for almost all ma ...

CODE DT2404-QZ



BI-METAL RECIPROCATING SAW BLADE - PROGRESSOR BLADE FOR METAL CUTTING

IN BRIEF Special progressor blade 203x2.2-4.6mm. 5 pieces pack. Progressor blade for different material thicknesses. Wood with nails/metal, chipboard (5 - 150mm), sheet metal, aluminium profiles (3 - 18mm), plastic, fibre glass, reinforced plast ...

CODE DT2406-QZ

BIM 1" TALL RECIP BLADE METAL 10TPI (5 PZ.)

for equipment: metal

CODE



DT90384-QZ

DT90389-QZ

🕥 info@ftpdistribution.lu





RECIP SAW BLADES

	BIM 1" TALL RECIP BLADE METAL 14TPI (5 PZ.)				
	for equipment: metal				
	CODE DT90385-QZ DT90387-QZ				
	BIM 1" TALL RECIP BLADE METAL 18TPI (5 PZ.) for equipment: metal DT90388-QZ DT90391-QZ				
I : S DEWALT	BIM RECIP GENERAL BLADE 10TPI (5 PCS.) for equipment: wood, metal CODE DT90383-QZ				
	BIM RECIP WOOD DEMOLITION 6TPI (5 PCS.) Teeth Per Inch: 6 Material:: Bi-Metal Application: Cutting Wood				

DT90380-QZ

DT90382-QZ

info@ftpdistribution.lu

FTP LUX DISTRIBUTION



DEWALT



🕐 info@ftpdistribution.lu

RECIP SAW BLADES

<u>CARBIDE RECIP METAL 8TPI</u>					
Carbide recip metal 8TPI					
CODE DT20435-QZ DT20436-QZ DT20437-QZ					
CARBIDE RECIP WOOD NAILS BALDE 6TPI					
Carbide recip wood nails balde 6TPI					
CODE DT20438-QZ DT20440-QZ					

DEWALT DT2416 QZ BI METAL SNAPOFF BLADES





HCS STEEL RECIPROCATING SAW BLADE - SPECIAL PROGRESSOR BLADE

IN BRIEF Special progressor blade 203x2.4-4mm. 5 pieces pack. Application: Progressor blade for different material thicknesses. Construction timber (6 - 150mm), chipboard and MDF (6-60mm), plywood, plastic (6 - 150mm), wooden panels (to 175mm). ...

DE DT2402-QZ

FTP LUX DISTRIBUTION



www.ftpdistribution.lu 🔇 +352 26 39 33 73



RECIP SAW BLADES

RECIPROCATING SAW BLADE - CLEAN CUTTING IN PLASTER



IN BRIEF Reciprocating saw blade made of cobalt steel. Designed for specific applications. 52mm length and 1.8mm pitch. Bi metal construction blade for splinter free cuts in plaster. APPLICATIONS Specialist blades for cutting a wide variety of material

CODE DT2356-QZ

RECIPROCATING SAW BLADE - COARSE WOOD CUTTING

IN BRIEF Carbide steel blade for fast curved cuts in wood and plastic. 305mm length and 4.2mm pitch. Outstanding durable performances. Application: Fine fast cuts and curve cuts in wood and plastic. APPLICATIONS For fast cuts in wood and plast ...

CODE DT2364-QZ DT2352-QZ

DT2359-QZ



<u>RECIPROCATING SAW BLADE - FAST CUTTING IN WOOD WITH</u> <u>NAILS AND TOUGH PLASTIC</u>

IN BRIEF Recip saw blade made of a combination of two types of steel for extra durability. Ideal for quick cuts in wood with nails or hard plastic. APPLICATIONS Blades available for almost all materials and applications FEATURES Bi-metal con ...

CODE

DT2350-QZ

FTP LUX DISTRIBUTION

www.ftpdistribution.lu 🔇 +352 26 39 33 73 🔄 info@ftpdistribution.lu





RECIP SAW BLADES

<u>RECIPROCATING SAW BLADE - FAST FINE CUTTING IN WOOD</u> AND PLASTIC



IN BRIEF Recip saw blade made of a combination of two types of steel, ideal for a fast and curved line cutting with fine finish in wood and plastic. APPLICATIONS Blades available for almost all materials and applications FEATURES Bi-metal co ...

 CODE
 DT2351-QZ
 DT2344-QZ

<u>RECIPROCATING SAW BLADE - FINE METAL CUTTING UP TO</u> 1.5MM THICK.

IN BRIEF Bi-metal blade made of HCS and HSS steel for guaranteed strength over time and outstanding cutting capacity. For metal sheets up to 1.5mm. Fine cuts in metal, sheet material,

pipes and profiles up to 1.5mm thick. APPLICATIONS Blades a ...

DE DT2385-QZ

RECIPROCATING SAW BLADE - FOR MASONRY, BRICKS AND AERATED CONCRETE CUTTING



IN BRIEF Reciprocating saw blade for cutting of concrete and brick, 240mm long. 12.7mm pitch. For use with DEWALT and other important brands. Application: Tungsten carbide tipped blade for cutting aerated Concrete, red brick and fibre cement. A ...

CODE DT2420-QZ

DT2422-QZ

🕥 info@ftpdistribution.lu





info@ftpdistribution.lu

RECIP SAW BLADES



<u>RECIPROCATING SAW BLADE - GENERAL PURPOSE CUTTING</u> (WOOD, WOOD WITH NAILS, ALUMINIUM AND FIBREGLASS).

IN BRIEF Bi-metal recip saw blade for cutting wood, wood with nails, aluminum and fiber glass. 152mm length and 2.5mm pitch. Guaranteed strength. General purpose for wood, wood with nails, aluminium and fibreglass. Ideal for use with cordless rec ...

DDE DT2345-QZ



<u>RECIPROCATING SAW BLADE - HEAVY GAUGE METAL, RUBBER,</u> <u>FIBREGLASS AND ANGLE IRON CUTTING</u>

IN BRIEF Bi-metal recip saw blade for cutting ferrous materials and non-ferrous materials up to 3mm thick. 152mm length and 1.4mm pitch. For use in heavy gauge metal, rubber, fibreglass and

angle iron. APPLICATIONS Blades available for almost ...

DDE DT2355-QZ



<u>RECIPROCATING SAW BLADE - METAL CUTTING UP TO 3MM</u> <u>THICK.</u>

IN BRIEF Bi-metal saw blade made of HCS and HSS steel, longer service life and use flexibility. M2 steel provides greater strength. Cuts in metal, sheet metal, pipes and profiles up to 3mm thick. APPLICATIONS Blades available for almost all m ...

DT2384-QZ

CODE





info@ftpdistribution.lu

RECIP SAW BLADES



RECIPROCATING SAW BLADE - QUICK COARSE CUTTING

IN BRIEF Extra durable recip saw blade. Ideal for cuts in wood with nails. 4.2mm pitch and 152mm length. APPLICATIONS Cutting through existing walls Cutting pipe and nail embedded timber Cutting through vehicles (fire & rescue)

CODE DT2300L-QZ

DT2314L-QZ



RECIPROCATING SAW BLADE - QUICK CURVED CUTTING IN WOOD AND PLASTIC

IN BRIEF Recip saw blade made of carbide steel, ideal for quick cuts and curved cuts in wood and plastic. 2 types of steel for increased resistance. Application: Fine fast and curved cuts in wood and plastic APPLICATIONS For fast cuts in wood ...

CODE DT2362-QZ DT2363-QZ

2 D12303 Q2

RECIPROCATING SAW BLADE - QUICK CUTTING IN FERROUS AND NON-FERROUS METALS (3-8MM)

IN BRIEF Bi-metal recip saw blade made of HCS and HSS steel. Ideal for fast cutting of ferrous and non ferrous metals. APPLICATIONS Blades available for almost all materials and applications FEATURES Bi-metal construction combining HCS and H ...

CODE DT2353-QZ DT2361-QZ

www.ftpdistribution.lu 🔇 +352 26 39 33 73





RECIP SAW BLADES



<u>RECIPROCATING SAW BLADE - QUICK CUTTING IN FERROUS</u> <u>AND NON-FERROUS METALS UP TO 3MM</u>

IN BRIEF Bi-metal saw blade for cutting ferrous and non-ferrous materials up to 3mm thick. Made of HCS and HSS steel. 152mm length and 1.4mm pitch. Ferrous and non-ferrous metals up to 3mm thick. Ideal for use with cordless reciprocating saws. ...

 CODE
 DT2354-QZ
 DT2346-QZ



<u>RECIPROCATING SAW BLADE - QUICK CUTTING IN METAL,</u> <u>PLASTIC AND PLYWOOD</u>

IN BRIEF Recip saw blade. Perfectly suited for cuts in different materials such as wood, plastic, metals, aluminum, plywood, rubber and glass. For fast cutting of metals, plastics & sandwich

materials APPLICATIONS Plumbers - cutting copper ...

DT2308L-QZ

DT2315L-QZ



RECIPROCATING SAW BLADE - QUICK CUTTING OF METAL AND STEEL PLATES AND PIPES UP TO 10MM THICK.

IN BRIEF Extra durable recip saw blade. Perfect for cuts in hard metals, pipes and steel up to 10mm thickness. 1.4-1.8mm pitch. High productivity. For fast cutting of metals, sheet, profiles APPLICATIONS Metal cutting blades for: Steel, Rebar, ...

CODE DT2409L-QZ

DT2407L-QZ

FTP LUX DISTRIBUTION

www.ftpdistribution.lu 🔇 +352 26 39 33 73 🔄 info@ftpdistribution.lu





RECIP SAW BLADES



<u>RECIPROCATING SAW BLADE - TOUGH PLASTICS, SANDWICH</u> <u>MATERIAL AND PIPES CUTTING (3-12MM)</u>

IN BRIEF Recip saw blade for cutting plastic, sandwich materials, tubes and profiles from 3 to 12mm. 152mm length and 1.8-2.5mm variable pitch. For use in tough plastics, sandwich material and pipes. APPLICATIONS Blades available for almost a ...

CODE DT2348-QZ DT2387-QZ




RECIPROCATING SAW BLADE -LIVING WOOD AND PRUNING

IN BRIEF Reciprocating saw blade, made two steel types, for fast cuts in wood. Ideal also for pruning. 305mm length and 8.5mm pitch. Application: Coarse wood with no nails (20-250mm),

living wood and pruning (to 250mm) APPLICATIONS For fast c ...

CODE DT2432-QZ

SAW BLADE FOR BUILDING INSULATION MATERIALS



CODE DT2450-QZ

DT2452-QZ

info@ftpdistribution.lu



SET OF 6 BI-METAL EXTREME RECIP SAW BLADE

IN BRIEF 6 bi-metal blades for reciprocating saw (DT2300L, DT2307L, DT2301L, DT2315L, DT2308L, DT2407L). A professional 6 piece set of Reciprocating Saw Blades from DeWalt.

Featuring Tough Coat heat resistant blade coating, which increases the bl ...

DT2440L-QZ

CODE

FTP LUX DISTRIBUTION



www.ftpdistribution.lu 🔇 +352 26 39 33 73



RECIP SAW BLADES

TCT GRIT RECIP SAW BLADES



Information: Aggressive shank angle for longer life. Specialist blades for cutting a wide variety of materials Sharper tooth geometry for faster cutting in ferrous and non-ferrous metals, sheet metal, pipes and profiles. Description: Varying to ...

CODE DT2333-QZ DT2332-QZ



XR FLEXVOLT RECIPROCATING SAW BI-METAL BLADE - FAST METAL CUTTING - 5 PCS.

XR FLEXVOLT Reciprocating Saw Bi-Metal Blade - Fast Metal Cutting - 5 Pcs. XR EXTREME RUNTIME blades allow twice the cuts on metal.

CODE DT99552-QZ DT99553-QZ



XR FLEXVOLT RECIPROCATING SAW BI-METAL BLADE - HARD AND SOFT WOOD CUTTING - 5 PCS.

XR FLEXVOLT Reciprocating Saw Bi-Metal Blade - Fast Metal Cutting - 5 Pcs. XR EXTREME RUNTIME blades allow twice the cuts on metal.

CODE

DT99554-QZ DT99555-QZ









<u>355MM ALUMINIUM OXIDE CIRCULAR SAW BLADE, 25.4MM</u> ARBOR (10 PCS.)

355mm Aluminium Oxide Circular Saw Blade, 25.4mm Arbor

CODE DT3450-QZ



DEWALT ABRASIVE DISCS (MULTI-PACK)

Information: Pack consisting of 10 cutting discs for Inox and metals, use with grinder / radial. Fine cut Metal case Fine cutting disc for Inox Description: Pack consisting of 10 cutting discs for Inox and metals, use with grinder / radial. ...

CODE DT3507-QZ

DT42340TZ-QZ



EXTREME ABRASIVE DISK FOR METAL CUTTING DIAMETER 355X25, 4X3M

Extreme abrasive disk for metal cutting diameter 355x25, 4x3m

DT43975-QZ



EXTREME METAL GRINDING DISC - DEPRESSED

CHARACTERISTICS Industrial aluminum oxide grain designed to maximize durability and performance. OSA accredited. Concentration of high-density grains for longer life. APPLICATIONS For general metal grinding and cutting work on stainless steel, ...

CODE DX7961S-AE


FTP LUX DISTRIBUTION



www.ftpdistribution.lu 🔇 +352 26 39 33 73 🔄 info@ftpdistribution.lu




HIGH PERFORMANCE BONDED DISCS (10 PCS.)



HIGH PERFORMANCE BONDED DISCS (MULTI-PACK)



Professional aluminium oxide grain designed for cordless tools to maximise life and performance. OSA accredited.





HIGH PERFORMANCE BONDED DISCS (MULTI-PACK)

Professional aluminium oxide grain designed for cordless tools to maximise life and performance. OSA accredited.

CODE	DT43911-QZ	DT43912-QZ	DT43913-QZ	DT43910-QZ	DX7927-AE
CODE	DX7967-AE	DX7987-AE	DX7711-AE		

info@ftpdistribution.lu

FTP LUX DISTRIBUTION

www.ftpdistribution.lu 🔇 +352 26 39 33 73







HIGH PERFORMANCE METAL CUTTING DISC - DEPRESSED

CHARACTERISTICS Professional aluminum oxide grit designed for cordless tools to maximize life and performance. APPLICATIONS For general metal grinding and cutting jobs on stainless steel, ferrous and non-ferrous metals, including weld and surface preparation.



DWA4524IA-AE



HIGH PERFORMANCE METAL CUTTING DISC - FLAT

CHARACTERISTICS Professional aluminum oxide grit designed for cordless tools to maximize life and performance. APPLICATIONS For general metal grinding and cutting jobs on stainless

steel, ferrous and non-ferrous metals, including weld and surface preparation.



COD



HIGH PERFORMANCE METAL DEBURRING DISC - DEPRESSED

CHARACTERISTICS Professional aluminum oxide grit designed for cordless tools to maximize life and performance. APPLICATIONS For general metal grinding and cutting jobs on stainless steel, ferrous and non-ferrous metals, including weld and surface preparation.

DE DWA4514IA-AE

www.ftpdistribution.lu 🔇 +352 26 39 33 73

DW4547AIA-AE

🕥 info@ftpdistribution.lu









<u>HIGH PERFORMANCE STAINLESS STEEL CUTTING DISC -</u> DEPRESSED

CHARACTERISTICS Professional aluminum oxide grit designed for cordless tools to maximize life and performance. APPLICATIONS For general metal grinding and cutting jobs on stainless

steel, ferrous and non-ferrous metals, including weld and surface preparation.

DWA8434SIA-AE

CODE

DWA4524SIA-AE



HIGH PERFORMANCE STAINLESS STEEL CUTTING DISC - FLAT

CHARACTERISTICS Professional aluminum oxide grit designed for cordless tools to maximize life and performance. APPLICATIONS For general metal grinding and cutting jobs on stainless

steel, ferrous and non-ferrous metals, including weld and surface preparation.



DT42380Z-QZ



<u>HIGH PERFORMANCE STAINLESS STEEL DEBURRING DISC -</u> <u>DEPRESSED</u>

CHARACTERISTICS Professional aluminum oxide grit designed for cordless tools to maximize life and performance. APPLICATIONS For general metal grinding and cutting jobs on stainless

steel, ferrous and non-ferrous metals, including weld and surface preparation.

CODE DWA4514SIA-AE

www.ftpdistribution.lu 🔇 +352 26 39 33 73

- DW4543SIA-AE DW4547SIA-AE DWA4549SIA-AE

info@ftpdistribution.lu





ABRASIVES

EXTREME FLAP DISCS



EXTREME FLAP DISC - FLAT (10 PCS.)

IN BRIEF Flat Flap disc. Perfectly suited for grinding and removal tasks on surfaces with an angle up to 15°. Diameter of 115-355mm. The DeWalt Extreme Metal Flap disc is designed to

remove rust, and will grind and clean ferrous metals, made with ...

CODE	DT30601-QZ	DT30611-QZ	DT30621-QZ	DT30602-QZ	DT30612-QZ
CODE	DT30622-QZ				



FLAP DISC - ANGLE (10 PCS.)

IN BRIEF Flat Flap disc with high quality zircon crystals. Ideal for applications on surfaces with an angle from 15° to 25°. Diameter of 115-125mm. 115mm diameter extra tough vulcanized

fiber backing sanding discs, Extremely durable hard Zirconi ...

CODE	DT3255-QZ	DT3256-QZ	DT3257-QZ	DT3258-QZ	DT3265-QZ
CODE	DT3266-QZ	DT3267-QZ			



FLAP DISC - FLAT (10 PCS.)

IN BRIEF Flat Flap disc with high quality zircon crystals. Ideal for rust removal and grinding on surfaces with an angle up to 15°. For rust removal, grinding and cleaning metal. Tough durable zirconia grain. Very strong with very high removal ...



FTP LUX DISTRIBUTION

www.ftpdistribution.lu 🔇 +352 26 39 33 73 🔄 info@ftpdistribution.lu





ABRASIVES

EXTREME FLAP DISCS



XR FLEXVOLT FLAP DISC 125MM

The combination of the grinder to the XR FLEXVOLT specific discs allows the professional to perform up to 39% cuts over and remove up to 53% more material.

DT99583-QZ

DT99585-QZ











<u>ABRASIVES</u>

HONING WHEELS, BRUSHES AND BONNETS



ANGLE GRINDER POLISHING BONNET

IN BRIEF Polishing bonnet for angle grinder. Diameter of 115mm. Lambs wool pile polishing bonnets Includes hook and loop backing pad

CODE DT3620-QZ

DT3622-QZ



CRIMPED WIRE CUP BRUSH M14 65MM DIA.

IN BRIEF Crimp wire cup brush for grinders. 65mm diameter. Medium duty work on surfaces eg paint removal, de-rusting, cleaning, deburring

DT3480-QZ



GRINDING WHEEL

CODE

IN BRIEF Honing wheel with a diameter of 125mm, 25mm width and 20mm arbor hole. Grit: 80. Silicon carbide grinding wheel for sharpening carbide tools such as the highlights, light grinding of non-ferrous metals, iron and alloys such as brass. Bead ...

E DT3385-QZ



HONING WHEEL

IN BRIEF Honing wheel with a diameter of 125mm, 25mm width and 20mm arbor hole. Grit: 400. *Silicon carbide honing wheel*

DT3380-QZ





ABRASIVES

HONING WHEELS, BRUSHES AND BONNETS



TWIST KNOT WIRE CUP BRUSH M14 65MM DIA.

IN BRIEF Twist knot wire cup brush for grinders. 65mm diameter. To be employed with a maximum speed of 11000 rpm. Angle Grinder Twist Wire Wheel Brush. FeaturesA wire brush for use on metal especially designed for angle griders that use a M14 thre ...





TWIST KNOT WIRE CUP BRUSH M14 90MM DIA.

IN BRIEF Twist knot wire brush cup for angle grinder. Diameter of 90mm. To be used with a maximum speed of 8500 revolutions per minute. 115MM Wire Brush Fits Angle Grinders M14 For Use with any make angle Grinder MAX SPEED RATING 8500 RPM Aggressi ...





TWIST KNOT WIRE WHEEL BRUSH M14 115MM

IN BRIEF Twist knot wire wheel brush for grinders. Diameter of 115mm. Maximum speed of 11000 rpm. 115MM Wire Wheel Brush Fits Angle Grinders M14 For Use with any make angle

info@ftpdistribution.lu

Grinder MAX SPEED RATING 12500 RPM Aggressive drives and cup brushes stran ...

DT3502-QZ







MESH SANDING SHEETS



MESH SANDING SHEET FOR 1-2 SANDER

IN BRIEF Mesh sanding sheet for 1/2 sanders. Much longer service life than normal sanding paper. 5 sheets. Fibres are drawn away from the surface into the small holes Dust can be drawn through the mesh sanding sheet across a wider area rather th ...

CODE DTM8552-QZ DTM8551-QZ



MESH SANDING SHEET FOR 1-3 SANDER

IN BRIEF Mesh sanding sheet for 1/3 sanders, with a much longer service life than usual DEWALT abrasive paper. 5 sheets. Mesh sanding sheets last at least four times longer than traditional DEWALT sandpaper sheets. Fibres are drawn away from the ...

DE DTM8621-QZ

DTM8624-QZ

MESH SANDING SHEET FOR 1-4 SANDER

IN BRIEF Abrasive mesh shhet for sander, much stronger than usual DEWALT sanding paper. Perfectly suited for common sanding pads. APPLICATIONS For use with all types of orbital and random orbit sanders 80G, 120G and 240G for sanding and surfa ...

DTM3022-QZ

CODE

CODE

DTM3025-QZ



MESH SANDING SHEET FOR ORBIT SANDER 125MM

IN BRIEF Mesh sanding paper with much longer service life than common DEWALT sanding paper. Peculiar grain structure and bonding. Mesh sanding sheets last at least four times longer than traditional DEWALT sandpaper sheets. Fibres are drawn away ...

DTM8562-QZ DTM3107-QZ DTM3105-QZ DTM3103-QZ


FTP LUX DISTRIBUTION



www.ftpdistribution.lu 🔇 +352 26 39 33 73 🔄 info@ftpdistribution.lu



MESH SANDING SHEETS



MESH SANDING SHEET FOR ORBIT SANDER 150MM

IN BRIEF Mesh sanding paper with much higher resistance than common DEWALT sanding paper. 5-pcs pack. Grit: 60. Mesh sanding sheets last at least four times longer than traditional DEWALT sandpaper sheets. Fibres are drawn away from the surface ...





MESH SANDING SHEET FOR TRIANGLE SANDER

IN BRIEF Mesh sanding sheet for triangular sanders. Much longer service life than usual DEWALT sanding paper. 5 sheets. Fibres are drawn away from the surface into the small holes Dust can be drawn through the mesh sanding sheet across a wider a ...

DTM3092-0Z

NYLON SANDING BELT

DTM3093-QZ

Information: DeWALT sanding belt is used on delta sanders and is suitable for all basic, intermediate and final sanding applications in wood, metal, and drywall. This sanding belt has 4x longer lifespan compared to other DEWALT standard sandpaper d ...








<u>ABRASIVES</u>

MESH SANDING SHEETS

🕥 info@ftpdistribution.lu



NYLON SANDING BELT ROTO

Information: DeWALT sanding belt is used on delta sanders and is suitable for all basic, intermediate and final sanding applications in wood, metal, and drywall. This sanding belt has 4x longer lifespan compared to other DEWALT standard sandpaper d ...

CODE DTM8675-QZ DTM8671-QZ



NYLON SANDING BELT TRIANGULAR

Information: DeWALT sanding belt is used on delta sanders and is suitable for all basic, intermediate and final sanding applications in wood, metal, and drywall. This sanding belt has 4x longer lifespan compared to other DEWALT standard sandpaper d ...

CODE DTM8668-QZ

Z DTM8667-QZ



UNIVERSAL ABRASIVE MESH ROS SHEET 225MM G150 (5 PCS.)

Mesh sanding sheets feature easy hook and loop fitting up to 4X the durability compared to standard coated abrasives, and deliver up to a 25% improvement in surface finish. Ideal for wood, metal, paint, plaster and varnished surfaces.

CODE

DTM8684-QZ





SANDING BELTS



GRINDING BELT FOR BENCH GRINDER - 715X45MM

IN BRIEF Sanding belt with high resistance backing cloth. Aluminum oxide grains for rapid and aggressive sanding. 120 grit. For use with bench grinder. Coarse grits or shaping metal, wood and ceramics. High performance X weight backing cloth. ...

CODE DT3353-QZ DT3351-QZ



SANDING BELT - 64MM FOR D26480

IN BRIEF Sanding belt with peculiar high-resistance backing cloth. For use with belt sanders. Grit 60. 3-pcs pack. For all stripping, sanding and finishing tasks on wood, metal and painted surfaces. Flexible J weight backing cloth. Heat resist ...

CODE DT3661-QZ

DT3663-QZ

DT3299-QZ



SANDING BELT -100MM FOR D26480

IN BRIEF Sanding belt. Support cloth of outstanding resistance and strength, anti static bonding. Grit from 120 upwards. For all stripping sanding and finishing tasks on wood, metal and painted surfaces. Heavy duty X weight backing cloth. Heat ...

CODE DT3312-QZ

DT3315-QZ

DT3318-QZ

SANDING BELT 457X75MM



IN BRIEF Sanding belt with high resistance backing cloth. Aluminum oxide grains for rapid and aggressive sanding. Pack of 3 sheets. APPLICATIONS For all stripping sanding and finishing tasks on wood, metal and painted surfaces. FEATURES Heav ...

CODE

DT3644-QZ

DT3640-QZ

DT3641-QZ

DT3642-QZ DT3643-QZ

FTP LUX DISTRIBUTION



www.ftpdistribution.lu 🔇 +352 26 39 33 73 🔄 info@ftpdistribution.lu



SANDING BELTS



SANDING BELT 533X75MM

IN BRIEF Sanding belt with high resistance bonding and heavy duty backing cloth. Aluminum oxide grains for rapid and aggressive sanding. 10-pcs pack APPLICATIONS For all stripping sanding and finishing tasks on wood, metal and painted surfaces. ...



SANDING BELT 610X100MM



IN BRIEF Sanding belt with more durable support cloth. Aluminum oxide grains allow rapid and aggressive sanding of wood and painted surfaces. For use with Belt Sanders Heavy duty backing cloth Resin bonding provides excellent grain adhesionand h ...

E DT3320-QZ

DT3322-QZ

DT3324-QZ



SANDING BELTS FOR BELT SANDERS 75 480MM (3 PCS.)

High strength support fiber. High temperature resistant binder resin. High quality aluminum oxide grit for the best abrasive efficiency.

DT3367-QZ DT3368-QZ

FTP LUX DISTRIBUTION

www.ftpdistribution.lu 🔇 +352 26 39 33 73 🔄 info@ftpdistribution.lu







SANDING PADS

DT26441 SANDER PAD FOR SHUTTERS MIDRAILS



IN BRIEF Long quadrangular sanding pad for shutters midrails.



ORBIT SANDER DISC PAD 125MM FOR D26453-QS



IN BRIEF Sanding pad with 125mm diameter for D26453-QS. 125mm Velcro Replacement Backing Pad Fits DW421 DW423 D26453

DT3600-QZ

CODE

ORBIT SANDER DISC PAD 150MM - MEDIUM-HARD



IN BRIEF Sanding pad medium/hard of 150mm diameter. 150 mm medium-hard hook and loop platen

E DE2643-XJ



ORBIT SANDER DISC PAD 150MM - SOFT

IN BRIEF Soft sanding pad with 150mm diameter. 150 mm soft hook and loop platen

DE2644-XJ







SANDING PADS



ORBIT SANDER DISC PAD 150MM 6-8 HOLES

IN BRIEF Sanding pad 6 or 8 holes punched with a diameter of 150mm.





ORBIT SANDER DISC PAD 150MM FOR DW443-QS IN BRIEF Sanding pad for DW443-QS. 150mm diameter. 150mm Velcro Replacement Backing

DDE DT3601-QZ

Pad Fits DW443

CODE



<u>TERMOPLASTIC RESIN BACKING PAD M14X115MM</u> IN BRIEF Termoplastic resin backing pad. Diameter of 115mm. For use with angle grinder fibre

discs and polishing bonnets Thermoplastic backing pad supplied with flang locking nut

DT3610-QZ



TERMOPLASTIC RESIN BACKING PAD M14X125MM

IN BRIEF Termoplastic resin becking pad. 125mm diameter. For use with angle grinder fibre discs and polishing bonnets Thermoplastic backing pad supplied with flang locking nut

CODE DT3611-QZ







<u>SANDING 1-2 SHEET - 115X228MM</u>

SANDING 1-3 SHEET - 93X190MM

IN BRIEF Sanding paper for orbital sanders. 1/2 sheets. Made of luminum oxide grains for outstanding superior finish. Pack of 10 sheets. APPLICATIONS For all sanding and finishing tasks on wood, painted surfaces and fillers. FEATURES Industr ...

CODE DT8550-QZ

DT8552-QZ



IN BRIEF Sanding paper for 1/3 sheet orbital sanders. Aluminum oxide grains for excellent finishing tasks. Pack of 10 sheets. APPLICATIONS For all sanding and finishing tasks on wood, painted surfaces and fillers. FEATURES Industrial grade a ...

CODE DT8620-QZ

DT8622-QZ

DT8624-QZ

🕥 info@ftpdistribution.lu

ABRASIVES

SANDING 1-4 SHEET - 115X115MM



IN BRIEF Velcro[®] backed sanding sheets for 1/4 orbital sanders. 8 parallel holes punched. Pack with 25 pieces. APPLICATIONS For all sanding and finishing tasks on wood, painted surfaces and fillers. FEATURES Industrial grade abrasive paper ...



FTP LUX DISTRIBUTION

www.ftpdistribution.lu 🔇 +352 26 39 33 73





SANDING 1-4 SHEET - 115X140MM



IN BRIEF Sanding paper for 1/4 sheet orbital sanders. Aluminum oxide grains for outstanding finishing tasks. Pack of 25 sheets. APPLICATIONS For all sanding and finishing tasks on wood, painted surfaces and fillers. FEATURES Industrial grade ...

CODE DT3011-QZ

DT3014-QZ

DT3017-QZ

ABRASIVES



SANDING ROLL FOR 1-2 AND 1-4 SANDERS

IN BRIEF Sanding paper roll suitable for 1/2 and 1/4 sanders, 5m length and 115mm width. Grit: 60. APPLICATIONS For all sanding and finishing tasks on wood, painted surfaces and fillers. FEATURES Industrial grade abrasive paper for all stripp ...

CODE DT3580-QZ

DT3582-QZ

DT3584-QZ



SANDING ROLL FOR 1-3 SANDERS

DT3590-QZ

IN BRIEF Sanding paper roll for 1/3 sanders, 5m length and 93mm width. Grit: 60. APPLICATIONS For all sanding and finishing tasks on wood, painted surfaces and fillers.

FEATURES Industrial grade abrasive paper for all stripping, sanding and ...

CODE

DT3592-QZ

DT3594-QZ

🕥 info@ftpdistribution.lu





ABRASIVES



SANDING DISC FOR ORBIT SANDER - 6 HOLES PUNCHED (10PCS)

IN BRIEF Sanding disc with a diameter of 150mm for random orbit sander. Grit: 40. 6-holes punched. Pack of 10 sheets. With hook and loop attachment, these discs fit DeWalt, Bosch, Felisatti, Flex, Kress, Metabo, Peugeot, Stayer and Wegoma sanders.

CODE	DT3121-QZ	DT3122-QZ	DT3123-QZ	DT3125-QZ	DT3126-QZ
CODE	DT3127-QZ	DT3128-QZ			



SANDING DISC FOR ORBIT SANDER - 6 HOLES PUNCHED (25PCS)

IN BRIEF Sanding disc with a diameter of 150mm for random orbit sander. Grit: 40. 6-holes punched. Pack of 25 sheets. For use with Random Orbit Sanders. Heat resistant resin adhesive bond for power sanding. Tough, durable paper backing ensures I ...

CODE	DT3131-QZ	DT3132-QZ	DT3133-QZ	DT3135-QZ	DT3136-QZ
CODE	DT3138-QZ	DT3137-QZ			



SANDING DISC FOR ORBIT SANDER - 8 HOLES PUNCHED (10PCS)

IN BRIEF Sanding disc with heat resistant resin bonding ideal for all sanding tasks. 10 sheets. Grit: 240. With hook and loop attachment, these discs fit DeWALT, AEG, Atlas Copco, Bosch, Elu, Fein, Festo, Hitachi, Kress, Makita, Metabo, Skil and Wegoma sanders.

 CODE
 DT3101-QZ
 DT3102-QZ
 DT3103-QZ
 DT3105-QZ
 DT3106-QZ

 CODE
 DT3107-QZ
 DT3108-QZ

FTP LUX DISTRIBUTION



www.ftpdistribution.lu 🔇 +352 26 39 33 73 🍙 info@ftpdistribution.lu



ABRASIVES



SANDING DISC FOR ORBIT SANDER - 8 HOLES PUNCHED (25PCS)

IN BRIEF Sanding disc with heat resistant resin bonding perfectly suited for all demanding sanding tasks. 25 sheets. Grit: 40. For all basic, intermediate and final sanding applications in wood, metal, paints and varnishes Description: Heat resi ...

CODE	DT3111-QZ	DT3112-QZ	DT3113-QZ	DT3115-QZ	DT3116-QZ
CODE	DT3117-QZ	DT3118-QZ			



FTP LUX DISTRIBUTION





附 info@ftpdistribution.lu



ABRASIVES

TRIANGLE SANDING SHEETS



TRIANGLE DETAIL SANDING SHEET

IN BRIEF Sanding paper for triangular orbital sander. Aluminum oxide grains for a superior finish. Pack of 10 sheets. APPLICATIONS For all sanding and finishing tasks on wood, painted surfaces and fillers. FEATURES Industrial grade abrasive ...









